

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1899, 9

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close,
and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of January 1899 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4118 children, of whom 2142 were males and 1976 females. Of these, 3813 were legitimate and 305 illegitimate, being in the proportion of one illegitimate in every 13·5 Births, or the illegitimate Births constituted 7·4 per cent. of the whole. In Paisley, 4·8 per cent. of the Births were illegitimate; in Greenock, 4·9; in Leith, 6·3; in Glasgow, 6·7; in Edinburgh, 8·5; in Perth 9·2; and in Dundee and Aberdeen, 9·4 per cent.

1847 Marriages were registered in these Towns during the month, being 185 above the average number for January during the last ten years, increase of the population being allowed for.

The Deaths of 3034 persons were registered in these Towns during January, of whom 1498 were males and 1536 females. Allowing for increase of the population this number is 51 below the average for the month during the last ten years.

A comparison of the Deaths registered shows that during January the mortality was at the annual rate of 17·8 Deaths per thousand persons in Paisley; 19·6 in Leith; 21·1 in Greenock; 21·5 in Aberdeen; 22·0 in Dundee; 23·0 in Perth; 23·1 in Glasgow; and 23·9 in Edinburgh.

Of the 1440 Deaths registered in Glasgow, 272 were of children under one year of age, and 296 of persons over 60 years; of the 608 in Edinburgh, 99 were of children under one year, and 177 of persons over 60 years; of the 310 in Dundee, 66 were under one, and 74 over 60 years; of the 261 in Aberdeen, 62 were under one, and

73 over 60; of the 129 in Leith, 23 were under one, and 29 over 60; of the 116 in Paisley, 15 were under one, and 28 over 60; of the 109 in Greenock, 22 were under one, and 20 over 60; and of the 61 in Perth, 10 were under one, and 26 over 60 years.

Of the whole 3034 Deaths, 1031, or 34·0 per cent., were of children under five years of age. In Perth, 18·0 per cent. of the persons who died were under five years of age; in Paisley, 25·0; in Leith, 31·0; in Edinburgh, 32·4; in Dundee, 34·5; in Glasgow, 34·6; in Greenock, 36·7; and in Aberdeen, 41·8 per cent.

Miasmatic Diseases caused 324 Deaths, or 10·7 per cent. of the whole number. This rate was exceeded in Aberdeen, Edinburgh, and Leith from the prevalence of Measles and Hooping-Cough in each of these Towns.

Fevers caused 24 Deaths, or 0·8 per cent. of the whole mortality. Of these, one (in Edinburgh) was attributed to Typhus, and 23 to Enteric Fever.

Hooping-Cough caused 137 Deaths, or 4·5 per cent. of the whole. In Glasgow, 69, or 4·8 per cent. of the Deaths there, were caused by Hooping-Cough; in Edinburgh, 39, or 6·4 per cent.; in Aberdeen, 10, or 3·9 per cent.; and in Leith, 5, or 3·9 per cent.

Measles caused 66 Deaths, or 2·2 per cent. of the whole. In Aberdeen, 25 Deaths were caused by Measles, constituting 9·6 per cent. of the Deaths in that Town.

Scarlatina caused 48 Deaths; Diphtheria, 39; and Puerperal Fever, 11.

Intemperance caused 15 Deaths, 10 being from Chronic Alcoholism, and 5 from Delirium Tremens.

Apoplexy caused 110 Deaths; Paralysis, 58; Heart Diseases, 288; and Premature Birth Debility, 70.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 707, or 23·3 per cent. of the whole. Those from Consumption alone numbered 277, or 9·1 per cent. Eight Deaths were attributed to Croup.

138 Deaths were from Violent Causes, of which 3 were Suicidal (all by Hanging).

Nine males and 12 females were aged 90 years and upwards, the eldest being a widow aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1899.]

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	733,903	1020	951	1971	1388	133	940	719	721	1440
EDINBURGH, . . .	244,120	272,773	298,927	363	341	704	644	60	286	289	319	608
DUNDEE, . . .	140,794	154,118	166,072	209	186	395	358	37	213	154	156	310
ABERDEEN, . . .	106,306	124,943	142,655	216	190	406	368	38	151	135	126	261
LEITH, . . .	59,485	68,707	77,385	112	94	206	193	13	37	64	65	129
PAISLEY, . . .	55,638	66,425	76,884	105	104	209	199	10	113	59	57	116
GREENOCK, . . .	66,704	63,423	60,867	84	78	162	154	8	73	49	60	109
PERTH, . . .	28,980	29,919	30,721	33	32	65	59	6	34	29	32	61
TOTAL, . . .	1,279,873	1,439,016	1,587,414	2142	1976	4118	3813	305	1347	1498	1536	3034

JANUARY 1898, . . .	Mean Temp. 43°·8	2110	2011	4121	3826	295	1740	1270	1350	2620
JANUARY 1897, . . .	Mean Temp. 35°·1	2081	1999	4080	3786	294	1783	1508	1423	2931
JANUARY 1896, . . .	Mean Temp. 40°·5	2145	1937	4082	3762	320	1655	1269	1300	2569
JANUARY 1895, . . .	Mean Temp. 31°·7	2099	2024	4123	3810	313	1452	1530	1641	3171
JANUARY 1894, . . .	Mean Temp. 37°·6	2044	1996	4040	3703	337	1578	1398	1448	2846
JANUARY 1893, . . .	Mean Temp. 37°·4	2036	1948	3984	3657	327	1562	1576	1699	3275
JANUARY 1892, . . .	Mean Temp. 36°·5	1949	1757	3706	3434	272	1623	1429	1537	2966
JANUARY 1891, . . .	Mean Temp. 36°·6	1939	1860	3849	3552	297	1421	1435	1605	3040
JANUARY 1890, . . .	Mean Temp. 41°·8	1925	1883	3808	3488	320	1466	1509	1500	3009
JANUARY 1889, . . .	Mean Temp. 39°·6	1952	1746	3698	3394	304	1370	1229	1308	2537

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JANUARY 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria.	Fevers.	Diarrhea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Fevers.	Diarrhea.
GLASGOW—								DUNDEE—						
1. Bridgeton, . . .	0	4	12	9	6	10	0	1. St Peter, . . .	0	2	0	1	0	0
2. Camlachie, . . .	0	2	0	2	0	0	3	2. St Mary, . . .	0	0	1	1	2	0
3. Dennistoun, . . .	0	1	1	7	4	0	4	3. St Clement, . . .	0	0	0	2	1	0
4. Calton, . . .	0	1	0	5	0	0	1	4. St Andrew, . . .	0	0	3	3	1	0
5. Blackfriars, . . .	0	0	0	1	0	0	0	5. Lochee, . . .	0	0	0	2	2	0
6. St Rollox, . . .	0	0	9	3	0	0	0	Mains, . . .	0	0	0	0	0	0
7. Blythswood, . . .	0	1	0	0	0	0	0							
8. Milton, . . .	0	0	1	3	0	0	0	ABERDEEN—						
9. Kelvin, . . .	0	0	0	3	1	0	1	1. St Nicholas, . . .	0	19	5	2	3	5
10. Anderston, . . .	0	0	0	2	2	0	0	2. St Machar, . . .	0	1	0	5	0	1
11. Hutchesontown, . . .	0	1	0	11	0	0	1	3. Woodside, . . .	0	4	0	2	0	0
12. Gorbals, . . .	0	3	1	8	0	0	2	4. Old Aberdeen, . . .	0	1	0	0	0	0
13. Tradeston, . . .	0	3	1	4	2	0	0	E. Peterculter, . . .	0	0	0	0	0	0
14. Kinning Park, . . .	0	0	0	1	0	0	0	Nigg, . . .	0	0	0	1	1	0
Cathcart, . . .	0	0	0	0	0	0	1							
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—						
Maryhill, . . .	0	1	0	3	0	0	3	1. North, . . .	0	0	0	1	1	2
Shettleston, . . .	0	0	0	0	0	0	0	2. South, . . .	0	4	0	4	2	1
Plantation, . . .	0	0	0	1	0	0	0							
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	0	3	2	1
Partick, . . .	0	0	0	0	0	0	0							
EDINBURGH—								GREENOCK—						
1. St George, . . .	0	3	4	17	3	1	3	1. East, . . .	0	0	0	1	0	2
2. St Andrew, . . .	0	6	0	9	0	2	0	2. West, . . .	0	0	3	1	2	1
3. Canongate, . . .	0	7	5	7	3	1	1							
4. St Giles, . . .	0	2	0	1	0	0	1	PERTH, . . .	0	0	0	0	0	1
5. Newington, . . .	0	0	1	5	1	0	0							
6. Portobello, . . .	0	0	1	0	0	0	0							

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	3034	498	85	561	296	1440	197	32	202	177	608	107	17	112	74	310	109	10	69	73	261
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	388	128	13	28	5	174	73	8	7	2	90	24	2	1	1	28	44	5	4	1	54
II. PARASITIC DISEASE	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	15	-	-	8	-	8	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL	537	37	25	160	26	248	16	11	60	15	102	10	4	41	9	64	7	3	24	8	42
V. DEVELOPMENTAL	221	29	-	-	54	83	22	-	-	32	54	16	-	-	11	27	9	-	-	14	23
VI. LOCAL	1626	248	41	301	191	781	71	10	112	123	316	45	11	65	53	174	41	1	35	49	126
VII. VIOLENCE - -	138	6	6	49	13	74	5	3	15	2	25	8	-	3	-	11	2	1	6	1	10
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	108	50	-	15	7	72	10	-	2	2	14	4	-	2	-	6	6	-	-	-	6
I.																					
1. MIASMATIC DISEASES -	324	118	11	15	3	142	68	8	4	2	82	19	2	-	-	21	41	5	3	-	49
2. DIARRHEAL	35	11	1	3	1	16	4	-	1	-	5	4	-	-	1	5	2	-	-	1	3
3. MALARIAL	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL	10	3	-	-	3	1	-	1	1	-	2	1	-	-	-	1	1	-	1	-	2
6. SEPTIC	18	1	1	9	1	12	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
II.																					
PARASITIC DISEASES -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	15	-	-	8	-	8	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	537	37	25	160	26	248	16	11	60	15	102	10	4	41	9	64	7	3	24	8	42
V.																					
DEVELOPMENTAL DISEASES	221	29	-	-	54	83	22	-	-	32	54	16	-	-	11	27	9	-	-	14	23
VI.																					
1. DIS. OF NERVOUS SYSTEM -	305	45	10	39	44	138	12	4	18	30	64	7	1	11	9	28	6	-	8	8	22
2. " ORGANS OF SPECIAL SENSE - -	4	-	2	-	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
" CIRCULATORY SYSTEM	288	4	6	62	42	114	-	2	28	35	65	2	1	23	15	41	1	-	6	15	22
" RESPIRATORY SYSTEM	707	154	12	131	79	376	45	2	39	36	122	26	5	17	21	69	22	-	8	18	43
" DIGESTIVE SYSTEM -	213	44	4	37	15	100	12	1	15	13	41	9	1	7	4	21	12	-	7	3	22
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	7	-	-	1	-	1	1	-	-	1	2	1	-	-	-	1	-	-	1	1	2
" URINARY SYSTEM -	63	-	3	20	8	31	-	-	4	8	12	-	2	3	4	9	-	-	2	4	6
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	7	-	-	1	2	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION - -	15	-	-	5	-	5	-	1	4	-	5	-	-	1	-	1	-	-	2	-	2
9. " ORGANS OF LOCOMOTION - -	12	1	4	2	-	7	1	-	-	-	1	-	1	-	-	1	-	1	1	-	3
10. " INTEGUMENTARY SYSTEM - -	5	-	-	3	1	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1899.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	135	6	6	47	13	72	5	3	15	2	25	8	-	2	-	10	2	1	6	1	10
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - -	108	50	-	15	7	72	10	-	2	2	14	4	-	2	-	6	6	-	-	-	6
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	66	15	2	-	-	17	16	2	-	-	18	2	-	-	-	2	22	3	-	-	25
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	48	19	4	2	-	25	9	1	1	-	11	3	1	-	-	4	5	-	-	-	5
Typhus - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	10	-	-	3	3	6	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Hooping-Cough - - -	137	67	2	-	-	69	38	1	-	-	39	8	1	-	-	9	10	-	-	-	10
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	39	12	2	1	-	15	5	2	-	-	7	6	-	-	-	6	4	-	-	-	4
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	23	-	1	9	-	10	-	2	1	-	3	-	-	-	-	-	-	2	3	-	5
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - -	35	11	1	3	1	16	4	-	1	-	5	4	-	-	1	5	2	-	-	1	3
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	8	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Gonorrhoea, Stricture of Urethra	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	5	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	11	-	-	7	-	7	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

7

Registered during the Month of JANUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	-	5	-	7	-	-	2	1	3	-	1	4	-	5	-	1	1	1	3
2. VIOLENCE OTHER THAN ACCIDENTAL - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES - - - -	4	-	-	-	4	2	-	-	-	2	3	-	1	-	4	-	-	-	-	-
MIASMATIC DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	5	-	-	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	-	2	1	-	3	1	1	-	-	2	2	-	-	-	2	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	-	3	-	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	-	1	-	-	1	-	-	-	-	-	2	-	1	1	4	1	-	-	-	1
MALARIAL DISEASES.																				
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1
Pyæmia, Septicæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of JANUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	2	6	-	-	1	1	2	-	-	1	1	2	-	-	1	2	3
Tubes Mesenterica - - - - -	-	1	-	-	1	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	1	-	-	-	1	1	1	-	-	2	2	3	-	-	5	1	-	-	-	1
Phthisis - - - - -	-	3	12	-	15	-	4	10	-	14	1	2	4	-	7	-	1	5	1	7
Other forms of Tuberculosis, Scrofula	-	-	3	-	3	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Purpura, Hemorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	2	-	-	-	2	1	-	-	-	1	3	-	-	-	3	2	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Old Age - - - - -	-	-	-	7	7	-	-	-	7	7	-	-	-	2	2	-	-	5	-	8
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	4	2	-	-	6	2	-	-	-	2	-	-	-	-	-
branes - - - - -	-	-	5	2	7	-	-	-	-	5	-	-	2	1	3	-	-	-	2	2
Apoplexy - - - - -	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-
Softening of Brain - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3
Hemiplegia, Brain Paralysis -	-	-	1	2	3	-	-	-	2	2	-	-	1	1	2	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	1	1	-	-	2	2	-	-	-	2	1	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	-	-	-	-	1
Other Diseases of Nervous System	-	-	-	-	-	-	1	1	2	-	1	2	-	3	-	-	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of JANUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.					
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	205	-	3	49	28	80	-	1	15	16	32	-	1	17	12	30	-	-	5	14	19
Pericarditis -	-	-	-	-	-	-	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	5	-	-	-	-	-	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	3	-	-	-	1	1	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Syncope -	51	3	3	7	8	21	-	1	6	12	19	2	-	5	2	9	-	-	-	-	-
Aneurism -	5	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1
Senile Gangrene -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Embolism, Thrombosis -	4	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1	1	-	-	-	1
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	10	1	-	2	3	6	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	6	5	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	8	3	-	1	-	4	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	10	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	353	62	3	73	58	196	21	-	12	22	55	10	-	7	14	31	13	-	3	12	28
Pneumonia -	271	62	6	48	13	129	20	1	22	11	54	14	5	9	4	32	8	-	5	5	18
Pleurisy -	19	2	2	3	3	10	-	1	3	1	5	1	-	1	1	3	-	-	1	-	1
Other Diseases of Resp. System	40	20	-	4	4	28	1	-	1	2	4	1	-	-	2	3	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	4	2	-	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition -	17	7	-	-	-	7	4	-	-	-	4	1	-	-	-	1	3	-	-	-	3
Sore-throat, Quinsy -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dyspepsia -	3	1	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Melæna -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Stomach -	43	6	2	6	4	18	2	-	2	5	9	3	-	2	2	7	1	-	2	1	4
Enteritis -	44	15	-	6	-	21	2	-	1	-	3	5	-	2	-	7	6	-	-	-	6
Ulceration of Intestine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	15	1	-	5	2	8	-	-	2	2	4	-	-	1	-	1	-	-	1	-	1
Stricture or Strang. of Intestine	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	9	-	-	-	1	1	1	-	2	2	5	-	-	1	-	1	-	-	1	-	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	23	4	2	6	-	12	-	1	3	-	4	-	1	1	2	4	-	-	-	-	-
Ascites -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	9	-	-	2	1	3	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	27	3	-	7	2	12	-	-	1	2	3	-	-	-	-	-	1	-	3	1	5
Other Dis. of Digestive System	6	1	-	2	1	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	1	2
Diseases of Thyroid Body -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	15	-	-	7	2	9	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-
Bright's Disease -	26	-	1	8	1	10	-	-	4	4	8	-	1	2	2	5	-	-	1	-	1
Uremia -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Suppression of Urine -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Calculus -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hæmaturia -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	5	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1
Other Dis. of Urinary System	10	-	2	3	2	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3

11

11

11

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1899.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever-Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Pneumonia and Pleurisy.	Consumption.
Arbroath,	28,866	52	27	45	0	0	0	1	2	0	0	0	0	10	1
Ayr,	29,618	73	20	44	0	0	1	0	2	0	0	0	0	10	1
Banff, with Macduff,	8,614	17	5	18	0	6	0	0	0	0	0	0	0	2	1
Blaigowrie,	4,229	8	2	8	0	0	0	0	0	0	0	0	0	1	0
Callander,	2,376	3	0	6	0	0	0	0	0	0	0	1	0	0	1
Campbelltown,	10,696	35	7	17	0	4	0	5	0	0	0	2	0	1	0
Cathcart (Landward),	6,228	15	4	7	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	38,927	101	53	62	0	0	0	8	0	2	0	0	0	13	0
Crief,	5,791	16	5	12	0	0	0	0	0	0	0	0	0	1	2
Dumbarton,	21,341	55	18	32	0	0	0	1	0	0	0	0	0	9	5
Dumfries, with Troqueer,	24,986	62	20	37	0	0	0	1	0	0	0	0	1	3	8
Dunfermline,	30,725	74	49	39	0	0	0	0	0	0	0	1	0	8	3
Dunoon,	7,695	16	0	16	0	0	0	0	0	0	0	0	0	4	1
Eastwood (Landward),	14,579	39	17	26	0	0	1	0	0	1	0	3	0	6	5
Elgin,	11,000	29	6	17	0	0	1	1	0	0	0	1	0	4	3
Falkirk,	30,774	83	35	56	0	0	1	3	0	0	0	2	0	18	2
Forfar,	13,034	21	14	19	0	1	0	0	0	0	0	1	0	3	1
Galashiels,	19,614	22	5	29	0	1	0	0	0	0	0	0	0	2	3
Govan—(1) Plantation (Landward),	26,862	83	13	38	0	0	0	0	0	0	0	1	0	12	1
(2) Govan (Landward),	49,397	157	48	112	0	0	3	3	3	4	0	0	1	16	18
(3) Partick (Landward),	46,316	165	49	63	0	0	0	4	0	1	0	0	0	20	4
Haddington,	4,876	4	1	11	0	0	0	0	1	0	0	0	0	2	0
Hawick, with Wilton,	23,431	36	11	24	0	0	0	0	0	0	0	1	1	5	4
Inverness,	26,084	55	32	50	0	0	0	0	0	0	0	0	1	3	9
Kilmarnock, with Riccarton,	38,488	89	63	59	0	1	1	0	1	1	0	3	1	14	5
Kilmore and Kilbride (Oban),	6,263	12	7	9	0	0	0	0	0	0	0	0	1	0	1
Kinning Park (Landward),	16,728	41	36	38	0	0	0	0	0	0	0	1	0	14	7
Kirkcaldy and Abbotshall,	19,951	41	36	29	0	0	1	0	1	1	0	0	0	6	6
Kirkcubright,	3,475	4	1	5	0	0	0	0	0	0	0	0	0	0	1
Large, with Skelmorlie,	5,465	8	2	5	0	0	2	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,461	5	1	3	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,016	2	0	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,045	33	14	26	0	0	0	0	0	0	0	0	1	4	3
Moulin (Pitlochry),	2,372	5	1	2	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,137	10	4	8	0	0	0	0	0	0	0	1	0	2	0
New Monkland (Airdrie),	39,670	100	40	60	0	0	1	12	0	0	0	1	1	13	2
North Berwick,	3,361	2	0	2	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	17,258	38	7	23	0	0	0	0	0	0	0	2	0	4	0
Rothsay,	9,805	22	8	15	0	0	1	0	0	0	0	1	0	4	3
St Andrews and St Leonards,	8,882	17	5	7	0	0	0	0	0	0	0	0	0	1	0
Shettleston (Landward),	16,213	49	18	27	0	0	2	0	0	2	0	1	0	7	2
Stirling,	15,800	32	17	26	*1	1	0	1	0	0	0	0	0	7	1
Stranraer,	6,016	17	1	11	0	0	0	0	0	0	0	1	0	1	2
Wick,	12,347	33	7	20	0	0	0	4	0	0	0	1	0	3	2

* Chickenpox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of JANUARY 1899.

Mean barometric pressure, 29.675 inches; less than the average for the same month of 1856-95 by 0.132 inch.

Barometric monthly range, 2.046 inches; greater by 0.390 inch.

Mean temperature, $37^{\circ}0$; less by $0^{\circ}7$.

Mean daily range of temperature, $9^{\circ}5$; greater by $0^{\circ}5$.

Mean humidity, 89; greater by 2.0.

Rain, number of days, 21; greater by 4 days.

Rain, depth in inches, 4.95; greater by 1.23 inch.

Wind, pressure on square foot, 1.16 lb.; less by 0.84 lb.

Wind, direction of, E. to W. as 7 to 11, and N. to S. as 4 to 7; the average being E. to W. as 6 to 13, and N. to S. as 4 to 8.

Hence the weather of January 1899 was characterised by an unusually low mean barometric pressure, accompanied with an unusually large monthly range; a mean temperature somewhat under the average, with a mean daily range half a degree above it; a mean humidity higher than any recorded since January 1875; a very large mean rainfall, larger than has occurred since 1884, and falling on four days more than the average; and winds, as regards direction, nearly the average, blowing with a mean force very much below the average.

The mean barometric pressure was 29.675 inches, or 0.132 inch less than the average. This decidedly low pressure, as compared with the average pressure of the month, was equally distributed over the whole of Scotland with very exceptional uniformity; and hence the winds, as regards direction, were the average.

The mean temperature was $37^{\circ}0$, or $0^{\circ}7$ under the average, the deficiency of the days being $0^{\circ}4$ and the nights $0^{\circ}9$. The departures from the average were very unequal; thus the amounts under the average were $1^{\circ}8$ at Aberdeen, Dundee, and Perth; $0^{\circ}3$ at Glasgow and Greenock; but at Edinburgh and Leith the average temperature was reached. The coldest weather occurred from the 12th to the 18th, and from the 23rd to the 27th. The absolutely highest temperature was $52^{\circ}6$ on the 18th at Leith, and the lowest $13^{\circ}5$ on the 25th at Perth.

The mean rainfall was 4.95 inches, or 33 per cent. above the average, the largest excess above the average being 77 per cent. at Leith, and the smallest 13 per cent. at Greenock. The absolutely largest rainfall was 9.63 inches at Greenock, and the least 3.42 inches at Dundee. Rain fell every day from the 1st to the 22nd, but after this latter date none fell. The heaviest falls were from the 18th to the 21st; on these four days 3.91 inches fell at Greenock. Showers of snow were of general occurrence from the 6th to the 18th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JANUARY 1899.

Abstract of Meteorological Observations.

	Height of Station above Sea-level.	BAROMETER.		SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.								Mean Pres- sure on Sq. ft.		
		Mean at Station and 32°.		Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									lbs.	Calm or Variable.
		inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.	atms.	atms.	inch.	N	NE	E	SE	S	SW	W	NW		°	°
GLASGOW, A. K. CHALMERS, M.D., Medical Officer of Health, Glasgow.	54	29.625	29.686	2.144	32.1	18.9	38.0	33.2	11.1	20.2	36.4	34.2	.107	..	86	21	5.93	1	0	6	2	0	3	2	5	12	0.27		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.376	29.682	2.474	51.5	22.0	38.1	29.5	9.2	23.1	37.3	35.8	.103	..	87	21	3.69	0	1	3	1	2	5	15	1	3	0.70		
DUNDEE, JOHN CARNOCHAN, Curator of Cometeries.	164	29.486	29.671	1.905	45.9	20.0	35.6	25.9	7.8	16.4	35.6	34.6	.191	..	91	18	3.42	2	3	2	2	2	5	11	4	0	1.96		
ABERDEEN, PETER HARRIS, Superinten- dent, Public Park.	44	29.567	29.647	1.326	45.4	15.6	35.7	29.8	8.8	15.0	35.4	34.1	.182	..	88	22	3.74	0	1	1	3	5	9	6	5	1	1.71		
LEITH, JAMES BOLAM, Navigation School, and GEORGE RIMMIE.	50	29.618	29.674	2.082	52.6	23.9	38.2	28.7	7.8	21.2	36.7	34.5	.200	..	87	21	3.80	0	1	3	2	4	3	7	1	5	1.36		
PAISLEY, DONALD MACLEAN, The Coals Observatory.	107		
PERTH, ROBERT GILMOUR, Greenock Water Works.	233	29.441	29.686	2.105	50.4	22.8	37.5	27.6	10.0	19.2	36.1	33.5	.192	..	84	22	3.63	0	0	0	9	0	10	4	3	5	1.88		
PERTH, A. LEITCH, Gardener to James P. Fuller, F.R.S.E.	140	29.522	29.680	2.000	49.5	13.5	35.5	36.0	12.1	19.5	35.0	33.9	.182	..	89	19	4.46	1	6	12	0	2	5	1	1	0	..		
Means,	123	29.622	29.675	2.046	45.2	27.0	37.0	29.1	9.5	19.2	36.8	35.4	.192	..	89	21	4.95	1	2	4	3	2	7	6	3	3	1.16		

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 67'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 43'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 8° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & CO. Ltd., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of February 1899 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3621 children, of whom 1829 were males and 1792 females. Of these, 3407 were legitimate and 214 illegitimate, being in the proportion of one illegitimate in every 16·9 Births, or the illegitimate Births constituted 5·9 per cent. of the whole. In Greenock, 1·8 per cent. of the Births were illegitimate; in Leith, 3·8; in Paisley, 4·1; in Aberdeen, 5·8; in Glasgow, 6·1; in Perth, 6·2; in Edinburgh, 6·8; and in Dundee, 7·2 per cent.

The number of Marriages registered in these Towns during February amounted to 752. After allowance has been made for the increase of the population, this number is 56 above the average for the month during the last ten years.

The Deaths of 3377 persons were registered in these Towns during February, of whom 1638 were males and 1739 females. Allowing for increase of the population, this number is 534 above the average for the month during the last ten years, and during that time has been exceeded only by the February of 1895, when the weather was exceptionally severe.

A comparison of the Deaths registered shows that during February the mortality was at the annual rate of 19·5 Deaths per thousand persons in Perth; 19·9 in Dundee; 23·8 in Aberdeen; 25·1 in Leith; 26·6 in Edinburgh; 29·6 in Greenock; 30·8 in Glasgow; and 31·9 in Paisley.

Of the 1734 Deaths registered in Glasgow, 314 were of children under one year of age, and 436 of persons over 60 years; of the 609 in Edinburgh, 118 were of children

under one year, and 185 of persons over 60 years ; of the 253 in Dundee, 49 were of children under one year, and 61 of persons over 60 years ; of the 260 in Aberdeen, 72 were under one, and 83 over 60 ; of the 149 in Leith, 29 were under one, and 37 over 60 ; of the 188 in Paisley, 42 were under one, and 68 over 60 ; of the 138 in Greenock, 29 were under one, and 41 over 60 ; and of the 46 in Perth, 5 were under one, and 20 over 60 years.

Of the whole 3377 Deaths, 1134, or 33·6 per cent., were of children under five years of age. In Perth, 13·0 per cent. of the persons who died were under five years of age ; in Greenock, 31·9 ; in Paisley, 32·4 ; in Glasgow, 32·6 ; in Edinburgh, 33·2 ; in Dundee, 34·8 ; in Leith, 36·2 ; and in Aberdeen, 43·8 per cent.

Miasmatic Diseases caused 418 Deaths, forming 12·4 per cent. of the total number. This rate was exceeded in Edinburgh, from the prevalence of Influenza and Hooping-Cough ; in Leith, from Hooping-Cough alone ; and in Aberdeen, from the prevalence of Measles, and in a lesser degree from Hooping-Cough.

Fevers caused 23 Deaths, of which 19 were ascribed to Enteric, 1 (in Edinburgh) to Typhus, 1 to Cerebro-Spinal, and 2 to Simple Continued Fever.

Hooping-Cough caused 136 Deaths, or 4·0 per cent. of the whole mortality. In Edinburgh, 38, or 6·2 per cent., and in Leith, 19, or 12·8 per cent., of the Deaths in these Towns respectively were caused by Hooping-Cough.

Influenza caused 128 Deaths, being 3·8 per cent. of the whole. In Glasgow, 68 Deaths, or 3·9 per cent. were from this cause ; in Edinburgh, the number was 28, or 4·6 per cent. ; and in Paisley, 15, or 8·0 per cent.

Measles accounted for 74 Deaths, or 2·2 per cent. of the total. In Aberdeen, the number from Measles was 33, forming 12·7 per cent. of all the Deaths there.

Scarlet Fever caused 30 Deaths ; Diphtheria, 27 ; and Puerperal Fever, 7.

Five Deaths were due to Intemperance, all being ascribed to Chronic Alcoholism.

From Apoplexy there resulted 126 Deaths ; from Paralysis, 62 ; from Diseases of the Heart, 256 ; and from Premature Birth Debility, 68.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 1041, or 30·8 per cent. Those from Consumption alone numbered 269, or 8·0 per cent. Two of the Deaths were from Croup.

The Violent Deaths numbered 95, of which 11 were Suicidal (5 being from Cutting or Stabbing, 3 by Hanging, 2 by Shooting, and 1 by Precipitation).

Six males and 12 females were aged 90 years and upwards. The eldest, the widow of a Master Joiner, was aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	733,903	895	936	1831	1719	112	381	855	879	1734
EDINBURGH, . .	244,120	272,773	298,927	296	261	557	519	38	149	302	307	609
DUNDEE, . . .	140,794	154,118	166,072	173	159	332	308	24	70	116	137	253
ABERDEEN, . .	106,306	124,943	142,655	170	175	345	325	20	66	118	142	260
LEITH, . . .	59,485	68,707	77,385	88	69	157	151	6	21	75	74	149
PAISLEY, . . .	55,638	66,425	76,884	84	88	172	165	7	27	81	107	188
GREENOCK, . .	66,704	63,423	60,867	86	77	163	160	3	21	68	70	138
PERTH, . . .	28,980	29,919	30,721	37	27	64	60	4	17	23	23	46
TOTAL, . . .	1,279,873	1,439,016	1,587,414	1829	1792	3621	3407	214	752	1638	1739	3377

FEBRUARY 1898, . . .	Mean Temp. 39°·6	1819	1744	3563	3328	235	753	1245	1192	2437
FEBRUARY 1897, . . .	Mean Temp. 40°·4	1948	1762	3710	3447	263	678	1538	1627	3165
FEBRUARY 1896, . . .	Mean Temp. 42°·2	1858	1743	3601	3334	267	709	1172	1127	2299
FEBRUARY 1895, . . .	Mean Temp. 29°·7	1815	1747	3562	3339	223	616	1880	2201	4081
FEBRUARY 1894, . . .	Mean Temp. 39°·8	1772	1629	3401	3152	249	632	1144	1166	2310
FEBRUARY 1893, . . .	Mean Temp. 39°·3	1797	1680	3477	3225	252	651	1287	1250	2537
FEBRUARY 1892, . . .	Mean Temp. 37°·6	1891	1815	3706	3431	275	720	1294	1264	2558
FEBRUARY 1891, . . .	Mean Temp. 41°·8	1721	1628	3349	3053	296	616	1173	1173	2346
FEBRUARY 1890, . . .	Mean Temp. 37°·9	1664	1503	3167	2902	265	554	1415	1400	2815
FEBRUARY 1889, . . .	Mean Temp. 37°·6	1674	1519	3193	2952	241	626	1081	1145	2226

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of FEBRUARY 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	2	8	4	8	10	2	1. St Peter, . .	0	2	0	1	1	0	4
2. Camlachie, . .	0	1	0	4	0	1	0	2. St Mary, . .	0	0	0	3	1	0	0
3. Dennistoun, . .	0	1	0	4	1	1	3	3. St Clement, . .	0	1	0	1	0	0	0
4. Calton, . . .	0	6	0	3	0	0	0	4. St Andrew, . .	0	1	0	2	1	1	1
5. Blackfriars, . .	0	3	0	2	0	0	1	5. Lochee, . . .	0	0	1	2	0	0	1
6. St Rollox, . .	0	0	7	3	0	0	1	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	0	2	1	0	2								
8. Milton, . . .	0	1	0	2	0	0	0	ABERDEEN—							
9. Kelvin, . . .	0	1	1	3	0	1	1	1. St Nicholas, . .	0	17	3	3	3	3	3
10. Anderston, . .	0	2	0	8	0	0	0	2. St Machar, . .	0	12	0	4	0	0	2
11. Hutchesontown, .	0	0	2	3	0	0	1	3. Woodside, . .	0	2	0	3	1	0	0
12. Gorbals, . . .	0	1	0	3	1	0	0	4. Old Aberdeen, .	0	1	0	0	0	0	0
13. Tradeston, . .	0	0	1	2	1	0	1	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	3	0	0	0	Nigg, . . .	0	1	0	1	0	0	0
Cathcart, . . .	0	0	0	1	0	0	0								
Eastwood, . . .	0	0	0	1	0	0	0	LEITH—							
Maryhill, . . .	0	0	0	8	0	0	0	1. North, . . .	0	0	1	3	1	0	0
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	2	1	16	0	0	0
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	0	2	2	3	5
Partick, . . .	0	0	0	0	0	0	1								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	3	0	13	6	1	1	1. East, . . .	0	0	0	0	0	0	1
2. St Andrew, . .	0	5	0	10	0	0	1	2. West, . . .	0	0	2	0	0	0	0
3. Canongate, . .	0	5	3	12	2	2	8								
4. St Giles, . . .	0	1	0	2	2	0	0	PERTH, . . .	0	0	0	1	0	0	1
5. Newington, . .	0	0	0	1	0	0	1								
6. Portobello, . .	0	1	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	3377	565	88	645	436	1734	202	27	195	185	609	88	24	80	61	253	114	15	48	83	260
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	483	113	18	52	32	215	72	4	11	19	106	20	6	2	2	30	48	8	6	5	67
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	8	-	-	2	-	2	1	-	2	-	3	-	-	-	-	-	1	-	-	-	1
IV. CONSTITUTIONAL "	509	38	30	141	33	242	15	9	75	13	112	15	9	33	7	64	6	3	13	5	27
V. DEVELOPMENTAL "	229	35	-	-	68	103	16	-	-	30	46	7	-	-	12	19	10	-	-	11	21
VI. LOCAL "	1919	310	34	404	293	1041	81	9	95	120	305	42	9	40	38	129	39	4	25	60	128
VII. VIOLENCE - -	95	4	6	30	8	48	3	5	11	3	22	2	-	2	1	5	-	-	4	2	6
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	134	65	-	16	2	83	14	-	1	-	15	2	-	3	1	6	10	-	-	-	10
I.																					
1. Miasmatic Diseases -	418	98	17	39	29	183	65	4	9	19	97	14	5	1	2	22	45	7	4	3	59
2. Diarrhoeal "	37	10	-	1	2	13	5	-	1	-	6	6	-	-	-	6	3	1	-	-	-
3. Malarial "	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal "	9	4	-	2	-	6	2	-	-	-	2	-	-	1	-	1	-	-	-	-	-
6. Septic "	18	1	1	9	1	12	-	-	1	-	1	-	1	-	-	1	-	-	2	1	3
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	8	-	-	2	-	2	1	-	2	-	3	-	-	-	-	-	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	509	38	30	141	33	242	15	9	75	13	112	15	9	33	7	64	6	3	13	5	27
V.																					
DEVELOPMENTAL DISEASES	229	35	-	-	68	103	16	-	-	30	46	7	-	-	12	19	10	-	-	11	21
VI.																					
1. Dis. of Nervous System -	342	64	8	39	54	165	14	-	15	28	57	11	2	5	9	27	5	-	5	15	25
2. " Organs of Special Sense -	9	-	-	-	-	-	4	-	1	-	5	3	1	-	-	4	-	-	-	-	-
3. " Circulatory System	256	2	7	67	51	127	1	3	18	35	57	-	1	9	9	19	-	1	3	9	18
4. " Respiratory System	1041	203	15	235	167	620	55	2	36	47	140	24	2	17	14	57	20	2	11	26	59
5. " Digestive System	171	35	2	36	14	87	7	1	12	5	25	3	3	7	3	16	14	1	3	2	20
6. " Lymphatic System and Ductless Glands -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
7. " Urinary System -	68	2	2	20	6	30	-	-	5	5	10	1	-	1	3	5	-	-	3	5	8
8. " Reproductive System: -																					
(a) Diseases of Organs of Generation -	12	1	-	3	-	4	-	-	4	-	4	-	-	-	-	-	-	-	-	3	3
(b) Diseases of Parturition -	5	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
9. " Organs of Locomotion -	7	1	-	1	-	2	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-
10. " Integumentary System -	6	2	-	2	1	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

21

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.					
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
ALL CAUSES - - - -	54	9	49	37	149	61	16	43	68	188	44	8	45	41	138	6	6	14	20	46	
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	23	2	1	3	29	10	2	8	8	28	2	-	1	2	5	1	-	1	1	3	
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DIETETIC - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	
IV. CONSTITUTIONAL - -	4	3	17	2	26	1	5	7	2	15	6	2	7	-	15	-	2	5	1	-	
V. DEVELOPMENTAL - -	3	-	-	5	8	8	-	-	9	17	8	-	-	2	10	-	-	-	5	5	
VI. LOCAL - - - -	23	3	28	26	80	35	9	26	47	117	20	5	34	36	95	4	3	5	12	24	
VII. VIOLENCE - - - -	1	1	3	1	6	-	-	-	2	2	-	-	1	1	2	-	1	2	1	4	
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	-	-	-	-	-	7	-	1	-	8	8	1	1	-	10	1	-	1	-	2	
I.																					
1. Miasmatic Diseases - -	23	2	1	3	29	6	2	8	6	22	2	-	1	1	4	1	-	1	-	2	
2. Diarrhoeal - - - -	-	-	-	-	-	3	-	-	2	5	-	-	-	1	1	-	-	-	1	1	
3. Malarial - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Zoogenous - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. Venereal - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. Septic - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
II.																					
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III.																					
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	
IV.																					
CONSTITUTIONAL DISEASES-	-	4	3	17	2	26	1	5	7	2	15	6	2	7	-	15	-	2	5	1	8
V.																					
DEVELOPMENTAL DISEASES-	-	3	-	-	5	8	8	-	-	9	17	8	-	-	2	10	-	-	-	5	5
VI.																					
1. DISEASES OF NERVOUS SYSTEM-	3	1	2	10	16	7	1	5	10	23	5	2	7	7	21	-	1	2	5	8	
2. " ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. " CIRCULATORY SYSTEM	-	-	6	3	9	-	1	3	9	13	-	-	7	8	15	-	1	-	2	3	
4. " RESPIRATORY SYSTEM	20	2	14	11	47	19	2	13	28	62	13	2	15	17	47	4	-	1	4	9	
5. " DIGESTIVE SYSTEM -	-	-	2	1	3	9	2	1	-	12	1	1	-	2	4	-	1	2	1	4	
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
7. " URINARY SYSTEM -	-	-	3	-	3	-	2	2	-	4	1	-	5	2	8	-	-	-	-	-	
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) DISEASES OF ORGANS OF GENERATION -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
9. " ORGANS OF LOCOMOTION -	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
10. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	83	4	6	26	5	41	3	5	7	3	18	2	-	2	1	5	-	-	4	2	6
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	12	-	-	4	3	7	-	-	4	-	4	-	-	-	-	-	-	-	-	-	
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	184	65	-	16	2	83	14	-	1	-	15	2	-	3	1	6	10	-	-	10	
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	74	20	-	-	-	20	15	-	-	-	15	8	1	-	-	4	31	2	-	33	
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	30	12	6	1	-	19	3	-	-	-	3	1	-	-	-	1	1	2	-	3	
Typhus - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	128	6	4	29	29	68	2	-	7	19	28	-	1	1	2	4	-	-	2	3	
Hooping-Cough - - -	136	53	3	-	-	56	37	1	-	-	38	8	1	-	-	9	10	1	-	11	
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	27	6	1	-	-	7	8	2	-	-	10	2	1	-	-	3	2	1	1	4	
Cerebro-spinal Fever - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple and Ill-defined Fever - - -	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - - -	19	-	2	8	-	10	-	1	1	-	2	-	1	-	-	1	1	1	1	3	
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery - - -	37	10	-	1	2	13	5	-	1	-	6	6	-	-	-	6	3	1	-	5	
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VENEREAL DISEASES.																					
Syphilis - - -	6	4	-	-	-	4	2	-	-	-	2	-	-	1	-	1	-	-	-	-	
Gonorrhoea, Stricture of Urethra - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
SEPTIC DISEASES.																					
Phagedæna - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	5	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia, Septicæmia - - -	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	1	1	
Puerperal Fever - - -	7	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

23

Registered during the Month of FEBRUARY 1899.

[illegible]

25

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Rheumatism - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	3	-	3	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1
Tabes Mesenterica - - - - -	1	-	-	-	1	-	1	-	-	1	3	-	-	-	3	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	3	-	-	-	3	-	-	-	-	-	1	3	-	-	1	-	-	3	-	3
Phthisis - - - - -	-	3	13	1	17	-	3	6	-	9	1	2	6	-	9	-	-	3	-	3
Other forms of Tuberculosis, Scrofula - - - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	1	-	-	1
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	3	-	-	-	3	6	-	-	-	6	7	-	-	-	7	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	5	5	-	-	-	9	9	-	-	-	2	2	-	-	-	5	5
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	-	-	-	2	3	1	-	-	4	4	2	-	6	-	-	-	-	-	-
Apoplexy - - - - -	-	1	4	-	5	-	-	2	5	7	-	-	3	3	6	-	1	-	2	3
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	1	4	-	5	-	-	1	1	2	-	-	1	4	5	-	-	-	3	3
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	3	-	-	-	3	1	-	-	1	-	-	-	1	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	1	-	-	2	-	-	1	4	5	-	-	2	-	2	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	195	-	7	52	35	94	-	2	15	24	41	-	1	9	5	15	-	-	2	9	11
Pericarditis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Hypertrophy of Heart -	10	-	-	3	1	4	-	1	1	2	4	-	-	-	1	1	-	-	-	-	-
Angina Pectoris -	5	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Syncope -	31	2	-	8	8	18	1	-	1	4	6	-	-	-	2	2	-	-	1	-	1
Aneurism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	5	-	-	-	2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	3	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Phlebitis -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	3	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	2	-	1	-	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Croup -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	5	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Emphysema, Asthma -	10	-	-	1	-	1	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Bronchitis -	557	71	3	137	121	332	17	-	12	29	58	7	-	10	10	27	16	-	3	19	38
Pneumonia -	397	116	11	86	37	250	35	1	20	12	68	15	1	6	2	24	3	1	2	3	9
Pleurisy -	18	1	-	4	2	7	-	-	-	1	1	-	1	1	-	2	-	-	3	1	4
Other Diseases of Resp. System	45	11	1	4	6	22	2	1	2	3	8	1	-	-	2	3	-	1	3	3	7
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	27	14	-	-	-	14	1	-	-	-	1	-	-	-	-	-	4	-	-	-	4
Sore-throat, Quinsy -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	30	4	-	11	2	17	1	-	1	1	3	2	-	1	1	4	2	-	-	-	2
Enteritis -	27	12	-	1	-	13	3	-	-	1	4	1	1	2	-	4	3	-	1	-	4
Ulceration of Intestine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	10	1	-	5	1	7	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hernia -	12	-	-	5	3	8	-	-	-	2	2	-	-	-	1	1	-	-	1	-	1
Fistula -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	20	-	2	5	1	8	-	-	3	-	3	-	1	3	1	5	-	1	-	-	1
Ascites -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	3	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Cirrhosis of Liver -	8	1	-	3	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	13	1	-	2	3	6	-	-	3	-	3	-	1	-	-	1	2	-	1	-	3
Other Dis. of Digestive System	9	-	-	1	2	3	1	-	2	-	3	-	-	-	-	2	-	-	-	-	2
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	30	1	2	12	-	15	-	-	2	3	5	1	-	1	-	2	-	-	2	2	4
Bright's Disease -	20	-	-	5	3	8	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Uremia -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	2	-	2
Other Dis. of Urinary System	9	1	-	1	-	2	-	-	-	1	1	-	-	-	1	1	-	1	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

27

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	6	2	8	-	1	2	7	10	-	-	6	7	13	-	1	-	2	3
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope -	-	-	-	1	1	-	1	1	1	2	-	-	-	1	1	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	2	1	3	-	-	1	-	1	-	-	-	1	1
Bronchitis -	6	2	3	10	21	13	-	9	26	48	7	1	5	16	29	2	-	1	1	4
Pneumonia -	12	-	9	-	21	6	2	1	1	10	4	-	7	1	12	2	-	-	1	3
Pleurisy -	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Diseases of Respiratory System	-	-	1	1	-	-	1	-	-	1	2	-	-	-	2	-	-	-	1	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	8	-	-	-	8	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-
Enteritis -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	1	-	1	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-
Bright's Disease -	-	-	1	-	1	-	1	2	-	3	-	-	3	1	4	-	-	-	-	-
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System -	-	-	1	-	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	Grand Total	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	7	-	-	-	-	3	-	-	3	-	3	-	-	-	-	-	-	-	-	3	3
Diseases of Uterus and Vagina	4	1	-	2	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	4	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	3	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	4	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns & Scalds - - -	9	3	2	1	-	6	-	1	-	-	1	-	-	-	-	-	-	-	-	2	2
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - -	8	-	-	2	1	3	-	2	3	-	5	-	-	-	-	-	-	-	-	-	-
Drowning - - -	15	-	3	5	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - - -	7	1	-	-	-	1	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-
{ Otherwise - - -	4	-	-	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Falls - - -	4	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	21	-	-	10	1	11	-	2	2	1	5	-	-	1	-	1	-	-	1	-	-
Otherwise, or Not Stated - - -	14	-	1	5	2	8	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - -	11	-	-	4	3	7	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	5	-	-	3	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	100	55	-	3	-	58	13	-	-	-	13	2	-	1	-	3	9	-	-	-	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Sudden (Cause unascertained) -	6	2	-	3	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	21	8	-	7	-	15	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

29

Registered during the Month of FEBRUARY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. other than R'ways. - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	-	-	2	-	2	-	-	-	-	-	-	1	1	2	-	-	1	-	-	1
Suffocation { In Bed - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { Otherwise - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - -	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
Otherwise, or Not Stated - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - - -	-	-	-	-	-	7	-	1	-	8	7	1	-	-	8	1	-	-	-	1
Mortification - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-
Other ill-def. and not spec. Causes - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—FEBRUARY 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,866	41	8	50	0	0	2	0	3	0	0	2	0	14	3
Ayr,	29,618	70	17	57	0	0	0	4	0	0	0	0	0	12	4
Banff, with Macduff,	3,614	15	1	21	0	3	0	0	0	0	0	0	0	4	1
Blairgowrie,	4,229	4	0	4	0	0	0	0	0	0	0	0	0	2	1
Callander,	2,376	0	0	3	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,696	22	2	31	0	6	0	8	0	0	0	0	0	3	2
Cathcart (Landward),	6,228	10	2	9	0	0	0	0	0	0	0	0	0	2	1
Coatbridge,	38,927	102	21	96	0	0	0	3	2	0	0	2	0	45	2
Crief,	5,791	13	3	3	0	0	0	0	0	0	0	0	0	2	0
Dumbarton,	21,341	44	7	58	0	0	0	0	0	2	0	1	1	23	5
Dumfries, with Troqueer,	24,986	48	10	41	0	0	0	0	0	0	0	0	0	5	4
Dunfermline,	30,725	57	13	36	0	0	0	0	0	0	0	3	1	9	5
Dunoon,	7,695	6	2	16	0	0	0	0	0	0	0	0	0	6	1
Eastwood (Landward),	14,579	35	8	27	0	0	1	0	0	0	0	0	0	18	1
Elgin,	11,000	20	4	19	0	0	0	0	0	1	0	1	1	6	2
Falkirk,	30,774	76	11	71	0	0	0	5	0	1	0	0	0	33	3
Forfar,	18,084	20	3	24	0	0	0	1	1	0	0	1	0	3	2
Galashiels,	19,614	22	6	19	0	0	0	0	0	0	0	0	0	6	3
Govan—(1) Plantation (Land- ward),	26,862	81	4	32	0	0	0	1	0	0	0	2	0	19	0
(2) Govan (Landward),	49,397	170	18	150	0	0	2	4	1	1	0	2	0	47	20
(3) Partick (Landward),	46,816	115	19	67	6	1	1	0	1	0	0	5	0	82	12
Haddington,	4,876	7	0	11	0	0	0	0	0	0	0	0	0	4	1
Hawick, with Wilton,	28,431	35	9	28	0	0	0	0	0	0	0	1	0	4	3
Inverness,	26,084	49	13	59	0	0	0	0	1	0	0	0	0	11	4
Kilmarnock, with Riccarton,	33,488	87	15	74	0	0	1	0	1	4	0	2	0	27	8
Kilmore and Kilbride (Oban),	6,263	15	3	11	0	0	0	0	0	0	0	2	0	5	0
Kinning Park (Landward),	15,726	48	9	19	0	0	0	1	0	0	0	0	0	6	4
Kirkcaldy and Abbotshall,	19,951	34	4	27	0	0	0	1	1	0	0	2	0	1	2
Kirkcudbright,	3,475	8	0	4	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie,	5,465	14	1	5	0	0	0	0	0	0	0	0	0	2	0
Logie (Bridge of Allan),	4,461	4	4	6	0	0	0	0	0	0	0	0	0	2	0
Moffat,	3,016	4	0	7	0	0	0	0	0	0	0	9	0	0	0
Montrose,	13,045	27	5	31	0	0	0	0	1	1	0	0	0	5	5
Moulin (Pitlochry),	2,372	3	1	1	0	0	1	0	0	0	0	0	0	0	0
Nairn,	5,137	10	7	4	0	0	0	0	0	0	0	0	0	2	0
New Monkland (Airdrie),	39,670	82	16	73	0	0	0	15	1	0	0	3	0	31	3
North Berwick,	3,361	4	0	9	0	0	0	2	0	0	0	0	1	1	1
Peterhead, with Boddam,	17,258	36	5	24	0	0	0	0	0	1	0	2	0	4	5
Rothsay,	9,805	20	4	26	0	1	0	0	0	0	0	1	1	18	2
St Andrews and St Leonards,	8,882	12	1	20	0	0	0	0	0	0	0	0	0	4	1
Shettleston (Landward),	16,213	41	2	29	0	0	5	1	0	0	0	1	0	7	0
Stirling,	15,800	29	5	37	0	0	0	0	0	1	0	0	0	5	1
Stranraer,	6,016	15	1	11	0	0	0	0	0	0	0	0	1	0	4
Wick,	12,347	22	6	34	0	0	0	11	0	0	0	0	0	6	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level,

For the month of FEBRUARY 1899.

Mean barometric pressure, 29.787 inches; less than the average for the same month of 1856-95 by 0.081 inch.

Barometric monthly range, 1.703 inches; greater by 0.242 inch.

Mean temperature, $38^{\circ}8$; less by $0^{\circ}4$.

Mean daily range of temperature, $10^{\circ}9$; greater by $1^{\circ}3$.

Mean humidity, 86; being the average.

Rain, number of days, 13; less by 2 days.

Rain, depth in inches, 2.40; less by 0.56 inch.

Wind, pressure on square foot, 1.30 lbs.; less by 0.68 lb.

Wind, direction of, E. to W. as 7 to 8, and N. to S. as 3 to 8; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Hence the weather of February 1899 was characterised by a barometric pressure a little less than the average, with a monthly range very considerably above it; a mean temperature slightly under the average, with a mean daily range very considerably above it; a mean humidity, the average; a mean rainfall, somewhat less than the average, falling on two days fewer than the average; a wind force much under the average, with four days excess of S.E. winds and calms, and four days deficiency of westerly winds.

The mean barometric pressure was 29.787 inches, or 0.081 inch less than the average, the deficiency being a little greater in the south-west than in the north-east, resulting in a slight excess of south-east winds.

The mean temperature was $38^{\circ}8$, or nearly half a degree less than the average. At Aberdeen the temperature was the average; at Perth, $0^{\circ}8$ below it, but a degree above it at Glasgow and Greenock. Rather low temperatures ruled during the first week, and the night temperatures of the 27th and 28th were also low, being generally the coldest of the month. During the rest of the month, temperature was generally the average of the season. The absolutely highest temperature was $55^{\circ}0$ on the 11th at Glasgow, and the lowest $20^{\circ}5$ on the 5th at Aberdeen.

The mean rainfall was 2.40 inches, or 19 per cent. less than the average. Its distribution was very irregular, being the average at Aberdeen, 5 per cent. of excess at Dundee and Perth, but 28 per cent. short of the average at Edinburgh, Leith, Glasgow, and Greenock. Little or no rain fell from the 1st to the 5th, and from the 19th to the end of the month. No heavy falls are recorded, the largest daily fall being 0.77 inch at Greenock on the 8th. The largest absolute fall for the month was 4.47 inches at Greenock, and the smallest 1.43 inch at Leith. Showers of snow were rather frequent during the first week, and auroras were observed on the 2nd and 12th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of FEBRUARY 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										
																			Number of Days it blew in certain Directions.										
		Mean at Sea-level and 32°.	Mean at Station and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	Mean Pres- sure on Sq. ft.
GLASGOW, W. E. MACHARG, M.B., Medical Officer of Health, Glasgow.	54	29.726	29.757	1.632	55.0	22.8	39.7	32.2	12.1	23.2	39.3	34.9	.204	2.35	85	13	2.03		1	2	5	4	1	3	0	2	10	0.25	
EDINBURGH, R. C. MOSSEMAN, F.R.S.E.	276	29.439	29.795	1.631	53.9	22.1	39.5	31.8	10.2	23.8	38.5	34.0	.196	2.27	83	11	1.45		1	0	4	2	2	2	11	2	4	0.59	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.606	29.790	1.740	50.4	23.5	37.6	26.7	10.3	19.6	37.4	35.1	.204	2.38	92	12	2.32		2	2	1	6	0	6	7	4	0	1.17	
ABERDEEN, PETER HARPER, Duthie Park.	44	29.719	29.770	1.630	51.0	20.5	38.4	30.5	11.7	27.0	38.2	34.8	.202	2.36	88	14	2.33		0	1	0	2	5	12	4	4	0	1.35	
LEITH, JAMES KOLAM, Navigation School, and GEORGE REDPATH.	50	29.728	29.784	1.718	52.9	24.4	40.2	28.5	8.2	18.5	39.8	37.7	.204	2.36	83	11	1.43		2	0	2	4	4	3	7	1	5	1.21	
PAISLEY, DONALD MACLEAN, The Coals Observatory.	107	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.532	29.786	1.728	50.9	23.8	38.8	27.1	10.5	17.7	39.9	37.5	.200	2.31	81	15	4.47		0	2	2	13	0	9	0	1	1	3.24	
PERTH, A. GARDROKE, Gardener to James F. Pullar.	140	29.637	29.794	1.740	53.5	21.0	37.6	32.5	13.3	23.0	37.2	34.1	.196	2.26	88	12	2.72		4	2	6	5	6	5	0	0	0	..	
Means.	133	29.620	29.757	1.703	55.0	20.5	38.8	34.5	10.9	21.8	38.6	34.6	.201	2.33	86	13	2.40		1	2	3	5	2	6	4	2	3	1.30	
North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 47'; Dundee, 56° 31'; Aberdeen, 57° 9'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Perth, 3° 26'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 21'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'. Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 38'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'. Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of March 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4233 children, of whom 2150 were males and 2083 females. Of these, 3998 were legitimate and 235 illegitimate, being in the proportion of one illegitimate in every 18·0 Births, or the illegitimate Births constituted 5·6 per cent. of the whole. In Paisley, 1·3 per cent. of the Births were illegitimate; in Greenock, 4·8; in Leith, 5·0; in Glasgow, 5·3; in Perth, 5·7; in Edinburgh, 5·8; in Dundee, 7·1; and in Aberdeen, 7·6 per cent.

The Marriages registered in these Towns during the month amounted to 754. After allowance has been made for the increase of the population, this number is 26 below the average for March during the last ten years.

The Deaths of 3011 persons were registered in these Towns during the month, the males numbering 1485, and the females 1526. This number is 119 below the March average of the last ten years, allowing for increase of population.

A comparison of the Deaths registered shows that during March the mortality was at the annual rate of 18·7 Deaths per thousand persons in Dundee; 19·6 in Perth; 20·1 in Paisley; 20·6 in Edinburgh; 22·1 in Leith; 22·9 in Glasgow; 25·7 in Greenock; and 27·8 in Aberdeen.

Of the 1426 Deaths registered in Glasgow, 283 were of children under one year of age, and 271 of persons over 60 years; of the 524 in Edinburgh, 78 were of children under one year, and 165 of persons over 60 years; of the 264 in Dundee, 61 were under one year, and 61 over 60 years; of the 337 in Aberdeen, 90 were under one,

and 84 over 60; of the 145 in Leith, 31 were under one, and 34 over 60; of the 131 in Paisley, 30 were under one, and 33 over 60; of the 133 in Greenock, 32 were under one, and 42 over 60; and of the 51 in Perth, 9 were under one, and 19 over 60 years.

Of the whole 3011 Deaths, 1082, or 35·9 per cent., were of children under five years of age. In Perth, 25·5 per cent. of the persons who died were under five years of age; in Edinburgh, 30·3; in Glasgow, 35·4; in Paisley, 37·4; in Greenock, 37·6; in Dundee, 38·6; in Leith, 41·4; and in Aberdeen, 42·7 per cent.

Miasmatic Diseases caused 364 Deaths, or 12·1 per cent. of the total mortality. This rate was slightly exceeded in Edinburgh, from the prevalence of Hooping-Cough and Influenza; in Leith, from Hooping-Cough alone; and greatly exceeded in Aberdeen from the prevalence of Measles, and to a less extent from Influenza.

Fevers caused 22 Deaths, of which 5 were ascribed to Typhus (2 being registered in Glasgow, and 3 in Edinburgh), and 17 to Enteric Fever.

Measles caused 104 Deaths, or 3·5 per cent. of the whole. In Aberdeen, 45 of the Deaths were attributed to Measles, being 13·4 per cent. of the total mortality in that town.

Hooping-Cough accounted for 116 Deaths, forming 3·9 per cent. of the total. In Edinburgh, 32, or 6·1 per cent., and in Leith, 18, or 12·4 per cent., of the Deaths in these Towns respectively were caused by Hooping-Cough.

To Influenza were ascribed 88 Deaths, or 2·9 per cent. of the whole. In Edinburgh, 24 Deaths, or 4·6 per cent. were from this cause. In Aberdeen, the number was 18, forming 5·3 per cent.; and in Perth, 4, or 7·8 per cent.

Scarlet Fever caused 20 Deaths; Diphtheria, 14; and Puerperal Fever, 11.

Five Deaths were due to Intemperance, 4 being ascribed to Chronic Alcoholism, and 1 to Delirium Tremens.

From Apoplexy there resulted 100 Deaths; from Paralysis, 60; from Diseases of the Heart, 220; and from Premature Birth Debility, 93.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 678, or 22·5 per cent. of the whole. Those from Consumption alone numbered 308, or 10·2 per cent. Two Deaths were attributed to Croup.

The Deaths from Violence numbered 98, of which 4 were Suicidal (3 by Hanging, and 1 by Cut-throat).

Two males and 11 females were over 90 years of age, the eldest being a widow aged 101 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	733,903	1024	1000	2024	1916	108	378	708	713	1426
EDINBURGH, . .	244,120	272,773	298,927	353	363	721	679	42	133	253	271	524
DUNDEE, . . .	140,794	154,118	166,072	194	184	378	351	27	54	128	136	264
ABERDEEN, . . .	106,306	124,943	142,655	220	190	410	379	31	87	162	175	337
LEITH, . . .	59,485	68,707	77,385	101	100	201	191	10	31	70	75	145
PAISLEY, . . .	55,633	66,425	76,884	111	113	224	221	3	30	60	71	131
GREENOCK, . . .	66,704	68,423	60,867	97	91	188	179	9	25	76	57	133
PERTH, . . .	28,980	29,919	30,721	45	42	87	82	5	16	28	23	51
TOTAL, . . .	1,279,873	1,439,016	1,587,414	2150	2083	4233	3993	235	754	1485	1526	3011

MARCH 1898, . . .	Mean Temp. 40°·6	2131	2223	4354	4047	307	783	1612	1550	3162
MARCH 1897, . . .	Mean Temp. 41°·7	2229	2156	4385	4088	297	908	1579	1615	3194
MARCH 1896, . . .	Mean Temp. 42°·2	2200	2060	4260	3938	322	806	1265	1201	2466
MARCH 1895, . . .	Mean Temp. 41°·1	2135	1987	4122	3852	270	585	1062	2176	4138
MARCH 1894, . . .	Mean Temp. 43°·3	1905	1939	3934	3632	302	698	1305	1219	2524
MARCH 1893, . . .	Mean Temp. 43°·7	2068	1936	4004	3700	304	594	1386	1340	2723
MARCH 1892, . . .	Mean Temp. 37°·4	2023	1948	3973	3687	286	784	1421	1419	2840
MARCH 1891, . . .	Mean Temp. 38°·1	1866	1893	3759	3456	203	740	1486	1517	3003
MARCH 1890, . . .	Mean Temp. 42°·5	1848	1765	3613	3334	279	753	1451	1409	2860
MARCH 1889, . . .	Mean Temp. 40°·0	1880	1712	3592	3302	290	603	1262	1299	2561

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MARCH 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	2	6	7	0	13	2	1. St Peter, . .	0	1	0	5	0	0	3
2. Camlachie, . .	0	3	0	2	0	0	2	2. St Mary, . .	0	0	1	2	0	0	3
3. Dennistoun, . .	0	4	1	5	0	1	1	3. St Clement, . .	0	0	0	1	1	0	0
4. Calton, . . .	0	4	0	0	0	0	1	4. St Andrew, . .	0	0	0	3	0	0	2
5. Blackfriars, . .	0	1	0	1	1	0	1	5. Lochee, . . .	0	0	1	2	0	0	1
6. St Rollox, . . .	0	1	2	2	0	1	0	Mains, . . .	0	0	0	0	1	0	0
7. Blythswood, . .	0	0	0	0	1	0	0								
8. Milton, . . .	0	2	0	4	1	0	1	ABERDEEN—							
9. Kelvin, . . .	0	1	0	3	0	0	0	1. St Nicholas, . .	0	15	2	3	1	2	3
10. Anderston, . .	0	6	0	4	1	1	0	2. St Machar, . .	0	22	0	5	0	0	6
11. Hutchesontown, .	0	11	0	2	1	0	3	3. Woodside, . . .	0	1	0	0	0	0	0
12. Gorbals, . . .	0	3	0	4	0	0	1	4. Old Aberdeen, .	0	1	0	0	0	0	1
13. Tradeston, . .	0	0	0	2	1	0	0	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	3	0	1	0	0	0	Nigg, . . .	0	6	0	0	0	0	0
Cathcart, . . .	0	0	0	1	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	0	1	5	1	0	0	1. North, . . .	0	1	0	3	0	0	1
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	3	0	15	0	0	1
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	1	0	1	0	0	2
Partick, . . .	0	0	0	1	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . . .	0	2	0	5	2	3	1	1. East, . . .	0	0	0	0	0	0	3
2. St Andrew, . . .	0	3	0	12	0	0	2	2. West, . . .	0	0	2	0	0	0	2
3. Canongate, . . .	0	5	4	8	2	0	0								
4. St Giles, . . .	0	0	0	4	0	0	1	PERTH, . . .	0	0	0	0	0	1	0
5. Newington, . .	0	1	0	3	0	0	0								
6. Portobello, . .	0	1	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

37

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	60	7	44	34	145	49	10	39	33	131	50	8	33	42	133	13	1	18	19	51
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	22	1	2	-	25	3	1	3	2	9	7	-	-	2	9	-	-	1	4	5
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
IV. CONSTITUTIONAL " -	6	3	18	7	34	4	5	15	1	25	6	6	7	1	20	1	-	8	-	9
V. DEVELOPMENTAL " -	3	-	-	4	7	8	-	-	6	14	10	-	-	5	15	2	-	-	4	6
VI. LOCAL " -	25	2	22	22	71	26	3	21	23	73	23	1	23	34	81	8	1	5	11	25
VII. VIOLENCE - - -	1	1	2	1	5	2	-	-	1	3	2	1	3	-	6	1	-	4	-	5
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	6	1	-	-	7	1	-	-	-	1	1	-	-	-	1
I.																				
1. MIASMATIC DISEASES - -	21	1	1	-	23	2	1	2	2	7	2	-	-	1	3	-	-	1	4	5
2. DIARRHOEAL " - - -	1	-	1	-	2	1	-	1	-	2	4	-	-	1	5	-	-	-	-	-
3. MALARIAL " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. SEPTIC " - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES -	6	3	18	7	34	4	5	15	1	25	6	6	7	1	20	1	-	8	-	9
V.																				
DEVELOPMENTAL DISEASES -	3	-	-	4	7	8	-	-	6	14	10	-	-	5	15	2	-	-	4	6
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	4	-	7	8	19	12	-	10	6	28	9	1	4	10	24	1	-	1	-	2
2. " ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " RESPIRATORY SYSTEM -	1	1	6	7	15	-	1	4	5	10	1	-	5	7	13	-	-	3	-	3
4. " DIGESTIVE SYSTEM -	16	1	6	5	28	13	2	3	10	23	13	-	7	10	30	4	1	1	9	15
5. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - -	3	-	-	1	4	1	-	-	1	2	-	-	2	4	6	3	-	-	1	4
6. " URINARY SYSTEM - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
7. " REPRODUCTIVE SYSTEM :-	-	-	-	1	1	-	-	-	1	1	-	-	2	2	4	-	-	-	1	1
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
(b) DISEASES OF PARTURITION - - -	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
8. " ORGANS OF LOCOMOTION - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. " INTEGUMENTARY SYSTEM - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	94	9	5	23	11	53	3	-	8	-	11	3	1	-	1	5	1	-	4	2	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	4	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	111	53	1	14	4	72	7	-	1	8	9	-	1	-	10	5	1	2	1	9	
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	104	37	3	1	-	41	10	-	2	-	12	1	-	-	1	44	1	-	-	45	
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	20	7	2	1	-	10	3	1	-	-	4	1	1	-	2	-	1	-	1	2	
Typhus - - -	5	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	88	4	2	21	6	33	2	1	9	12	24	-	1	1	2	-	-	5	13	18	
Hooping-Cough - - -	116	43	1	-	-	44	32	-	-	-	32	13	-	-	13	7	1	-	-	8	
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria - - -	14	6	1	-	-	7	3	-	1	-	4	1	1	-	2	1	-	-	-	1	
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - - -	17	2	4	8	-	14	-	-	-	-	-	-	-	-	-	1	1	-	-	2	
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery - - -	48	11	-	3	2	16	1	1	1	1	4	7	-	1	1	9	8	-	1	10	
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VENEREAL DISEASES.																					
Syphilis - - -	6	3	-	-	-	3	-	-	1	-	1	2	-	-	2	-	-	-	-	-	
Gonorrhoea, Stricture of Urethra	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	10	2	1	2	-	5	-	-	-	-	2	-	-	-	-	1	-	-	1	2	
Pyæmia, Septicæmia	5	1	-	2	-	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	
Puerperal Fever - - -	11	-	-	10	-	10	-	-	1	-	1	-	-	-	-	-	-	-	-	-	

39

39

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	1	1	1	1	4	2	-	-	1	3	2	1	3	-	6	1	-	4	-	5
2. VIOLENCE OTHER THAN ACCIDENTAL - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES - - - -	3	-	-	-	3	6	1	-	-	7	1	-	-	-	1	1	-	-	-	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	-	4	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	-	1	-	1	1	2	2	5	1	-	-	-	1	1	-	-	4	4	-
Whooping-cough - - - -	17	1	-	-	18	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Miasmatic Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera - - - -	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - - -	1	-	1	-	2	1	-	1	-	2	-	-	1	5	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	-	2	3	5	-	4	1	5	-	2	-	2	-	-	1	-	1	-
Tabes Mesenterica - - - - -	1	-	1	-	2	-	-	-	-	3	1	-	-	4	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	1	-	-	-	1	3	-	-	-	3	-	2	-	2	-	-	-	-	-	-
Phthisis - - - - -	2	3	14	2	21	1	4	6	-	11	1	3	5	9	1	-	7	-	9	-
Other forms of Tuberculosis, Scrofula -	2	-	-	1	3	-	1	2	-	3	2	-	-	2	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	3	-	-	-	3	6	-	-	-	6	9	-	-	9	2	-	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	4	4	-	-	-	6	6	-	-	5	5	-	-	4	-	4	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	-	1	-	3	5	-	-	-	5	5	-	1	1	7	-	-	-	-	-
Apoplexy - - - - -	-	-	3	6	9	-	-	4	2	6	-	-	1	3	4	-	-	1	-	1
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	2	2	4	-	-	1	4	5	-	-	1	3	4	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	1	-	1	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	5	-	-	-	5	3	-	-	-	3	1	-	-	1	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	162	2	6	30	31	69	-	1	11	17	29	-	-	14	7	21	-	-	11	3	14
Pericarditis -	5	-	1	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	32	1	1	6	5	13	1	-	2	5	8	-	-	-	4	4	1	-	-	1	2
Aneurism -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Senile Gangrene -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Phlebitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	7	-	-	1	-	1	-	-	1	1	2	-	-	-	2	2	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	9	2	2	2	-	6	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Croup -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	324	45	4	58	55	162	11	-	10	28	49	10	-	5	8	23	18	1	2	18	39
Pneumonia -	284	65	9	56	17	147	19	3	13	4	39	19	-	7	3	29	11	2	11	1	25
Pleurisy -	19	1	-	7	2	10	-	1	1	1	3	-	-	1	-	1	-	-	1	-	1
Other Diseases of Resp. System	37	13	3	4	3	23	1	1	2	2	6	1	-	2	1	4	-	-	1	2	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	4	1	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Dentition -	17	9	-	-	-	9	6	-	-	-	6	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dyspepsia -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of Stomach -	27	4	1	6	3	14	1	-	4	1	6	1	-	1	-	2	-	-	2	1	3
Enteritis -	31	14	-	2	1	17	1	-	2	-	3	4	-	1	1	6	3	-	-	-	3
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	13	-	1	3	3	7	-	-	1	2	3	1	-	1	-	2	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hernia -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Fistula -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Peritonitis -	23	2	-	6	-	8	-	3	3	-	6	-	1	2	-	3	-	3	1	-	4
Ascites -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	6	-	-	5	-	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	17	1	-	5	1	7	3	-	1	1	5	-	1	-	1	2	-	-	1	-	1
Other Dis. of Digestive System	5	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	2	3
DIS. OF LYMPHATIC SYSTEM AND DUOTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	3	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of Thyroid Body -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	21	1	-	8	4	13	-	-	1	-	1	1	-	4	1	6	-	-	1	-	1
Bright's Disease -	42	-	-	19	7	26	-	-	8	1	9	-	-	2	-	2	-	-	1	-	1
Uræmia -	4	-	1	1	1	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suppression of Urine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	15	-	-	2	4	6	1	-	1	4	6	-	-	-	-	-	-	-	1	-	1
Other Dis. of Urinary System	9	-	-	3	1	4	-	-	1	1	2	-	-	-	-	-	2	1	-	-	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	1	4	6	11	-	-	4	4	8	-	-	5	2	7	-	-	3	-	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Syncope	-	1	2	-	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	2	2	5	9	7	1	2	1	18	5	-	3	7	15	-	-	-	-	-
Pneumonia	-	14	1	3	18	6	1	1	1	9	6	-	4	3	13	2	1	7	1	9
Pleurisy	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2	-	-	1	1	4
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dentition	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Peritonitis	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	8	-	-	2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	1	3	2	-	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Arthritis, Osteitis, Periostitis	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	3	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - -	17	1	3	4	3	11	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	4	2	-	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	11	1	-	3	1	5	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Suffocation { In Bed - - -	11	5	-	-	-	5	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-
Suffocation { Otherwise - - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Falls - - - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	19	-	-	7	4	11	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
Otherwise, or Not Stated -	17	-	1	4	2	7	-	-	3	-	3	-	-	-	-	-	-	-	2	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	4	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	77	42	1	3	-	46	7	-	-	-	7	8	-	1	-	9	4	-	-	-	4
Mortification - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
Hæmorrhage - - - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	7	2	-	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	21	8	-	7	2	17	-	-	-	1	1	1	-	-	-	1	1	-	1	-	2

45

45

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,866	53	4	47	0	0	2	0	0	0	0	0	0	11	5
Ayr,	29,618	81	13	60	0	0	0	1	0	0	0	2	0	16	9
Banff, with Macduff,	8,614	12	1	21	0	0	0	0	0	0	0	0	1	6	1
Blairstown,	4,229	5	1	7	0	1	0	0	0	0	0	0	0	1	1
Callander,	2,376	3	0	2	0	0	1	0	0	0	0	0	0	1	0
Campbeltown,	10,696	29	3	33	0	4	0	0	0	1	0	1	0	7	2
Cathcart (Landward),	6,248	21	3	8	0	0	0	1	0	0	0	0	0	0	1
Coatbridge,	38,927	123	11	95	0	0	1	13	1	1	0	5	1	25	8
Crief,	5,791	7	1	8	0	0	0	0	0	0	0	0	0	1	3
Dunbarton,	21,341	47	5	47	0	0	1	0	1	0	0	1	0	8	8
Dumfries, with Troqueer,	24,986	61	2	68	0	0	0	5	0	1	0	1	0	14	4
Dunfermline,	30,723	61	2	44	0	0	0	3	0	0	0	1	0	3	6
Dunoon,	7,693	14	4	19	0	0	0	0	0	0	0	0	0	2	1
Eastwood (Landward),	14,579	43	5	25	0	0	1	1	0	0	0	0	0	10	5
Elgin,	11,000	32	3	15	0	0	0	0	0	0	0	0	0	2	0
Falkirk,	30,774	104	6	46	0	0	2	7	0	0	0	0	0	12	7
Forfar,	13,034	28	6	23	0	0	0	2	0	0	0	0	0	7	2
Galashiels,	19,614	21	8	20	0	0	0	0	0	0	0	0	0	3	4
Govan—(1) Plantation (Landward),	26,862	60	2	36	0	0	0	1	0	0	0	0	0	7	4
(2) Govan (Landward),	49,497	164	20	107	0	2	3	4	2	2	0	0	0	21	21
(3) Partick (Landward),	46,316	133	24	62	0	1	0	0	0	2	0	1	0	10	9
Haddington,	4,876	10	1	16	0	0	0	1	0	0	0	1	0	5	3
Hawick, with Wilton,	23,431	34	1	23	0	0	0	0	0	0	0	0	0	6	3
Inverness,	26,084	74	16	69	0	0	0	2	2	1	0	2	1	16	8
Kilmarnock, with Riccarton,	33,488	104	10	60	0	3	1	3	1	0	0	1	1	11	1
Kilmore and Kilbride (Oban),	6,263	14	4	10	0	0	0	0	0	0	0	0	1	1	1
Kinning Park (Landward),	15,726	39	4	15	0	0	0	1	0	0	0	0	0	7	2
Kirkcaldy and Abbotshall,	19,951	47	11	26	0	1	0	0	0	0	0	0	0	5	4
Kirkcubright,	3,475	7	1	7	0	0	0	0	0	0	0	0	0	3	1
Largs, with Skelmorlie,	5,465	13	2	10	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,461	3	0	6	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,016	3	2	4	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,045	23	5	24	0	0	0	0	0	0	0	0	0	6	5
Moulin (Pitlochry),	2,372	8	0	3	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,137	19	1	8	0	0	0	0	0	0	0	0	0	0	0
New Monkland (Airdrie),	39,670	110	20	57	0	0	2	4	0	0	0	0	1	17	3
North Berwick,	3,361	5	0	3	0	0	0	2	0	0	0	0	0	1	0
Peterhead, with Boddam,	17,258	42	3	21	0	0	0	1	1	0	0	0	0	4	1
Rothsay,	9,805	25	1	14	0	0	0	0	0	0	0	1	0	2	2
St Andrews and St Leonards,	8,882	20	1	13	0	0	0	0	0	0	0	0	0	1	2
Shettleston (Landward),	16,213	57	4	24	0	0	2	0	1	0	0	1	0	4	4
Stirling,	15,800	37	10	34	0	0	0	3	0	0	0	0	0	4	7
Stranraer,	6,016	11	1	15	0	0	1	0	0	0	0	0	0	1	0
Wick,	12,347	11	3	23	0	0	0	8	0	0	0	0	0	1	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of MARCH 1899.

Mean barometric pressure, 29.953 inches; greater than the average for the same month of 1856-95 by 0.125 inch.

Barometric monthly range, 1.566 inch; greater by 0.127 inch.

Mean temperature, $41^{\circ}2$; greater by $1^{\circ}0$.

Mean daily range of temperature, $11^{\circ}8$; greater by $0^{\circ}2$.

Mean humidity, 82; less by 1.7.

Rain, number of days, 15; being the average.

Rain, depth in inches, 2.85; greater by 0.25 inch.

Wind, pressure on square foot, 2.31 lbs.; greater by 0.32 lb.

Wind, direction of, E. to W. as 3 to 14, and N. to S. as 6 to 7; the average being E. to W. as 7 to 12, and N. to S. as 5 to 5.

Hence the weather of March 1899 was characterised by a barometric pressure with a monthly range both considerably above the average; a mean temperature a degree above the average, with a mean daily range slightly above it; a mean humidity much under the average; a mean rainfall a quarter of an inch above the average, falling on the average number of days; a wind force greatly above the average, and as regards direction an excess of two days S.W., one day W., and one day N.W.; winds from E.N.E. being four days short of the average.

The mean barometric pressure was 29.953 inches, or 0.125 inch in excess of the average. The excess was much greater in the south than in the north, being 0.145 inch at Greenock, 0.121 inch at Dundee, and 0.107 inch at Aberdeen. Thus steeper gradients than usual were formed for west-south-westerly winds; which occasioned the greater strength of the wind that prevailed and the higher temperature.

The mean temperature was $41^{\circ}2$, or a degree above the average, the days and the nights showing an equal increment of temperature. The increase of temperature was greater in the south than in the north. Temperature was high for the season from the 11th to the 18th, the mean of these eight being $6^{\circ}0$ above the average. At this time the highest temperatures were recorded, rising to $65^{\circ}5$ at Perth. On the other hand, temperature was very low from the 19th to the 25th, the mean of these days being $7^{\circ}5$ under the average. During this period the absolutely lowest temperature for the month, $15^{\circ}5$, was recorded at Aberdeen.

The mean rainfall was 2.85 inches, or 10 per cent. above the average. The greatest excess, 51 per cent. above the average, was at Glasgow, whereas at Dundee the amount was 14 per cent. below it. The largest amount for the month was 5.56 inches at Greenock, and the smallest 1.71 inch at Dundee. Little or no rain fell from the 1st to the 5th, and from the 10th to the 23rd. At Aberdeen, a good deal of rain fell from the 17th to the 23rd, but none on these days at the other large towns. Showers of snow and hail occurred from the 4th to the 8th, and from the 18th to the 26th. On the 28th, 1.29 inch of rain fell at Greenock and 1.01 inch at Glasgow.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of MARCH 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.		
GLASGOW, W. E. MACHARG, M.B., Bel- videre Hospital, Glasgow.	54	29.914	29.975	1.602	62.9	19.0	41.6	43.9	12.1	35.0	41.6	39.4	36.7	.218	..	83	17	3.27	0	1	2	0	1	5	4	11	7	0.56		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.654	29.961	1.578	62.9	23.5	41.5	39.4	10.4	25.2	40.5	38.2	35.3	.206	..	82	12	2.13	2	1	2	1	1	1	18	2	3	1.61		
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.758	29.942	1.610	61.0	21.1	40.4	39.9	12.0	26.4	39.7	37.9	35.6	.209	..	85	17	1.71	2	3	2	2	0	6	9	0	2.28			
ABERDEEN, PETER HARPER, Duthie Park.	44	29.860	29.910	1.492	62.0	15.5	40.5	46.5	13.7	22.0	38.7	36.8	34.2	.188	..	85	21	2.79	2	1	3	3	10	5	7	0	2.72			
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.900	29.955	1.585	62.9	25.3	42.2	7.6	9.0	26.3	41.5	38.9	35.7	.209	..	80	12	1.94	1	2	3	1	1	5	13	4	1	2.79		
PAISLEY, DONALD MACLEAN, The Coals Observatory.	107																													
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.732	29.986	1.556	60.7	25.2	41.2	35.5	10.7	25.8	41.1	38.6	35.5	.207	..	80	13	5.56	0	3	0	5	10	6	4	2	3.92			
PERTH, A. GAEDDEKE, Gardener to James F. Fullar, F.R.S.E.	140	29.792	29.948	1.536	65.5	19.0	40.7	46.5	15.0	33.0	40.5	38.4	35.7	.210	..	83	11	2.57	5	3	4	0	13	1	0	0	..			
Means.	133	29.801	29.953	1.566	65.5	25.3	41.2	50.0	11.8	27.7	40.5	38.3	35.5	.208	..	82	15	2.85	2	2	1	2	2	7	8	5	2	2.31		
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 19'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close,
and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of April 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4192 children, of whom 2137 were males and 2055 females. Of these, 3920 were legitimate and 272 illegitimate, being in the proportion of one illegitimate in every 15·4 Births, or the illegitimate Births constituted 6·5 per cent. of the whole. In Paisley, 3·6 per cent. of the Births were illegitimate; in Greenock, 3·7; in Leith, 4·0; in Edinburgh, 6·0; in Glasgow, 6·9; in Aberdeen, 7·2; in Dundee, 7·6; and in Perth, 9·4 per cent.

1230 Marriages were registered in these Towns during April. Allowance being made for increase of population, this number is 165 above the average for the month during the last ten years.

The Deaths of 2560 persons were registered in these Towns during April, of whom 1299 were males, and 1261 females. This number is 296 below the average for the month during the last ten years, allowance being made for increase of the population.

A comparison of the Deaths registered shows that during April the mortality was at the annual rate of 16·3 Deaths per thousand persons in Paisley; 17·5 in Edinburgh; 17·9 in Leith; 18·2 in Greenock; 20·3 in Glasgow; 20·6 in Perth; 21·2 in Dundee; and 21·7 in Aberdeen.

Of the 1226 Deaths registered in Glasgow, 267 were of children under one year of age, and 246 of persons over 60 years; of the 429 in Edinburgh, 63 were of children under one year, and 125 of persons over 60; of the 290 in Dundee, 64 were under

one, and 69 over 60; of the 255 in Aberdeen, 49 were under one, and 86 over 60; of the 114 in Leith, 35 were under one, and 27 over 60; of the 103 in Paisley, 16 were under one, and 27 over 60; of the 91 in Greenock, 18 were under one, and 22 over 60; and of the 52 in Perth, 9 were under one, and 20 over 60 years.

Of the whole 2560 Deaths, 908, or 35·5 per cent., were of children under five years of age. In Perth, 21·2 per cent. of the persons who died were under five years of age; in Edinburgh, 27·3; in Paisley, 32·0; in Aberdeen, 33·3; in Greenock, 34·1; in Dundee, 36·6; in Glasgow, 38·3; and in Leith, 48·2 per cent.

Miasmatic Diseases caused 269 Deaths, or 10·5 per cent. of the whole mortality. This rate was exceeded in Aberdeen from the prevalence of Measles, and in Leith from that of Hooping-Cough.

Fevers caused 17 Deaths, of which 15 were attributed to Enteric, and 2 (one in Glasgow, and one in Dundee) to Typhus Fever.

Measles caused 91 Deaths, or 3·6 per cent. of the total. In Aberdeen, 20 Deaths were caused by Measles, or 7·8 per cent. of the Deaths there; in Glasgow, 54, or 4·4 per cent.; and in Edinburgh, 13, or 3·0 per cent.

Hooping-Cough caused 80 Deaths, or 3·1 per cent. of the whole. In Leith, 14 Deaths were attributed to Hooping-Cough, or 12·3 per cent. of the Deaths in that town; in Edinburgh, 20, or 4·7 per cent.; in Dundee, 10, or 3·4 per cent.; in Greenock, 3, or 3·3 per cent.; and in Paisley, 3, or 2·9 per cent.

Influenza caused 44 Deaths; Scarletina, 20; Diphtheria, 16; and Puerperal Fever, 11.

Intemperance caused 6 Deaths, 5 being ascribed to Chronic Alcoholism, and 1 to Delirium Tremens.

To Apoplexy were ascribed 89 Deaths; to Paralysis, 43; to Diseases of the Heart, 223; and to Premature Birth Debility, 84.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 530, or 20·7 per cent. of the whole. Those from Consumption alone numbered 246, or 9·6 per cent. Two Deaths were ascribed to Croup.

The Deaths of 112 persons were attributed to Violence, of which 8 were Suicidal (4 by Hanging, 2 by Gunshot, and 2 by Cut-throat).

One male and 8 females had passed the 90th year of life, the eldest of whom was the widow of a crofter, and was aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, APRIL 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	733,903	1054	1002	2056	1914	142	607	622	604	1226
EDINBURGH,	244,120	272,773	293,927	380	315	695	653	42	234	213	216	429
DUNDEE,	140,794	154,118	166,072	189	205	394	364	30	139	141	149	290
ABERDEEN,	106,806	124,943	142,655	208	192	400	371	29	83	122	133	255
LEITH,	59,485	68,707	77,385	85	116	201	193	8	35	63	46	114
PAISLEY,	55,638	66,425	76,894	105	92	197	190	7	52	52	51	103
GREENOCK,	66,704	63,423	60,867	80	84	164	158	6	51	55	36	91
PERTH,	28,980	29,919	30,721	36	49	85	77	8	29	26	26	52
TOTAL,	1,279,873	1,439,016	1,587,414	2137	2055	4192	3920	272	1230	1299	1261	2560

APRIL 1898,	Mean Temp. 47°·1	2198	2110	4308	4043	265	1098	1495	1411	2906
APRIL 1897,	Mean Temp. 42°·8	2132	2052	4184	3918	266	974	1489	1423	2912
APRIL 1896,	Mean Temp. 48°·5	2266	2080	4346	4061	285	1166	1233	1224	2462
APRIL 1895,	Mean Temp. 46°·3	2175	2107	4282	3982	300	1121	1473	1460	2933
APRIL 1894,	Mean Temp. 47°·4	1993	1981	3974	3712	262	981	1186	1219	2405
APRIL 1893,	Mean Temp. 47°·8	2058	1935	3993	3730	263	990	1353	1300	2653
APRIL 1892,	Mean Temp. 44°·0	2064	1951	4015	3740	275	885	1357	1309	2666
APRIL 1891,	Mean Temp. 42°·1	2010	1948	3958	3666	292	951	1285	1348	2633
APRIL 1890,	Mean Temp. 44°·5	1854	1914	3768	3492	276	968	1362	1405	2767
APRIL 1889,	Mean Temp. 43°·3	1995	1862	3857	3575	282	895	1264	1293	2562

DEATHS FROM Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of APRIL 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	16	4	6	6	7	3	1. St Peter,	0	1	0	2	0	0	1
2. Camlachie,	0	3	0	2	0	1	0	2. St Mary,	0	1	0	0	2	1	1
3. Dennistoun,	0	6	0	0	0	0	1	3. St Clement,	0	0	0	2	0	1	2
4. Calton,	0	3	0	0	0	0	2	4. St Andrew,	0	0	1	6	1	0	4
5. Blackfriars,	0	3	0	2	0	0	1	5. Lochee,	0	0	0	0	0	0	1
6. St Rollox,	0	6	4	4	1	0	6	Mains,	0	0	0	0	0	0	0
7. Blythwood,	0	1	0	1	0	0	1								
8. Milton,	0	0	0	3	0	0	3	ABERDEEN—							
9. Kelvin,	0	4	0	2	0	0	1	1. St Nicholas,	0	7	1	0	3	1	2
10. Anderston,	0	3	0	0	1	0	0	2. St Machar,	0	9	0	1	0	1	2
11. Hutchesontown,	0	9	0	1	0	1	1	3. Woodside,	0	1	0	1	0	0	2
12. Gorbals,	0	0	1	1	0	0	0	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	0	0	0	1	0	0	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	1	0	2	0	1	0	Nigg,	0	3	0	0	0	0	0
Cathcart,	0	0	0	0	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	0	0	2	0	0	0	1. North,	0	0	0	2	0	0	0
Shettleston,	0	0	0	0	0	0	6	2. South,	0	2	1	12	0	0	1
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	6	PAISLEY,	0	0	1	3	0	0	2
Partick,	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George,	0	1	0	8	0	0	1	1. East,	0	0	0	2	1	0	0
2. St Andrew,	0	1	0	4	0	0	0	2. West,	0	0	2	1	0	2	2
3. Canongate,	0	8	4	3	0	0	6								
4. St Giles,	0	2	0	2	0	0	1	PERTH,	0	0	1	0	0	1	1
5. Newington,	0	0	0	3	0	0	2								
6. Portobello,	0	1	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

53.

Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	55	5	27	27	114	33	10	33	27	103	31	9	29	22	91	11	3	18	20	52
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	17	-	1	3	21	5	2	-	2	9	7	3	2	-	12	1	-	2	1	4
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC -	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL -	4	2	11	3	20	4	3	10	3	20	5	2	14	-	21	-	2	3	5	10
V. DEVELOPMENTAL -	4	-	-	2	6	3	-	-	9	12	6	-	-	4	10	3	-	-	-	3
VI. LOCAL -	27	2	12	17	58	18	5	23	13	59	11	3	11	17	42	6	-	9	14	29
VII. VIOLENCE - - -	1	1	2	1	5	-	-	-	-	-	1	1	2	1	5	-	1	4	-	5
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	-	1	2	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1
I.																				
1. MIASMATIC DISEASES -	17	-	-	2	19	4	1	-	-	5	5	2	2	-	9	1	-	1	1	3
2. DIARRHEAL -	-	-	1	-	1	1	-	-	1	2	2	-	-	-	2	-	-	1	-	1
3. MALARIAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. SEPTIC -	-	-	-	1	1	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES -	4	2	11	3	20	4	3	10	3	20	5	2	14	-	21	-	2	3	5	10
V.																				
DEVELOPMENTAL DISEASES -	4	-	-	2	6	3	-	-	9	12	6	-	-	4	10	3	-	-	-	3
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	6	2	2	5	15	7	3	4	4	18	6	1	2	2	11	4	-	-	2	6
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	3	-	-	4	7	1	-	3	3	7	-	-	1	7	8	-	-	5	5	10
4. " RESPIRATORY SYSTEM -	16	-	4	5	25	9	1	11	4	25	4	1	4	8	17	1	-	3	4	8
5. " DIGESTIVE SYSTEM -	2	-	4	2	8	1	-	1	1	3	1	-	2	-	3	1	-	3	3	4
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	-	-	1	1	2	-	1	2	1	4	-	1	2	-	3	-	-	-	-	-
8. " REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	104	13	8	24	8	53	1	4	6	3	14	2	1	6	1	10	5	1	5	2	13
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	8	-	-	2	1	3	-	-	-	1	1	-	-	1	-	1	-	-	1	1	2
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - -	104	49	2	7	7	65	16	-	1	1	18	7	-	1	-	8	6	-	-	-	6
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Measles - - -	91	50	4	-	-	54	11	1	1	-	13	1	1	-	-	2	20	-	-	-	20
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	20	5	2	2	-	9	2	2	-	-	4	1	-	-	-	1	-	-	1	-	1
Typhus - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	44	-	3	6	7	16	-	-	5	4	9	1	-	3	-	4	1	-	4	5	10
Hooping-Cough - - -	80	28	-	-	-	28	18	2	-	-	20	10	-	-	-	10	2	-	-	-	2
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	16	8	1	-	-	9	-	-	-	-	-	2	1	-	-	3	3	-	-	-	3
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	-	2	6	1	9	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	38	10	1	2	-	13	3	-	-	1	4	7	1	1	-	9	2	1	-	3	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	5	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	5	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	5	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
Puerperal Fever - - -	11	-	-	8	-	8	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

55

Registered during the Month of APRIL 1899.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk -	5	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-
{ Delirium Tremens -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - -	4	-	-	2	-	2	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
Rheumatism - - - - -	9	-	-	2	1	3	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	2
Cancer - - - - -	106	1	-	23	16	40	-	-	15	14	29	-	5	6	11	-	7	6	13	1	-
Tabes Mesenterica - - -	38	17	4	3	-	24	2	2	1	-	5	1	-	1	2	1	-	-	-	-	6
Tubercular Meningitis (Acute Hydrocephalus) - - -	53	20	4	2	-	26	6	3	-	9	7	-	-	-	7	4	2	-	-	-	1
Phthisis - - - - -	246	8	17	85	5	115	4	7	38	2	51	2	2	25	29	4	11	1	16	1	-
Other forms of Tuber. Scrofula -	30	2	5	5	1	13	1	1	3	1	6	2	-	-	2	1	-	-	-	-	1
Purp., Hemorrhagic Diathesis -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia -	9	-	1	2	2	5	-	-	1	1	2	-	-	-	-	-	2	-	2	-	-
Diabetes Mellitus - - -	7	-	1	-	1	2	-	1	1	-	2	-	1	-	1	-	-	1	1	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - -	84	40	-	-	-	40	8	-	-	-	8	12	-	-	12	9	-	-	-	9	-
Atelectasis - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	4	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects -	5	2	1	-	-	3	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Old Age - - - - -	99	-	-	-	41	41	-	-	-	21	21	-	-	13	13	-	-	-	9	9	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	70	23	11	3	-	37	5	3	1	-	9	3	1	2	-	6	3	-	1	-	4
Apoplexy - - - - -	89	-	-	23	20	43	-	-	5	14	19	-	4	5	9	-	-	1	10	11	-
Softening of Brain - - -	4	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Hemiplegia, Brain Paralysis -	32	-	-	3	7	10	-	-	2	5	7	-	1	2	3	-	-	2	4	6	-
Paralysis Agitans - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	7	-	-	1	-	1	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Epilepsy - - - - -	6	1	-	2	-	3	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-
Convulsions - - - - -	51	26	1	1	-	28	4	-	-	-	4	4	-	-	4	2	-	-	-	2	-
Laryngismus Stridulus - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Idiopathic Tetanus - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	11	-	-	2	1	3	-	-	3	-	3	-	-	-	-	-	-	3	1	4	-
Other Diseases of Ner. System	16	4	-	1	-	5	-	-	-	1	1	-	-	2	1	3	1	-	-	1	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

57

57

LEITH.
 PAISLEY.
 GREENOCK.
 PERTH.

CAUSES OF DEATH.

PARASITIC DISEASES.

Thrush - - - - -
 Other Dis. from Vegetable Parasites - - - - -
 Hydatid Disease - - - - -
 Other Dis. from Animal Parasites - - - - -

DIETETIC DISEASES.

Starvation, Want of Breast Milk -
 Scurvy -
 Intemp. { Chronic Alcoholism
 Delirium Tremens -

CONSTITUTIONAL DISEASES.

Rheumatic Fever, Rheumatism of Heart -
 Rheumatism -
 Gout -
 Rickets -
 Cancer -
 Tabes Mesenterica -
 Tubercular Meningitis (Acute Hydrocephalus) -
 Phthisis -
 Other forms of Tuberculosis, Scrofula -
 Purpura, Hæmorrhagic Diathesis -
 Anæmia, Chlorosis, Leucocythamia -
 Diabetes Mellitus -
 Other Constitutional Diseases -

DEVELOPMENTAL DISEASES

Premature Birth -
 Atelectasis -
 Cyanosis -
 Spina Bifida -
 Imperforate Anus -
 Cleft Palate, Harelip -
 Other Congenital Defects -
 Old Age -

DISEASES OF NERVOUS SYSTEM.

Inflammation of Brain or its Mem-branes -
 Apoplexy -
 Softening of Brain -
 Hemiplegia, Brain Paralysis -
 Paralysis Agitans -
 Insanity, General Paralysis of Insane -
 Chorea -
 Epilepsy -
 Convulsions -
 Laryngismus Stridulus -
 Idiopathic Tetanus -
 Paraplegia, Diseases of Spinal Cord -
 Other Diseases of Nervous System -

DISEASES OF ORGANS OF SPECIAL SENSE.

Otitis, Otorrhœa -
 Epistaxis and Dis. of Nose -
 Ophthalmia and Dis. of Eye -

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	148	-	7	36	24	67	-	-	14	11	25	-	2	7	9	18	-	-	4	13	17
Pericarditis -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1
Hypertrophy of Heart -	7	-	-	-	2	2	-	-	-	2	2	-	-	1	1	2	-	-	-	1	-
Angina Pectoris -	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	43	4	1	7	7	19	3	-	6	5	14	-	-	1	1	2	-	-	-	1	1
Aneurism -	7	-	-	3	-	3	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-
Senile Gangrene -	2	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	5	-	-	1	1	2	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	4	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	5	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	8	-	-	-	1	1	-	-	-	1	2	-	-	1	-	1	1	-	-	-	-
Bronchitis -	246	36	4	47	46	133	10	-	3	12	25	13	-	4	14	31	5	1	6	10	22
Pneumonia -	223	55	8	38	10	111	11	3	10	4	28	12	2	13	9	36	7	1	4	7	19
Pleurisy -	22	-	2	5	3	10	2	-	2	1	5	1	-	-	-	1	1	-	1	2	4
Other Diseases of Resp. System	21	4	1	2	3	10	1	-	5	1	5	-	-	-	-	-	-	-	-	-	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dentition -	16	12	-	-	-	12	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Sore-throat, Quinsy -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Melena -	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	28	6	-	4	3	13	1	-	2	5	3	1	-	1	5	1	-	-	3	-	-
Enteritis -	33	17	1	2	-	20	-	-	1	1	4	-	-	-	4	4	-	-	-	-	-
Ulceration of Intestine -	7	1	1	1	1	4	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strang. of Intestine	7	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hernia -	5	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	26	1	5	6	1	13	-	3	1	4	-	2	1	-	3	-	1	1	-	2	-
Ascites -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	1	-	1	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-
Other Diseases of Liver	16	1	-	3	5	9	1	-	-	1	-	2	-	-	2	-	-	-	1	-	1
Other Dis. of Digestive System	7	-	-	2	-	2	-	2	1	3	-	-	-	-	-	-	1	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Dis. of Suprarenal Capsules -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	15	1	-	7	-	8	-	-	2	-	2	1	1	-	1	3	-	-	1	-	1
Bright's Disease -	27	-	-	4	3	7	-	-	8	2	10	-	-	2	-	2	-	-	3	1	4
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	1	1	2	-	-	4	-	4	-	-	1	1	2	-	-	1	-	1
Other Dis. of Urinary System	5	1	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of APRIL 1899.

59

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	-	3	3	1	-	3	2	6	-	-	1	4	5	-	-	2	5	7
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	3	-	-	1	4	-	-	-	1	1	-	-	-	2	2	-	-	1	-	1
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Croup -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Bronchitis -	3	-	2	4	9	4	1	6	4	15	1	-	3	3	7	-	-	2	-	2
Pneumonia -	11	-	2	-	13	5	-	3	-	8	2	1	-	4	7	1	-	-	4	4
Pleurisy -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1
Other Diseases of Respiratory System	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine -	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Peritonitis -	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver -	-	-	2	1	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Digestive System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUODENAL GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Uremia -	-	-	1	-	1	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System -	-	-	1	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Diseases of Uterus and Vagina - -	5	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phlegmasia Dolens - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	4	1	-	1	1	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom. - -	3	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	12	1	3	2	-	6	-	1	1	-	2	-	-	2	1	3	-	1	-	-	1
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	10	-	-	1	3	4	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-
Drowning - - -	17	1	3	5	-	9	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5
Suffocation { In Bed - - -	11	4	-	-	-	4	1	-	-	-	1	2	-	-	-	2	3	-	-	-	3
{ Otherwise - - -	7	3	-	3	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	6	-	-	2	-	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	22	2	1	8	3	14	-	2	2	1	5	-	-	-	-	-	-	-	1	1	2
Otherwise, or Not Stated - - -	15	2	1	2	1	6	-	1	-	1	2	-	-	3	-	3	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	2	1	3	-	-	-	1	1	-	-	1	-	1	-	-	1	1	2
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	9	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1	6	-	-	-	6
Debility, Atrophy, Inanition - - -	73	44	-	6	-	50	16	-	-	-	16	3	-	-	-	3	-	-	-	-	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	3	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	17	4	1	1	4	10	-	-	-	-	-	3	-	1	-	4	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

61

Registered during the Month of APRIL 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
{ Veh. other than R'ways. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns and Scalds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	1	-	1	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
Suffocation { In Bed - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Falls - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Otherwise, or Not Stated - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	-	1	-	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—APRIL 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,866	55	12	24	0	0	1	0	2	0	0	1	1	2	2
Ayr,	29,618	76	22	48	0	0	1	4	0	0	0	0	0	6	3
Banff, with Macduff,	8,614	22	1	17	0	0	0	0	0	0	0	2	0	3	2
Blairgowrie,	4,229	17	3	10	0	0	0	0	0	0	0	0	0	1	1
Callander,	2,376	1	0	4	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,696	38	5	25	0	0	0	1	0	0	0	0	0	5	2
Cathcart (Landward),	6,228	15	3	6	0	0	0	0	0	0	0	0	0	3	1
Coatbridge,	38,927	122	11	57	0	0	1	7	1	3	0	1	0	5	6
Crief,	5,791	13	1	5	0	0	0	0	0	0	0	0	0	2	1
Dumbarton,	21,341	52	10	19	0	0	0	0	0	0	0	1	0	4	1
Dumfries, with Troqueer,	24,986	61	10	40	0	0	0	3	0	0	0	1	1	2	5
Dunfermline,	30,725	68	18	37	0	0	0	0	0	0	0	2	0	9	2
Dunoon,	7,695	9	3	13	0	0	0	0	0	0	0	0	0	3	1
Eastwood (Landward),	14,579	45	10	25	0	1	0	0	0	0	0	1	0	6	5
Elgin,	11,000	30	2	15	0	0	0	0	0	0	0	3	0	1	0
Falkirk,	30,774	100	14	56	0	0	0	5	0	0	0	0	0	13	3
Forfar,	13,034	32	7	16	0	0	0	1	0	0	0	0	0	3	3
Galashiels,	19,614	32	11	12	0	0	0	0	0	0	0	0	0	1	0
Govan—(1) Plantation (Land- ward),	26,862	77	10	38	0	0	0	1	0	0	0	0	0	10	2
(2) Govan (Landward),	49,397	185	37	117	0	4	3	0	1	5	0	1	0	22	14
(3) Partick (Landward),	46,316	175	20	71	6	13	0	3	0	0	0	0	2	11	5
Haddington,	4,876	13	5	10	0	0	0	0	0	1	0	0	0	0	2
Hawick, with Wilton,	23,431	46	14	31	0	0	0	0	1	3	0	0	0	0	0
Inverness,	26,084	74	19	46	0	0	0	1	0	0	0	1	1	12	4
Kilmarnock, with Riccarton,	33,488	93	15	47	0	4	0	1	0	0	0	0	0	10	5
Kilmore and Kilbride (Oban),	6,263	18	7	9	0	1	0	0	0	0	0	0	0	1	0
Kinning Park (Landward),	15,726	44	6	21	0	0	0	0	0	0	0	1	0	5	2
Kirkcaldy and Abbotshall,	19,951	38	8	17	0	0	0	1	0	0	0	0	0	4	2
Kirkcaldy,	3,475	11	1	12	0	0	0	0	0	0	0	1	0	7	2
Largs, with Skelmorlie,	5,465	7	1	3	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,461	3	1	6	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,016	5	0	5	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,045	22	5	25	0	0	0	1	0	0	0	0	0	3	1
Moulin (Pitlochry),	2,372	4	1	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	13	2	13	0	0	0	0	0	0	0	0	0	1	2
New Monkland (Airdrie),	39,670	127	15	49	0	0	3	2	2	0	0	1	0	8	4
North Berwick,	3,361	6	1	3	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam,	17,258	45	4	27	0	0	0	4	0	0	0	0	0	6	3
Rothsay,	9,805	16	6	8	0	0	0	0	0	0	0	0	0	2	1
St Andrews and St Leonards,	8,882	17	4	10	0	0	0	0	0	0	0	0	0	0	1
Shettleston (Landward),	16,213	61	10	29	0	2	1	1	0	4	0	2	0	5	2
Stirling,	15,800	30	10	23	0	0	0	1	0	0	0	0	0	6	1
Stranraer,	6,016	12	4	12	0	0	0	0	0	0	0	1	0	2	3
Wick,	12,347	26	6	24	0	0	0	3	0	0	0	0	0	3	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level,

For the month of APRIL 1899.

Mean barometric pressure, 29.736 inches; less than the average for the same month of 1856-95 by 0.169 inch.

Barometric monthly range, 1.114 inch; less by 0.112 inch.

Mean temperature, $44^{\circ}1$; less by $0^{\circ}8$.

Mean daily range of temperature, $13^{\circ}4$; less by $0^{\circ}5$.

Mean humidity, 78; less by 1.9.

Rain, number of days, 19; greater by 6 days.

Rain, depth in inches, 3.14; greater by 1.02 inch.

Wind, pressure on square foot, 2.23 lbs.; greater by 0.55 lb.

Wind, direction of, E. to W. as 8 to 10, and N. to S. as 7 to 6; the average being E. to W. as 9 to 8, and N. to S. as 5 to 6.

Hence the weather of April 1899 was characterised by an unusually low mean barometric pressure, with a monthly range considerably less than the average; a mean temperature nearly a degree under the average, and a mean daily range half a degree under the average; a low mean humidity; a mean rainfall an inch in excess of the average, and falling on six days more than the average; a mean wind force greatly above the average, and, as regards direction of wind, N.E. and N.W. winds were three days more than the average.

The mean barometric pressure was 29.736 inches, or 0.169 inch less than the average. This is the lowest mean pressure for April recorded at the large towns of Scotland since 1856, except in 1867, when it was only 29.610 inches. The diminution was greater in the east and north than in the west and south, resulting in a greater force of wind and a greater prevalence of winds from a northerly direction.

The mean temperature was $44^{\circ}1$, or $0^{\circ}8$ under the average, the days being $1^{\circ}1$ and the nights $0^{\circ}5$ under the averages. Temperature was rather higher during the first and fourth weeks than during the second and third weeks. The absolutely highest temperature was $64^{\circ}8$ on the 26th at Glasgow, and the lowest $25^{\circ}0$ on the 18th at Perth.

The mean rainfall was 3.14 inches, or 48 per cent. above the average. The rainfall was unusually large over the whole country. As regards the large towns, the greatest excess above the average was 71 per cent. at Glasgow, and the least 30 per cent. at Perth. A peculiarity of the rainfall was that though the amounts were everywhere large, yet at no station on any day was there an inch of rain recorded. The most of the rain fell from the 2nd to the 10th, 13th, 14th, 18th to the 20th, and from the 23rd to the end of the month. Snow fell at intervals, with hail, from the 10th to the 24th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of APRIL 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									
		Mean at Sea-level and 32°.	inch.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Inch.	Number of Days it blew in certain Directions.									
																				N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.
GLASGOW W. E. MACHARG, M.B., Bel- videre Hospital, Glasgow.	54	29.693	29.750	1.156	64.8	29.9	45.1	35.9	14.5	24.3	45.2	41.6	37.7	.224	..	75	17	3.52	0.48	2	2	2	1	2	2	6	6	7	0.48
EDINBURGH E. C. MOSSMAN, F.R.S.E.	276	29.434	29.736	1.120	61.2	28.5	43.8	32.7	12.7	23.1	44.3	41.4	35.0	.229	..	77	19	2.29	0.81	3	2	6	1	3	2	7	3	3	0.81
DUNDEE. JOHN CAENCOCHAN, Curator of Cemeteries.	164	29.552	29.734	1.070	61.2	27.7	43.5	33.5	14.5	26.1	42.4	40.2	37.6	.225	..	83	19	3.04	0.72	2	7	1	7	1	4	5	3	0	0.72
ABERDEEN, PETER HARPER, Duthie Park.	44	29.663	29.717	1.006	63.0	26.0	43.9	37.0	14.0	25.8	42.0	40.0	37.5	.225	..	85	20	3.17	0.70	2	6	1	1	5	6	4	5	0	3.10
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.632	29.737	1.127	62.5	31.3	44.8	31.2	11.4	19.2	44.4	41.3	37.7	.226	..	77	21	2.21	1	4	5	2	1	4	6	6	1	2.37	2.37
PAISLEY, DORRIS, MACLEAN, The Coats Observatory.	107
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.493	29.746	1.202	62.7	30.2	43.7	32.5	11.7	19.0	43.3	39.5	35.0	.203	..	73	21	4.76	0	5	1	6	0	8	4	6	0	3.92	3.92
PERTH, A. GAEDSKE, Gardener to James F. Fuller, F.R.S.E.	140	29.580	29.735	1.120	61.8	25.0	44.0	36.8	15.0	26.5	43.5	40.6	37.1	.221	..	78	1	2.99	2	7	11	0	0	8	1	1	0
Means,	133	29.586	29.736	1.114	*64.8†(25.0)	44.1	34.2	13.4	24.1	24.1	43.6	40.7	37.2	.222	..	73	19	3.14	2	5	4	2	2	5	5	4	1	2.23	2.23

North Latitude.—Glasgow, 56° 59'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 37'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of May 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4786 children, of whom 2459 were males and 2327 females. Of these, 4467 were legitimate, and 319 illegitimate, being in the proportion of one illegitimate in every 15·0 Births, or the illegitimate Births constituted 6·7 per cent. of the whole. In Greenock, 2·7 per cent. of the Births were illegitimate; in Leith, 2·9; in Paisley, 6·1; in Glasgow, 6·3; in Aberdeen, 7·6; in Edinburgh, 8·2; in Dundee, 8·3; and in Perth, 9·6 per cent.

659 Marriages were registered in these Towns during May, being 106 above the average number for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2588 persons were registered in these Towns during the month, of whom 1324 were males, and 1264 females. Increase of the population being allowed for, this number is 189 below the average for May during the last ten years.

A comparison of the Deaths registered shows that during May the mortality was at the annual rate of 13·7 Deaths per thousand persons in Greenock; 17·4 in Aberdeen; 17·5 in Leith; 17·6 in Perth; 17·9 in Paisley; 18·4 in Edinburgh; 19·3 in Dundee; and 20·7 in Glasgow.

Of the 1289 Deaths registered in Glasgow, 283 were of children under one year of age, and 252 of persons over 60 years; of the 467 in Edinburgh, 100 were of children under one year, and 129 of persons over 60 years; of the 272 in Dundee, 57 were under one, and 62 over 60 years; of the 211 in Aberdeen, 48 were under one, and

61 over 60; of the 115 in Leith, 27 were under one, and 20 over 60; of the 117 in Paisley, 33 were under one, and 28 over 60; of the 71 in Greenock, 9 were under one, and 17 over 60; and of the 46 in Perth, 5 were under one, and 18 over 60 years.

Of the whole 2588 Deaths, 943, or 36·4 per cent., were of children under five years of age. In Perth, 17·4 per cent. of the persons who died were under five years of age; in Greenock, 21·1; in Dundee, 32·0; in Edinburgh, 34·7; in Aberdeen, 36·5; in Glasgow, 37·9; in Paisley, 41·9; and in Leith, 48·7 per cent.

Miasmatic Diseases caused 236 Deaths, or 9·1 per cent. of the whole. This rate was exceeded in Leith, in consequence of the prevalence of Hooping-Cough.

Fevers caused 13 Deaths, of which one (in Dundee) was from Typhus, 11 from Enteric, and one from Cerebro Spinal Fever.

Measles caused 85 Deaths, or 3·3 per cent. of the whole mortality. Of these, 65 occurred in Glasgow, being at the rate of 5·0 per cent. of the Deaths there.

Hooping-Cough caused 67 Deaths, or 2·6 per cent. of the whole. In Edinburgh, 24 Deaths resulted from Hooping-Cough, being at the rate of 5·1 per cent. of the Deaths there, and in Leith 15, or 13·0 per cent.

Diarrhoea and Dysentery caused 38 Deaths; Scarlatina, 27; Influenza, 24; Diphtheria, 19; and Puerperal Fever, 3.

From Intemperance there resulted 9 Deaths, 6 being from Chronic Alcoholism, and 3 from Delirium Tremens.

Apoplexy caused 121 Deaths; Paralysis, 53; Heart Diseases, 223; and Premature Birth Debility, 101.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 448, or 17·3 per cent. Those from Consumption alone numbered 278, or 10·7 per cent. Three Deaths were caused by Croup.

The Deaths of 108 persons resulted from Violent Causes, of which 4 were Suicidal, viz., 2 by Hanging, and 1 each by Cut-throat and Drowning.

Six male and 6 females were aged 90 years and upwards, the eldest being a retired Free Church minister who was aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	733,903	1229	1141	2370	2220	150	343	674	615	1289
EDINBURGH,	244,120	272,773	298,927	372	368	740	679	61	121	232	235	467
DUNDEE,	140,794	154,118	166,072	261	212	473	434	39	49	123	149	272
ABERDEEN,	106,806	124,943	142,655	217	220	437	404	33	65	116	95	211
LEITH,	59,485	68,707	77,385	121	122	243	236	7	23	63	52	115
PAISLEY,	55,688	66,425	76,384	127	117	244	229	15	22	59	58	117
GREENOCK,	66,704	68,423	60,867	93	92	185	180	5	27	41	30	71
PERTH,	28,980	29,919	30,721	39	55	94	85	9	9	16	30	46
TOTAL,	1,279,873	1,439,016	1,587,414	2459	2327	4786	4467	319	659	1324	1264	2588

MAY 1898,	Mean Temp. 48°·6	2206	2223	4519	4214	305	569	1405	1429	2834
MAY 1897,	Mean Temp. 48°·2	2152	2035	4187	3887	300	639	1415	1398	2813
MAY 1896,	Mean Temp. 54°·4	2105	2002	4107	3836	271	502	1222	1151	2373
MAY 1895,	Mean Temp. 52°·7	2192	2068	4260	3928	332	439	1347	1266	2613
MAY 1894,	Mean Temp. 47°·0	2055	1971	4026	3726	300	498	1235	1174	2409
MAY 1893,	Mean Temp. 53°·3	2221	2235	4456	4124	332	567	1378	1313	2691
MAY 1892,	Mean Temp. 50°·6	2160	2020	4180	3375	305	546	1346	1350	2696
MAY 1891,	Mean Temp. 47°·6	1885	1866	3751	3474	277	471	1342	1308	2650
MAY 1890,	Mean Temp. 51°·5	1945	1890	3835	3505	330	475	1285	1321	2606
MAY 1889,	Mean Temp. 52°·3	2100	1962	4062	3737	325	499	1231	1233	2469

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MAY 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	14	3	0	3	4	2	1. St Peter,	0	0	0	0	1	0	0
2. Camlachie,	0	12	0	3	0	0	4	2. St Mary,	0	0	0	0	1	0	0
3. Dennistoun,	0	7	1	6	1	0	0	3. St Clement,	0	0	0	2	0	1	0
4. Calton,	0	8	0	1	0	0	3	4. St Andrew,	0	0	0	4	1	0	3
5. Blackfriars,	0	4	0	1	0	0	1	5. Lochee,	0	0	1	0	1	0	2
6. St Rollox,	0	9	4	1	2	0	1	Maina,	0	0	0	1	0	0	0
7. Blythswood,	0	0	0	2	0	0	0								
8. Milton,	0	2	0	0	0	0	1	ABERDEEN—							
9. Kelvin,	0	0	0	0	1	0	2	1. St Nicholas,	0	3	1	1	5	0	2
10. Anderston,	0	2	0	0	0	0	0	2. St Machar,	0	4	0	2	0	0	2
11. Hutchesontown,	0	12	0	1	1	0	1	3. Woodside,	0	0	0	0	0	0	0
12. Gorbals,	0	2	0	0	0	0	0	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	0	0	0	0	0	1	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	1	1	0	0	0	0	Nigg,	0	1	0	0	0	0	0
Cathcart,	0	0	0	0	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	1	0	0	0	1	0	1. North,	0	1	0	6	0	1	0
Shettleston,	0	0	0	0	0	0	0	2. South,	0	2	0	9	0	0	2
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	0	2	3	0	1	2
Partick,	0	1	0	0	0	0	1								
EDINBURGH—								GREENOCK—							
1. St George,	0	0	0	4	0	0	1	1. East,	0	0	0	0	0	0	1
2. St Andrew,	0	0	1	2	0	1	0	2. West,	0	0	1	0	1	1	0
3. Canongate,	0	3	4	11	1	2	2								
4. St Giles,	0	12	0	4	0	0	0	PERTH,	0	0	0	0	0	0	1
5. Newington,	0	1	0	3	0	0	1								
6. Portobello,	0	2	0	0	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
ALL CAUSES - - -	2588	489	103	445	252	1289	162	35	142	129	467	87	25	98	62	272	77	16	57	61
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	305	108	11	21	9	149	39	2	8	7	56	20	6	3	2	31	21	2	2	6
II. PARASITIC DISEASE	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
III. DIETETIC	10	1	-	4	-	5	-	-	2	1	3	-	-	1	-	1	-	-	-	-
IV. CONSTITUTIONAL	567	50	40	151	29	270	25	14	57	18	114	7	8	32	6	53	9	9	33	10
V. DEVELOPMENTAL	211	57	-	-	44	101	17	-	-	16	33	10	-	-	12	22	10	-	-	10
VI. LOCAL	1260	201	44	227	162	634	64	17	64	86	230	34	9	60	39	142	25	4	18	32
VII. VIOLENCE - -	108	10	8	31	4	53	6	2	9	1	18	7	2	2	2	13	4	1	3	1
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	125	61	-	11	4	76	10	-	2	-	12	9	-	-	1	10	8	-	1	2
I.																				
1. Miasmatic Diseases -	236	93	10	11	4	118	37	2	4	6	49	10	5	1	2	18	16	1	1	4
2. Diarrheal -	39	10	-	3	3	16	2	-	3	-	5	6	1	1	-	8	2	-	1	1
3. Malarial -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal -	16	4	-	3	1	8	-	-	1	-	1	2	-	1	-	3	2	-	-	1
6. Septic -	14	1	1	4	1	7	-	-	-	1	1	2	-	-	-	2	1	1	-	-
II.																				
PARASITIC DISEASES -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - -	10	1	-	4	-	5	-	-	2	1	3	-	-	1	-	1	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES	567	50	40	151	29	270	25	14	57	18	114	7	8	32	6	53	9	9	33	10
V.																				
DEVELOPMENTAL DISEASES	211	57	-	-	44	101	17	-	-	16	33	10	-	-	12	22	10	-	-	10
VI.																				
1. Dis. of Nervous System -	341	65	12	28	47	152	25	3	16	25	69	9	2	19	13	43	7	1	6	10
2. " Organs of Special Sense -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
3. " Circulatory System	223	-	6	52	39	97	4	5	17	27	53	1	3	17	13	34	1	-	-	9
4. " Respiratory System	448	93	17	94	53	257	24	5	14	22	64	14	-	15	11	40	13	-	5	10
5. " Digestive System -	136	37	4	20	9	70	9	2	8	2	21	10	3	6	-	19	2	-	2	2
6. " Lymphatic System and Ductless Glands -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " Urinary System -	65	2	2	18	13	35	-	-	5	8	13	-	-	1	2	3	-	1	1	1
8. " Reproductive System:-																				
(a) Diseases of Organs of Generation -	7	-	-	3	-	3	-	-	2	-	2	-	-	1	-	1	-	-	1	-
(b) Diseases of Parturition -	13	-	-	9	-	9	-	1	1	-	2	-	-	1	-	1	-	-	1	-
9. " Organs of Locomotion -	17	1	3	2	-	6	1	1	-	2	4	-	1	-	-	1	-	2	1	-
10. " Integumentary System -	5	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-	1	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	56	7	32	20	115	49	7	33	28	117	15	11	28	17	71	8	4	16	18	46
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	20	-	1	-	21	8	-	2	1	11	1	2	1	-	4	-	-	1	1	2
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	4	2	11	1	18	4	4	11	3	22	3	5	8	1	17	2	1	6	3	12
V. DEVELOPMENTAL,, -	8	-	-	1	9	8	-	-	7	15	4	-	-	2	6	3	-	-	2	5
VI. LOCAL " -	21	4	17	17	59	17	3	17	17	54	4	2	18	13	37	2	3	8	12	25
VII. VIOLENCE - - -	-	1	2	1	4	2	-	3	-	5	-	2	1	1	4	1	-	1	-	2
III. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	10	-	-	-	10	3	-	-	-	3	-	-	-	-	-
I.																				
MIASMATIC DISEASES - -	18	-	1	-	19	5	-	1	1	7	1	2	-	-	3	-	-	-	-	-
DIARRHOEAL " - -	2	-	-	-	2	1	-	1	-	2	-	-	1	-	1	-	-	-	1	1
MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC " - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	4	2	11	1	18	4	4	11	3	22	3	5	8	1	17	2	1	6	3	12
V.																				
DEVELOPMENTAL DISEASES--	8	-	-	1	9	8	-	-	7	15	4	-	-	2	6	3	-	-	2	5
VI.																				
DISEASES OF NERVOUS SYSTEM -	8	1	6	8	23	4	1	4	7	16	-	1	4	1	6	-	2	1	5	8
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	1	-	3	3	7	-	-	-	2	4	6	-	7	4	11	1	1	3	5	5
" RESPIRATORY SYSTEM -	9	-	4	2	15	10	1	6	5	22	3	-	6	5	14	2	-	2	4	8
" DIGESTIVE SYSTEM -	3	1	3	3	10	2	1	2	1	6	1	1	-	-	2	-	2	-	-	2
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	1	2	-	-	3	-	3	-	1	3	4	-	-	2	-	-	-
" REPRODUCTIVE SYSTEM:--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" ORGANS OF LOCOMOTION - -	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MAY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	104	10	8	31	4	53	6	2	8	1	17	7	2	2	1	12	4	1	3	1	
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - -	125	61	-	11	4	76	10	-	2	-	12	9	-	-	1	10	8	-	1	2	1
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	85	63	2	-	-	65	7	1	-	-	8	1	-	-	-	1	8	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	27	8	6	1	-	15	4	-	1	-	5	-	3	-	-	3	1	-	-	-	-
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Influenza - - -	24	-	-	5	4	9	-	-	1	6	7	-	-	-	2	2	-	-	1	4	-
Hooping-Cough - - -	67	14	1	-	-	15	24	-	-	-	24	7	-	-	-	7	3	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	19	8	-	-	-	8	1	-	-	-	1	2	2	-	-	4	4	1	-	-	-
Cerebro-spinal Fever - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	11	-	1	4	-	5	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diarrhoea, Dysentery - - -	38	10	-	3	3	16	2	-	3	-	5	6	1	-	-	7	2	-	1	1	-
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	11	4	-	2	-	6	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
Gonorrhoea, Stricture of Urethra - - -	5	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	1	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	5	1	-	2	1	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	6	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
Puerperal Fever - - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

71

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	-	1	1	1	3	2	-	3	-	5	-	2	1	1	4	1	-	-	-	1
2. VIOLENCE OTHER THAN ACCIDENTAL - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES - - - -	3	-	-	-	3	10	-	-	-	10	3	-	-	-	3	-	-	-	-	-
MIASMATIC DISEASES.																				
Small-pox { Vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	15	-	-	-	15	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Other Miasmatic Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEAL DISEASES.																				
Simple Cholera - - - -	-	-	-	-	-	2	-	-	-	2	-	-	1	-	1	-	-	-	1	1
Diarrhoea, Dysentery - - - -	2	-	-	-	2	1	-	1	-	2	-	-	1	-	1	-	-	-	1	1
MALARIAL DISEASES.																				
Remittent Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Puerperal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Cancer	-	-	3	-	3	-	2	3	5	3	2	1	-	1	3	-	1	2	-	3
Tabes Mesenterica	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	2	-	-	-	2	1	-	-	12	3	2	1	-	3	-	1	-	-	-	-
Phthisis	1	2	7	-	10	3	9	-	1	1	2	7	1	11	-	1	-	3	1	1
Other forms of Tuberculosis, Scrofula	-	-	1	-	1	-	1	-	-	1	-	2	-	2	-	-	1	1	-	2
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth	8	-	-	-	8	7	-	-	7	3	-	-	-	3	2	-	-	-	-	2
Atelectasis	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Spina Bifida	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	1	-	1	-	-	7	7	-	-	2	-	2	-	-	-	2	-	2
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	1	1	2	-	4	2	-	-	2	-	1	-	-	1	-	-	2	-	-	2
Apoplexy	-	-	-	6	6	-	2	3	5	-	-	1	1	1	2	-	-	1	3	4
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Hemiplegia, Brain Paralysis	-	-	2	2	4	1	-	1	2	4	-	-	1	-	1	-	-	1	1	1
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	6	-	-	-	6	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	1	-	1	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

75

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	3	3	6	-	-	1	4	5	-	-	4	4	8	-	1	1	1	3
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Syncope -	1	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	1	1
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	3	-	1	4	5	1	5	1	12	1	1	4	4	9	2	-	-	4	4	4
Pneumonia -	5	4	1	10	4	1	3	8	2	2	2	1	5	2	2	-	2	-	-	4
Pleurisy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	1	-	-	1
Enteritis -	1	-	-	-	1	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	1	2	-	3	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-
Bright's Disease -	-	-	1	1	2	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	1
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	4	-	-	3	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	5	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	7	1	1	2	-	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1
Arthritis, Ostitis, Periostitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	9	-	2	-	-	2	1	1	-	2	4	-	-	-	-	-	-	1	1	-	2
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Pemphigus - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	3	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1
and { Veh. oth. than R'wys. -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds -	16	3	4	5	1	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	6	-	1	1	-	2	-	1	-	-	1	1	1	1	-	3	-	-	-	-	-
Drowning - - -	9	1	1	3	1	6	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1
Suffocation { In Bed - - -	12	4	-	-	-	4	3	-	-	-	3	3	-	-	-	3	1	-	-	-	1
Suffocation { Otherwise - - -	8	1	-	-	-	1	2	-	-	-	2	1	-	1	-	2	1	-	1	-	2
Falls - - -	5	-	-	3	-	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	20	1	1	16	1	19	1	-	3	-	4	-	-	1	1	1	-	-	1	1	2
Otherwise, or Not Stated - -	14	-	1	3	1	5	-	-	2	-	2	1	-	-	-	1	1	-	-	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	99	54	-	4	-	58	10	-	1	-	11	7	-	-	-	7	8	-	-	-	8
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	4	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hæmorrhage - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Sudden (Cause unascertained)	8	2	-	3	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	10	5	-	1	-	6	-	-	-	-	-	1	-	-	1	2	-	-	-	2	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

77

Registered during the Month of MAY 1899.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MAY 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,866	59	7	37	0	0	0	0	3	0	0	1	0	2	6
Ayr,	29,618	69	7	80	0	6	0	5	1	0	0	1	2	10	15
Banff, with Macduff,	8,614	25	2	17	0	0	0	0	0	0	0	1	0	2	3
Blairgowrie,	4,229	5	0	8	0	0	0	0	0	0	0	0	0	0	2
Callander,	2,376	3	0	3	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,696	26	1	14	0	0	0	2	0	0	0	0	0	2	2
Cathcart (Landward),	6,228	22	2	6	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	38,927	122	17	60	0	0	0	10	0	0	0	1	0	4	12
Crief,	5,791	17	2	7	0	0	0	0	0	0	0	0	0	0	1
Dumbarton,	21,341	74	2	27	0	0	1	1	0	0	0	0	0	3	1
Dumfries, with Troqueer,	24,986	69	6	46	0	0	0	1	0	0	0	0	0	4	6
Dunfermline,	30,725	77	5	40	0	0	0	3	0	0	0	1	0	3	4
Dunoon,	7,695	20	3	12	0	0	0	0	0	0	0	0	0	3	1
Eastwood (Landward),	14,579	55	10	24	0	0	0	0	2	0	0	1	1	6	1
Elgin,	11,000	32	4	17	0	0	1	0	0	0	0	0	0	1	5
Falkirk,	30,774	103	4	58	0	0	2	4	1	0	0	1	0	11	5
Forfar,	13,084	25	4	14	0	0	0	1	0	0	0	0	0	1	3
Galashiels,	19,614	32	5	21	0	0	0	0	0	0	0	1	0	5	5
Govan—(1) Plantation (Land- ward),	26,862	85	4	33	0	1	0	1	0	0	0	0	0	7	3
(2) Govan (Landward),	49,397	188	17	118	0	5	1	2	1	3	0	2	1	18	17
(3) Partick (Landward),	46,316	165	15	96	6	14	1	2	0	0	0	4	0	17	5
Haddington,	4,376	14	1	7	0	0	0	2	0	0	0	0	0	2	0
Hawick, with Wilton,	23,431	51	4	31	0	0	0	0	0	0	0	1	0	5	3
Inverness,	26,084	71	6	47	0	2	0	3	0	0	0	1	1	4	5
Kilmarnock, with Riccarton,	33,488	115	15	65	0	1	1	3	0	0	0	3	0	11	7
Kilmore and Kilbride (Oban),	6,263	14	0	8	0	0	0	0	1	0	0	0	0	1	1
Kinning Park (Landward),	15,726	59	11	20	0	0	0	0	0	0	0	2	0	3	1
Kirkcaldy and Abbots hall,	19,951	69	7	38	0	0	1	2	0	0	0	1	1	6	3
Kirkcudbright,	3,475	10	3	6	0	1	0	0	0	0	0	0	0	1	1
Largs, with Skelmorlie,	5,465	10	2	3	0	0	0	0	0	0	0	0	0	0	1
Logie (Bridge of Allan),	4,461	9	1	6	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,016	5	0	6	0	0	0	0	0	0	0	0	0	3	0
Montrose,	13,045	39	2	34	0	0	0	1	0	0	0	0	0	5	6
Moulin (Pitlochry),	2,372	6	1	2	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,137	15	0	9	0	0	0	0	0	0	0	0	0	1	2
New Monkland (Airdrie),	39,670	111	10	54	0	0	1	1	1	0	0	2	0	14	4
North Berwick,	3,361	9	1	5	0	0	0	0	0	0	0	0	0	2	0
Peterhead, with Boddam,	17,258	64	8	26	0	0	0	0	0	1	0	0	1	4	0
Rothsay,	9,805	9	2	17	0	0	0	0	0	0	0	0	0	0	4
St Andrews and St Leonards,	3,882	18	0	12	0	0	0	0	0	0	0	0	0	2	3
Shettleston (Landward),	16,213	68	6	31	0	3	3	0	0	1	0	3	0	5	2
Stirling,	15,800	49	11	26	0	0	0	2	0	0	0	0	0	2	3
Stranraer,	6,016	12	1	9	0	0	0	0	0	0	0	0	0	0	0
Wick,	12,347	25	0	19	0	0	0	1	0	0	0	0	0	6	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level.

For the month of MAY 1899,

Mean barometric pressure, 30.023 inches ; greater than the average for the same month of 1856-95 by 0.083 inch.

Barometric monthly range, 1.308 inch ; greater by 0.229 inch.

Mean temperature, $47^{\circ}.2$; less by $2^{\circ}.5$.

Mean daily range of temperature, $14^{\circ}.6$; less by $0^{\circ}.4$.

Mean humidity, 77 ; less by 0.3.

Rain, number of days, 15 ; greater by 1 day.

Rain, depth in inches, 3.99 inches ; greater by 1.76 inch.

Wind, pressure on square foot, 1.50 lbs. ; less by 0.02 lb.

Wind, direction of, E. to W. as 14 to 6, and N. to S. as 6 to 5 ; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

Hence the weather of May 1899 was characterised by a high mean barometric pressure, with a monthly range much above the average ; an unusually low mean temperature, and a mean daily range about half a degree under the average ; a mean humidity about the average ; a very large rainfall, being the second largest yet recorded by the Society, falling one day in excess of the average ; and as regards direction of wind an excess above the average of three days of N.E. and three days of E. wind.

The mean barometric pressure was 30.023 inches, or 0.083 inch above the average. Pressure was relatively much greater in the north and west than in the south and east, and from this geographical distribution of pressure resulted the six days excess of east-north-easterly winds and the cold backward weather they brought with them. Indeed, the first three weeks of the month rank among the coldest May weather on record.

The mean temperature was $47^{\circ}.2$, or $2^{\circ}.5$ under the average, the deficiency being equally distributed between the days and the nights. Temperature was lower in the east than in the west, as happens when easterly winds prevail. Thus at Perth it was $3^{\circ}.3$ under the average, but at Greenock only $1^{\circ}.7$, and at Paisley, $2^{\circ}.1$. The absolutely highest temperature was $73^{\circ}.2$ on the 31st at Aberdeen, and the lowest $30^{\circ}.5$ on the 4th at Glasgow, the 5th at Aberdeen, and the 8th at Perth.

The mean rainfall was 3.99 inches, being 79 per cent. above the average. This rainfall for May has been, since 1856, only exceeded in May 1862, when it amounted to 4.77 inches or fully double the average rainfall for this month. The largest absolute fall was 4.46 inches at Perth, and the least 2.99 inches at Aberdeen ; but as regards percentages, it was only 23 per cent. of excess at Greenock, whereas it was more than double the average at Leith, Dundee, Perth, and Glasgow. By far the larger portion fell on the 18th and 19th, on which two days there fell 2.43 inches at Glasgow, and 2.30 inches at Paisley and Greenock, and at the eastern stations the fall was also large. No rain fell from the 3rd to the 8th and from the 25th to the 31st.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.

During the Month of May 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glashier's Tables 2nd Edit.					RAIN.		WINDS.												
		Range.	Inch.	Inch.	Mean at Sea-level and 32°.	Mean at Station and 32°.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Inch.	dys.	Number of Days it blew in certain Directions.									
																							N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, W. E. MACHARG, M.B., Bel- videre Hospital, Glasgow.	54	29-963	30-023	1-286			71-2	30-5	43-2	40-7	16-9	32-4	48-7	44-6	40-2	-249	2-31	73	15	4-25			1	2	9	1	1	2	6	8	0-27	
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29-724	30-023	1-301			70-8	33-2	46-8	37-6	12-3	24-9	46-5	43-6	40-3	-250	2-93	79	15	3-80			1	2	17	2	0	0	6	1	2	0-74
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29-842	30-024	1-329			71-7	33-0	46-7	38-7	15-0	29-6	47-1	44-3	41-2	-259	2-98	80	16	4-05			0	8	5	8	1	6	3	0	0	1-61
ABERDEEN, PETER HARPER, Duthie Park.	44	29-969	30-018	1-385			73-2	30-5	45-9	42-7	17-1	30-5	46-6	43-9	40-8	-256	3-01	81	13	2-99			7	5	2	5	3	5	2	2	0	1-61
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29-970	30-025	1-328			72-2	35-9	47-6	36-3	10-6	35-0	47-7	44-3	40-6	-253	2-92	77	16	4-07			1	7	13	2	0	2	4	2	0	1-90
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29-909	30-026	1-265			69-8	32-3	48-4	37-5	14-3	28-0	48-0	43-8	39-2	-239	2-76	72	13	4-12			5	8	3	0	4	1	4	1	0	0-94
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29-782	30-034	1-282			66-4	32-8	47-5	33-6	13-9	21-7	47-3	43-0	38-2	-240	2-67	71	15	4-14			0	11	6	5	0	3	6	0	0	3-42
PERTH, A. GAEDDEKE, Gardener to James F. Pullar, F.R.S.E.	140	29-873	30-023	1-290			70-0	30-5	46-4	39-5	17-0	26-5	47-0	44-2	41-0	-257	2-96	86	15	4-46			0	6	13	4	4	0	0	0	0	..
Means,	133	29-875	30-023	1-308*(73-2)	(30-5)	47-2	38-3	14-6	28-6	38-3	14-6	28-6	47-4	44-0	40-2	-249	2-88	77	15	3-99			2	6	9	3	2	3	2	1	1	1-50
North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																																

North Latitude.—Glasgow, 56° 58'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 21'; Greenock, 4° 45'; Perth, 3° 28'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close,
and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of June 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4302 children, of whom 2150 were males and 2152 females. Of these, 4015 were legitimate, and 287 illegitimate, being in the proportion of one illegitimate in every 15·0 Births, or the illegitimate Births constituted 6·7 per cent. of the whole. In Leith, 4·0 per cent. of the Births were illegitimate; in Paisley, 5·1; in Aberdeen, 5·2; in Greenock, 5·3; in Glasgow, 6·7; in Perth, 7·5; in Edinburgh, 7·7; and in Dundee, 8·7 per cent.

2235 Marriages were registered in these Towns during the month, being 300 above the June average of the last ten years, allowance being made for increase of the population.

The Deaths of 2377 persons were registered in these Towns during June, of whom 1225 were males, and 1152 females. Increase of the population being allowed for, this number is 165 below the average for the month during the last ten years.

A comparison of the Deaths registered shows that during June the mortality was at the annual rate of 15·7 Deaths per thousand persons in Leith; 18·0 in Glasgow; 18·3 in Aberdeen; 18·5 in Paisley; 18·6 in Perth; 18·7 in Edinburgh; 18·8 in Dundee; and 19·2 in Greenock.

Of the 1086 Deaths registered in Glasgow, 226 were of children under one year of age, and 193 of persons over 60 years; of the 460 in Edinburgh, 85 were of children under one year, and 116 of persons over 60 years; of the 256 in Dundee, 60 were under one year, and 66 over 60; of the 215 in Aberdeen, 43 were under one, and

65 over 60; of the 100 in Leith, 28 were under one, and 23 over 60; of the 117 in Paisley, 15 were under one, and 24 over 60; of the 96 in Greenock, 14 were under one, and 24 over 60; and of the 47 in Perth, 6 were under one, and 20 over 60 years.

Of the whole 2377 Deaths, 820, or 34·5 per cent., were of children under five years of age. In Perth, 14·9 per cent. of the persons who died were under five years of age; in Aberdeen, and in Paisley, 26·5; in Greenock, 30·2; in Edinburgh, 31·5; in Dundee, 35·2; in Glasgow, 37·8; and in Leith, 51·0 per cent.

Miasmatic Diseases caused 212 Deaths, or 8·9 per cent. of the whole mortality. This rate was exceeded in Glasgow, chiefly from the prevalence of Measles, and in Leith from Hooping-Cough.

Fever caused 17 Deaths, of which two (one in Edinburgh, and one in Dundee) were from Typhus, and 15 from Enteric Fever.

Measles caused 73 Deaths, or 3·1 per cent. of the total. 65 deaths from Measles occurred in Glasgow, constituting 6·0 per cent. of the Deaths there.

Hooping-Cough caused 55 Deaths, or 2·3 per cent. of the whole. Of these, 15 occurred in Leith, being at the rate of 15·0 per cent. of the Deaths there.

Diarrhoea and Dysentery caused 41 Deaths; Scarlatina, 32; Diphtheria, 24; Puerperal Fever, 8; and Simple Cholera, 3.

Intemperance was stated to have caused 5 Deaths, 4 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 128 Deaths; Paralysis, 57; Heart Diseases, 195; and Premature Birth Debility, 96.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 370, or 15·6 per cent. of the whole. Those from Consumption alone numbered 261, or 11·0 per cent. One Death was caused by Croup.

From Violent Causes there resulted 114 Deaths, of which 7 were Suicidal (3 by Hanging, 2 by Cut-throat, and 1 each by Drowning and Poison).

One male and 9 females were aged 90 years and upwards, the eldest being a Writer to the Signet who was aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JUNE 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	733,903	1027	1052	2079	1940	139	1056	590	496	1086
EDINBURGH,	244,120	272,773	298,927	352	374	726	670	56	522	237	223	460
DUNDEE,	140,794	154,118	166,072	222	189	411	375	36	164	124	132	256
ABERDEEN,	106,306	124,943	142,655	217	190	407	386	21	193	104	111	215
LEITH,	59,485	68,707	77,385	104	96	200	192	8	104	48	52	100
PAISLEY,	55,688	66,425	76,884	92	104	196	186	10	83	53	64	117
GREENOCK,	66,704	68,423	80,867	87	103	190	180	10	71	46	50	96
PERTH,	28,980	29,919	30,721	49	44	93	86	7	42	23	24	47
TOTAL,	1,279,873	1,439,016	1,587,414	2150	2152	4302	4015	287	2235	1225	1152	2377

JUNE 1898,	Mean Temp. 55°·7	2179	2178	4357	4071	286	2261	1338	1347	2685
JUNE 1897,	Mean Temp. 54°·8	2213	2198	4411	4135	276	2224	1329	1202	2531
JUNE 1896,	Mean Temp. 57°·2	2179	2193	4372	4033	339	2089	1219	1183	2402
JUNE 1895,	Mean Temp. 56°·7	2054	1903	3957	3657	300	1847	1157	1069	2226
JUNE 1894,	Mean Temp. 54°·8	1935	1911	3846	3585	261	1747	1078	1087	2165
JUNE 1893,	Mean Temp. 58°·4	2103	2004	4107	3802	305	1663	1349	1214	2563
JUNE 1892,	Mean Temp. 54°·0	2121	2062	4183	3842	341	1796	1141	1143	2284
JUNE 1891,	Mean Temp. 56°·2	1996	1946	3942	3623	319	1600	1334	1300	2694
JUNE 1890,	Mean Temp. 55°·2	1913	1784	3697	3414	283	1616	1164	1188	2352
JUNE 1889,	Mean Temp. 57°·4	1815	1790	3605	3304	301	1384	1013	1023	2041

DEATHS from Small-pox, Measles, Scarletina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JUNE 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	1	15	10	1	2	6	1	1. St Peter,	0	0	0	0	0	0	0
2. Camlachie,	0	1	0	1	0	0	4	2. St Mary,	0	0	0	0	3	1	2
3. Dennistoun,	0	6	2	5	1	0	1	3. St Clement,	0	0	0	2	0	2	1
4. Calton,	0	11	0	1	1	1	1	4. St Andrew,	0	0	0	4	3	1	3
5. Blackfriars,	0	4	0	0	0	0	1	5. Lochee,	0	0	0	1	0	0	2
6. St Rollox,	0	8	4	3	1	0	0	Mains,	0	0	0	1	0	0	0
7. Blythswood,	0	2	0	0	0	0	0								
8. Milton,	0	2	1	0	0	0	0	ABERDEEN—							
9. Kelvin,	0	2	0	1	0	0	1	1. St Nicholas,	0	0	0	0	4	0	3
10. Anderson,	0	6	0	4	1	0	1	2. St Machar,	0	0	0	0	0	0	2
11. Hutchesontown,	0	4	0	1	0	0	3	3. Woodside,	0	0	0	0	0	0	1
12. Gorbals,	0	2	0	0	0	0	0	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	0	1	0	1	0	0	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	1	1	0	0	0	0	Nigg,	0	0	0	0	0	0	0
Cathcart,	0	0	0	0	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	1	0	0	0	0	0	1. North,	0	0	0	3	0	0	0
Shettleston,	0	0	0	0	0	0	0	2. South,	0	3	0	12	0	0	2
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	0	2	2	2	2	2
Partick,	0	0	1	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George,	0	1	0	2	3	0	3	1. East,	0	0	0	0	0	0	1
2. St Andrew,	0	0	0	3	0	0	0	2. West,	0	0	4	0	0	0	0
3. Canongate,	0	3	5	6	0	4	1								
4. St Giles,	0	0	0	0	1	0	1	PERTH,	0	0	1	0	1	0	1
5. Newington,	0	1	0	2	0	0	3								
6. Portobello,	0	0	0	0	0	0	0								

Registered during the Month of JUNE 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2377	410	97	386	193	1086	145	36	163	116	460	90	21	79	66	256	57	17	76	65	215
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	290	119	10	20	3	152	31	5	7	6	49	24	1	5	3	33	8	3	2	1	14
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	7	1	-	3	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	524	40	45	107	21	213	21	15	54	16	106	11	11	30	5	57	6	11	25	9	51
V. DEVELOPMENTAL „	194	51	-	-	41	92	18	-	-	18	36	13	-	-	8	21	14	-	-	6	20
VI. LOCAL „	1165	153	30	208	122	513	50	15	91	70	226	32	9	43	49	133	25	1	46	47	119
VII. VIOLENCE - -	114	7	12	38	3	60	10	1	9	6	26	2	-	1	1	4	-	2	3	2	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	83	39	-	10	3	52	15	-	-	-	15	8	-	-	-	8	4	-	-	-	4
I.																					
1. MIASMATIC DISEASES -	212	102	8	8	2	120	25	4	3	3	35	14	1	3	2	20	3	2	-	-	5
2. DIARRHOEAL „ -	44	11	2	2	1	16	5	-	2	1	8	7	-	-	1	8	4	1	1	-	6
3. MALARIAL „ -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	11	5	-	1	-	6	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1
6. SEPTIC „ -	22	1	-	9	-	10	-	1	2	1	4	-	-	2	-	2	-	-	1	1	2
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	7	1	-	3	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	524	40	45	107	21	213	21	15	54	16	106	11	11	30	5	57	6	11	25	9	51
V.																					
DEVELOPMENTAL DISEASES	194	51	-	-	41	92	18	-	-	18	36	13	-	-	8	21	14	-	-	6	20
VI.																					
1. DIS. OF NERVOUS SYSTEM-	330	44	7	40	41	132	18	3	21	22	64	12	2	12	12	38	9	1	11	11	32
2. „ ORGANS OF SPECIAL SENSE -	5	1	1	2	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
3. „ CIRCULATORY SYSTEM	195	3	5	38	29	75	2	1	17	26	46	1	2	5	12	20	-	-	13	17	30
4. „ RESPIRATORY SYSTEM	370	67	10	78	32	187	15	5	19	16	55	13	2	15	19	49	6	-	12	9	27
5. „ DIGESTIVE SYSTEM -	163	36	5	23	10	74	15	5	12	2	34	5	2	4	4	15	9	-	3	5	17
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	6	-	-	2	-	2	-	-	-	-	-	1	-	1	-	2	-	-	2	-	2
7. „ URINARY SYSTEM -	63	-	1	17	9	27	-	-	7	3	10	-	1	5	2	8	-	-	4	3	7
8. „ REPRODUCTIVE SYSTEM:-																					
(a) DISEASES OF ORGANS OF GENERATION -	15	-	-	2	-	2	-	-	8	1	9	-	-	1	-	1	-	-	1	2	3
(b) DISEASES OF PARTURITION -	9	-	-	5	-	5	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION -	5	2	-	-	-	2	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM -	4	-	1	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

85

Registered during the Month of JUNE 1899.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	107	7	12	33	3	55	10	1	9	6	26	2	-	-	1	3	-	2	3	2	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	7	-	-	5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	83	39	-	10	3	52	15	-	-	-	15	8	-	-	-	8	4	-	-	-	4
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	73	64	-	1	-	65	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	32	15	2	3	-	20	4	-	1	-	5	-	-	-	-	-	-	-	-	-	-
Typhus - - -	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	10	-	-	1	2	3	-	-	1	3	4	-	-	-	2	2	1	-	-	-	1
Hooping-Cough - - -	55	16	1	-	-	17	13	-	-	-	13	8	-	-	-	8	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	24	5	2	-	-	7	3	1	-	-	4	6	-	-	-	6	2	2	-	-	4
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	2	3	2	-	7	3	-	-	-	3	1	2	-	-	3	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	3	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	41	10	-	2	1	13	5	-	2	1	8	7	-	-	1	8	4	1	1	-	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	10	5	-	-	-	5	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1
Gonorrhoea, Stricture of Urethra - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	8	1	-	3	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1
Pyæmia, Septicæmia - - -	6	-	-	-	-	-	-	1	2	-	3	-	-	1	-	1	-	-	1	-	1
Puerperal Fever - - -	8	-	-	6	-	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

87

87

[illegible]

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	5	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1	-	-	1	1	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	6	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Cancer - - - - -	99	-	7	28	15	44	-	13	13	26	-	5	5	10	-	-	3	4	7	3	-
Tubes Mesenterica - - -	47	14	1	4	-	25	3	-	4	-	7	-	1	1	1	1	1	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	50	11	4	1	-	16	10	5	1	-	16	4	3	-	7	4	1	-	-	5	-
Phthisis - - - - -	261	8	23	67	4	102	5	7	32	2	46	4	4	24	32	6	19	3	28	4	-
Other forms of Tuber. Scrofula	35	3	9	1	-	13	1	3	1	-	5	2	3	-	5	1	2	1	-	-	-
Purp., Hemorrhagic Diathesis	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	11	2	-	3	1	6	-	-	1	-	1	-	-	-	-	-	1	-	1	2	-
Diabetes Mellitus - - -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - -	96	44	-	-	-	44	16	-	-	-	16	10	-	-	10	13	-	-	-	13	-
Atelectasis - - - - -	5	2	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	4	2	-	-	-	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	5	3	-	-	-	3	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Old Age - - - - -	84	-	-	-	41	41	-	-	-	18	18	-	-	8	8	-	-	6	6	6	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	50	18	5	3	-	26	5	1	1	-	7	3	1	1	-	5	1	-	1	-	2
Apoplexy - - - - -	123	1	1	24	23	49	-	-	11	10	21	1	-	8	8	17	2	-	6	5	13
Softening of Brain - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	45	-	-	4	13	17	-	-	4	7	11	-	-	3	3	6	-	-	1	3	4
Paralysis Agitans - - -	-	-	-	-	-	-	-	-	4	1	5	-	-	-	-	-	-	-	2	2	4
Insanity, General Par. of Insane	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	5	-	-	3	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	46	20	-	-	-	20	10	-	-	-	10	3	-	-	-	3	5	-	-	-	5
Laryngismus Stridulus -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - -	6	1	-	-	-	1	1	-	-	-	1	4	-	-	-	4	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	12	1	-	4	1	6	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-
Other Diseases of Ner. System	23	3	1	2	3	9	1	2	1	2	6	1	1	-	1	3	1	1	1	-	3
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - -	5	1	1	2	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

89

Registered during the Month of JUNE 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of																				
Heart - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Rheumatism - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	-	1	1	-	2	3	5	5	-	2	2	4	4	-	-	2	2	2
Tabes Mesenterica - - - - -	1	1	-	-	2	2	4	-	6	3	-	-	-	3	-	-	-	-	-	-
Tubercular Meningitis (Acute																				
Hydrocephalus) - - - - -	-	1	-	-	1	2	1	-	3	1	1	2	12	2	-	-	2	5	-	7
Phthisis - - - - -	2	8	3	13	4	13	1	18	1	2	12	15	-	2	5	-	-	-	-	1
Other forms of Tuberculosis, Scrofula	2	2	-	-	4	-	2	-	2	1	-	1	-	1	1	-	-	-	-	1
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	6	-	-	-	6	1	-	-	1	2	-	-	-	2	4	-	-	-	-	4
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	2	2	-	-	5	5	-	-	-	-	-	-	-	-	-	4	4	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-																				
branes - - - - -	-	-	-	-	1	-	1	-	2	6	1	-	-	7	-	1	-	-	-	1
Apoplexy - - - - -	-	-	2	4	6	-	4	4	8	-	3	-	7	10	-	-	-	4	4	4
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Hemiplegia, Brain Paralysis - - - - -	-	1	1	2	-	-	2	2	-	-	-	2	2	-	-	-	-	1	1	1
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	4	-	-	4	2	-	-	-	2	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	1	1	1
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life, **Registered during the Month of JUNE 1899.**

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	130	1	5	32	15	53	-	1	10	13	24	-	2	4	10	16	-	-	9	10	19
Pericarditis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hypertrophy of Heart -	7	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	1	2	3
Angina Pectoris -	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Syncope -	40	2	-	3	7	12	2	-	4	9	15	1	-	-	1	2	-	-	2	3	5
Aneurism -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	5	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	3	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Croup -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	4	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Bronchitis -	149	20	2	24	24	70	4	2	4	11	21	8	1	3	12	24	2	-	2	4	8
Pneumonia -	193	41	7	48	5	101	11	3	12	5	31	4	1	10	7	22	3	-	8	3	14
Pleurisy -	7	-	-	2	-	2	-	-	1	-	1	1	-	-	-	1	-	-	2	1	3
Other Diseases of Resp. System	15	6	-	3	3	12	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition -	20	14	-	-	-	14	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Diseases of Stomach -	23	-	-	5	2	7	3	-	1	1	5	-	1	1	2	4	-	-	3	3	-
Enteritis -	41	17	1	4	2	24	3	-	2	-	5	4	-	-	-	4	4	-	-	-	4
Ulceration of Intestine -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Ileus, Obstruction of Intestine	10	-	1	4	1	6	-	1	-	-	1	-	-	1	1	2	-	-	1	1	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia -	8	-	-	1	1	2	-	2	-	-	2	-	1	1	-	2	1	-	-	-	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	21	1	2	2	1	6	3	2	1	-	6	-	-	1	-	1	-	2	-	-	2
Ascites -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	-	1	1	-	1	2	-	3	-	-	-	1	1	-	-	-	-	-
Other Diseases of Liver	15	2	-	5	-	7	2	-	2	1	5	-	-	-	-	-	1	-	1	-	2
Other Dis. of Digestive System	4	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Diseases of Lymphatics -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	16	-	1	5	1	7	-	-	-	-	-	-	-	3	-	3	-	-	-	2	2
Bright's Disease -	27	-	-	10	2	12	-	-	7	2	9	-	1	1	1	3	-	-	2	-	2
Uremia -	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	7	-	-	1	3	4	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-
Other Dis. of Urinary System	7	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	2	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

91

Registered during the Month of JUNE 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	1	-	1	-	1	4	1	6	-	-	5	2	7	-	-	3	1	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	3	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	-	-	-	2	2
Pneumonia	3	1	5	9	2	3	5	10	1	2	1	5	1	9	-	-	-	-	-	-
Pleurisy	5	1	6	3	2	5	10	2	1	2	1	5	1	9	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	1	-	-	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	2	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	2	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	1	-	-	1	1	1	1	3	-	-	1	-	1	1	-	-	-	-	1	-
Ascites	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUODENAL GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	2	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Bright's Disease	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	7	-	-	-	-	-	-	-	4	1	5	-	-	1	-	1	-	-	1	1	1
Diseases of Uterus and Vagina - - -	6	-	-	1	-	1	-	-	4	-	4	-	-	1	-	-	-	-	1	-	1
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	4	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom. - -	4	1	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	5	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Burns, { Confagurations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	13	2	1	4	-	7	2	-	1	3	1	-	-	1	-	1	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	10	-	-	3	-	3	-	-	3	1	4	-	-	-	-	-	-	-	1	-	1
Drowning - - -	8	-	2	4	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - - -	10	2	-	-	-	2	4	-	-	-	4	1	-	-	-	1	-	-	1	-	1
{ Otherwise - - -	6	1	-	2	-	3	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Falls - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	35	-	4	8	3	15	2	1	2	4	9	-	-	1	-	1	-	1	1	2	4
Otherwise, or Not Stated - - -	17	2	3	6	-	11	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	7	-	-	5	-	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	60	32	-	1	-	33	14	-	-	-	14	7	-	-	-	7	3	-	-	-	3
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Sudden (Cause unascertained) - - -	19	3	-	4	2	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	9	3	-	4	1	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

93

93

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways. - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Horses - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns and Scalds - - - -	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
{ Explosions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - - -	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Drowning - - - -	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - - - -	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
{ Otherwise - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - -	-	-	1	1	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Otherwise, or Not Stated - - - -	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - - -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Mortification - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other ill-def. and not spec. Causes - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JUNE 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	28,866	50	36	25	0	0	0	0	0	1	0	3	0	3	3
Ayr,	29,618	64	34	85	0	20	0	2	0	0	0	0	0	11	10
Banff, with Macduff,	8,614	15	11	12	0	0	0	0	0	0	0	1	0	3	0
Blairstown,	4,229	11	4	10	0	0	0	0	0	0	0	0	0	1	3
Callander,	2,376	2	3	5	0	0	0	0	0	0	0	1	0	0	0
Campbeltown,	10,696	26	8	11	0	0	0	1	0	0	0	0	0	3	1
Cathcart (Landward),	6,228	17	4	2	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	38,927	134	54	52	0	0	1	4	0	0	0	4	0	7	5
Crieff,	5,791	16	4	7	0	0	0	0	0	0	0	0	0	0	2
Dumbarton,	21,341	66	18	20	0	0	0	0	0	0	0	2	0	1	1
Dumfries, with Troqueer, . . .	24,986	58	21	36	0	0	0	0	0	0	0	1	0	7	8
Dunfermline,	30,725	87	36	47	0	0	1	3	0	0	0	3	0	3	6
Dunoon,	7,695	11	0	11	0	0	0	0	0	0	0	0	0	1	2
Eastwood (Landward),	11,579	37	18	24	0	0	0	0	0	0	0	2	0	4	6
Elgin,	11,000	28	21	21	0	0	0	0	0	0	0	1	0	4	5
Falkirk,	30,774	119	53	50	0	0	0	3	0	2	0	0	0	7	7
Forfar,	13,034	27	12	15	0	0	0	0	0	0	0	0	0	2	2
Galashiels,	19,614	28	17	16	0	0	0	0	0	0	0	0	0	3	2
Govan—(1) Plantation (Land- ward),	26,862	85	18	33	0	2	0	0	0	0	0	3	0	4	6
(2) Govan (Landward),	49, 97	175	66	109	0	19	2	0	1	2	0	3	0	19	15
(3) Partick (Landward),	46,316	145	51	96	6	3	1	2	0	1	0	15	0	9	6
Haddington,	4,876	10	8	8	0	0	0	0	1	1	0	0	0	0	0
Hawick, with Wilton,	23,431	41	26	26	0	0	0	0	0	0	0	0	0	4	2
Inverness,	26,084	83	26	42	0	0	0	2	0	0	0	0	0	4	11
Kilmarnock, with Riccarton, . .	33,488	94	43	56	0	0	2	1	1	0	0	1	0	9	10
Kilmore and Kilbride (Oban), .	6,263	12	7	4	0	0	0	0	0	0	0	0	1	1	0
Kinning Park (Landward), . . .	15,726	46	25	21	0	0	0	0	0	0	0	1	0	4	4
Kirkcaldy and Abbotshall, . . .	19,951	53	31	28	0	0	0	4	0	2	0	1	0	2	4
Kirkcudbright,	3,475	5	5	11	0	6	0	0	0	0	0	1	0	0	0
Largs, with Skelmorlie,	5,465	11	1	7	0	0	0	0	0	0	0	1	0	0	2
Logie (Bridge of Allan),	4,461	11	3	4	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,016	4	1	2	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,045	36	16	25	0	0	0	0	0	0	0	0	0	4	0
Moulin (Pitlochry),	2,372	4	2	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	21	7	10	0	0	0	0	0	0	0	1	0	0	0
New Monkland (Airdrie),	39,670	109	43	46	0	0	1	0	0	0	0	1	0	4	5
North Berwick,	3,361	10	1	4	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	17,258	45	4	17	0	0	0	0	0	0	0	0	0	1	1
Rothsay,	9,805	18	5	21	0	0	0	0	0	0	0	0	1	1	4
St Andrews and St Leonards, . .	8,882	8	9	15	0	0	0	0	0	0	0	0	0	2	2
Shettleston (Landward),	16,213	51	16	34	0	2	2	0	0	1	0	0	0	7	4
Stirling,	15,800	43	27	18	0	0	0	2	0	0	0	0	0	0	0
Stranraer,	6,016	11	3	16	0	0	0	0	1	0	0	0	0	1	2
Wick,	12,347	25	4	15	0	0	0	0	0	0	0	2	0	2	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level.

For the month of JUNE 1899,

Mean barometric pressure, 30.054 inches; greater than the average for the same month of 1856-95 by 0.112 inch.

Barometric monthly range, 1.022 inch; greater by 0.095 inch.

Mean temperature, $58^{\circ}6$; greater by $2^{\circ}8$.

Mean daily range of temperature, $17^{\circ}7$; greater by $2^{\circ}4$.

Mean humidity, 75; less by $2^{\circ}4$.

Rain, number of days, 10; less by 3 days.

Rain, depth in inches, 1.71; less by 0.79 inch.

Wind, pressure on square foot, 1.04 lb.; less by 0.30 lb.

Wind, direction of, E. to W. as 10 to 9, and N. to S. as 4 to 5; the average being E. to W. as 8 to 10, and N. to S. as 3 to 6.

Hence the weather of June 1899 was characterised by a high mean barometric pressure, accompanied with a high monthly range; a very high mean temperature, with a very high mean daily range; a mean humidity much under the average; a rather small rainfall, falling on three days fewer than the average; and a large excess of south-easterly winds, blowing with a force much less than the average of June.

The mean barometric pressure was 30.054 inches, or 0.112 inch above the average. The noteworthy feature of the pressure is the singular uniformity of the amounts at the different towns. From the 1st to the 17th, the weather was eminently anti-cyclonic, with the characteristic high pressure, dry air, strong sunshine, and entire absence of rain at all the large towns. The weather of the last fortnight, on the other hand, was cyclonic, accompanied with frequent rains and occasional thunderstorms.

The mean temperature was $58^{\circ}6$, or $2^{\circ}8$ in excess of the average. The days were $4^{\circ}1$ and the nights $1^{\circ}6$ above the average, thus pointing to the strong influence of the sun during the anticyclonic weather. The excess of temperature was very unequally distributed. Thus, while at Aberdeen the excess was only $2^{\circ}1$, at Paisley and Greenock it was $4^{\circ}2$, or double the excess at Aberdeen. The absolutely highest temperature was $82^{\circ}9$ on the 12th at Paisley, and the lowest $38^{\circ}0$ on the 14th at Aberdeen.

The mean rainfall was 1.71 inch, being 32 per cent. under the average. The largest amount collected was 2.13 inches at Glasgow, which is the average for the month; and the smallest 1.22 inch at Aberdeen, being 34 per cent. under the average. The heaviest rains occurred on the 28th, when there fell 1.16 inch at Glasgow, 0.92 inch at Dundee, and 0.80 inch at Perth. On the same day the amount was only 0.06 inch at Aberdeen.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JUNE 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.						RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Sea-level and 32°.	Mean at Station and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										lbs.	
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.			
GLASGOW, W. E. MACHARG, M.B., Bel- videre Hospital, Glasgow.	54	29.999	30.053	1.033	80.0	42.9	59.6	37.1	20.6	37.0	59.8	55.0	50.8	.371	4.46	72	11	2.13	1	1	5	0	0	0	3	9	11	0.19		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	272	29.779	30.057	1.032	79.6	44.1	58.2	35.5	15.7	31.5	58.0	54.0	50.4	.367	4.10	76	8	1.43	1	2	11	2	0	1	10	1	2	0.76		
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.878	30.056	1.000	78.7	41.4	58.0	37.3	17.8	32.1	57.5	54.2	51.2	.378	4.21	79	10	1.72	0	3	3	15	0	3	4	2	0	0.71		
ABERDEEN, PETER HARPER, Duthie Park.	44	29.906	30.044	0.972	75.8	38.0	56.8	37.8	17.6	37.8	56.8	53.6	50.6	.370	4.12	80	10	1.22	3	2	3	6	5	6	1	4	0	1.39		
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	30.000	30.055	1.031	81.8	45.7	58.6	36.1	14.7	32.4	57.9	53.7	49.9	.361	4.02	75	9	1.42	0	7	8	2	0	1	11	0	1	1.30		
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.934	30.048	1.045	82.9	45.1	60.2	37.8	18.6	34.6	59.4	54.7	50.5	.368	4.13	73	12	1.55	4	7	1	1	2	2	10	2	1	0.77		
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	238	29.809	30.055	1.014	76.9	44.2	59.0	33.7	15.9	25.8	58.7	53.5	48.9	.347	3.88	70	10	2.06	0	3	3	5	0	6	11	2	0	2.13		
PERTH, A. GARDEKKE, Gardener to James F. Pullar, F.R.S.E.	140	29.903	30.055	1.000	76.5	39.5	58.6	37.0	20.5	35.0	58.5	54.5	50.9	.373	4.20	76	9	2.09	1	1	10	7	4	4	2	1	0	..		
Means.	133	29.912	30.054	1.022	78.9	40.5	58.6	36.5	17.7	33.4	58.3	54.2	50.5	.368	4.14	75	10	1.71	1	3	6	5	1	3	6	3	2	1.04		
North Latitude.—Glasgow, 55° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 56° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 33'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of July 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4219 children, of whom 2135 were males and 2084 females. Of these, 3913 were legitimate, and 306 illegitimate, being in the proportion of one illegitimate in every 13·8 Births, or the illegitimate Births constituted 7·3 per cent. of the whole. In Leith, 4·9 per cent. of the Births were illegitimate; in Paisley, 5·1; in Perth, 6·8; in Glasgow, 6·9; in Edinburgh and in Dundee, 7·8; in Aberdeen, 8·3; and in Greenock, 11·0 per cent.

2109 Marriages were registered in these Towns during July, being 414 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2261 persons were registered in the eight Towns during July, of whom 1185 were males, and 1076 females. Allowing for increase of the population, this number is 184 below the average for the month during the last ten years.

A comparison of the Deaths registered shows that during July the mortality was at the annual rate of 12·2 Deaths per thousand persons in Leith; 13·3 in Aberdeen; 14·9 in Perth; 15·8 in Edinburgh; 16·3 in Dundee; 16·8 in Greenock; 17·3 in Paisley; and 18·4 in Glasgow.

Of the 1149 Deaths registered in Glasgow, 283 were of children under one year of age, and 196 of persons over 60 years; of the 402 in Edinburgh, 80 were of children under one year, and 96 of persons over 60 years; of the 230 in Dundee, 58 were under one, and 63 over 60; of the 161 in Aberdeen, 38 were under one, and

47 over 60; of the 80 in Leith, 22 were under one, and 13 over 60; of the 113 in Paisley, 16 were under one, and 33 over 60; of the 87 in Greenock, 17 were under one, and 27 over 60; and of the 39 in Perth, 9 were under one, and 13 over 60 years.

Of the whole 2261 Deaths, 807, or 35·7 per cent., were of children under five years of age. In Paisley, 27·4 per cent. of the persons who died were under five years of age; in Edinburgh, 28·6; in Aberdeen, 30·4; in Perth, 30·8; in Dundee, 33·0; in Greenock, 35·6; in Glasgow, 39·9; and in Leith, 42·5 per cent.

Miasmatic Diseases caused 185 Deaths, or 8·2 per cent. of the whole mortality. This rate was exceeded in Glasgow, chiefly in consequence of the prevalence of Measles, and in Leith from that of Hooping-Cough.

Fevers caused 27 Deaths, of which two (both in Dundee) were from Typhus, 24 from Enteric, and one from Cerebro-Spinal Fever.

Measles caused 68 Deaths, or 3·0 per cent. of the whole. In Glasgow, 61 deaths resulted from Measles, constituting 5·3 per cent. of the Deaths in that town.

Hooping-Cough caused 40 Deaths, or 1·8 per cent. of the total for the month. Of these, 7 occurred in Leith, being at the rate of 8·7 per cent. of the Deaths there.

Diarrhoea and Dysentery caused 113 Deaths, or 5·0 per cent. of the whole. To these Diseases were attributed 5·5 per cent. of the Deaths in Glasgow, 7·0 per cent. of those in Dundee, and 10·3 per cent. of those in Greenock.

Scarlatina caused 29 Deaths; Diphtheria, 12; Simple Cholera, 7; and Puerperal Fever, 5.

To Intemperance were attributed 7 Deaths, 5 being from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 101 Deaths; Paralysis, 31; Heart Diseases, 213; and Premature Birth Debility, 72.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 248, or 11·0 per cent. of the whole. Those from Consumption alone numbered 238, or 10·5 per cent. One Death was caused by Croup.

From Violent Causes there resulted 88 Deaths, of which 2 were Suicidal (1 by Gunshot Wounds and 1 by Drowning).

Two males and 6 females were aged 90 years and upwards, the eldest being two widows aged respectively 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JULY 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	733,903	1010	1034	2044	1903	141	1044	618	531	1149
EDINBURGH,	244,120	272,773	298,927	355	362	717	661	56	351	205	197	402
DUNDEE,	140,794	154,118	166,072	199	197	396	365	31	221	113	117	230
ABERDEEN,	106,397	124,943	142,655	214	172	386	354	32	186	84	77	161
LEITH,	59,485	68,707	77,385	118	87	205	195	10	99	47	33	80
PAISLEY,	55,638	66,425	76,834	126	90	216	205	11	71	53	60	113
GREENOCK,	66,704	63,423	60,867	78	103	181	161	20	89	44	43	87
PERTH,	28,980	29,919	30,721	35	39	74	69	5	48	21	18	39
TOTAL,	1,279,964	1,439,016	1,587,414	2135	2084	4219	3913	306	2109	1185	1076	2261

JULY 1898,	Mean Temp. 58°·3	2174	1968	4142	3859	283	1864	1294	1179	2473
JULY 1897,	Mean Temp. 59°·3	2086	2059	4145	3829	316	1828	1209	1178	2387
JULY 1896,	Mean Temp. 58°·1	2075	2013	4088	3794	294	1780	1229	1152	2381
JULY 1895,	Mean Temp. 57°·2	2120	2070	4190	3887	303	1705	1221	1255	2476
JULY 1894,	Mean Temp. 59°·5	2038	1859	3897	3589	308	1614	1018	1003	2021
JULY 1893,	Mean Temp. 58°·7	1974	1916	3890	3594	296	1514	1305	1283	2588
JULY 1892,	Mean Temp. 55°·9	1981	1810	3791	3510	281	1407	1112	996	2108
JULY 1891,	Mean Temp. 59°·1	2010	1838	3848	3534	314	1358	1042	992	2094
JULY 1890,	Mean Temp. 56°·2	1847	1808	3655	3329	326	1452	1118	1112	2230
JULY 1889,	Mean Temp. 57°·1	1919	1795	3714	3412	302	1441	1168	1102	2270

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JULY 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	30	7	1	1	10	11	1. St Peter,	0	0	0	0	0	0	1
2. Camlachie,	0	4	0	2	0	0	12	2. St Mary,	0	0	0	1	1	0	5
3. Dennistoun,	0	4	2	3	0	0	4	3. St Clement,	0	0	0	1	0	2	1
4. Calton,	0	4	0	1	0	0	9	4. St Andrew,	0	0	0	2	0	0	3
5. Blackfriars,	0	1	0	0	1	0	1	5. Lochee,	0	0	0	0	1	0	1
6. St Rollox,	0	2	7	3	1	0	4	Mains,	0	0	0	0	0	0	0
7. Blythswood,	0	0	0	0	0	0	2								
8. Milton,	0	0	1	2	0	0	2	ABERDEEN—							
9. Kelvin,	0	3	0	2	0	1	2	1. St Nicholas,	0	1	0	0	1	1	5
10. Anderston,	0	2	0	1	0	0	3	2. St Machar,	0	0	1	0	0	0	0
11. Hutchesontown,	0	2	1	0	0	0	7	3. Woodside,	0	0	0	0	0	0	0
12. Gorbals,	0	0	0	0	1	0	2	4. Old Aberdeen,	0	0	0	0	0	0	1
13. Tradeston,	0	1	0	2	0	0	2	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	1	0	0	0	0	1	Nigg,	0	0	0	0	0	0	0
Cathcart,	0	1	0	0	0	0	0								
Eastwood,	0	0	0	1	0	0	0	LEITH—							
Maryhill,	0	0	0	0	1	0	1	1. North,	0	1	0	3	0	1	1
Shettleston,	0	0	0	0	0	0	0	2. South,	0	2	0	4	1	1	0
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	0	5	1	0	3	3
Partick,	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George,	0	0	1	3	1	2	1	1. East,	0	0	0	0	0	0	5
2. St Andrew,	0	0	0	2	1	0	2	2. West,	0	1	1	0	0	2	4
3. Canongate,	0	2	1	2	1	3	6								
4. St Giles,	0	0	0	1	0	0	0	PERTH,	0	0	2	0	0	0	1
5. Newington,	0	0	0	2	0	1	5								
6. Portobello,	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2261	459	98	396	196	1149	115	31	160	96	402	76	22	69	63	230	49	14	51	47	161
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	335	153	16	23	10	202	28	6	6	8	48	22	-	2	-	24	9	2	3	-	14
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	8	-	-	1	1	2	1	-	5	-	6	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	502	36	42	134	22	234	21	10	57	16	104	5	10	26	6	47	4	7	20	10	41
V. DEVELOPMENTAL „	159	38	-	-	39	77	16	-	-	8	24	11	-	-	8	19	8	-	-	5	13
VI. LOCAL „	1067	177	35	205	118	535	41	9	82	59	191	26	10	36	47	119	25	4	27	30	86
VII. VIOLENCE - -	88	4	5	23	4	36	4	6	7	3	20	3	2	3	2	10	-	1	1	1	-
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	102	51	-	10	2	63	4	-	3	2	9	9	-	2	-	11	3	-	-	1	-
I.																					
1. MIASMATIC DISEASES -	185	91	12	15	1	119	15	5	2	3	25	6	-	2	-	8	2	1	2	-	-
2. DIARRHOEAL „ -	120	56	4	2	7	69	11	-	-	3	14	16	-	-	-	16	6	-	1	-	-
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	16	5	-	2	2	9	2	-	2	-	4	-	-	-	-	-	1	-	-	-	-
6. SEPTIC „ -	14	1	-	4	-	5	-	1	2	2	5	-	-	-	-	-	-	1	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	8	-	-	1	1	2	1	-	5	-	6	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	502	36	42	134	22	234	21	10	57	16	104	5	10	26	6	47	4	7	20	10	41
V.																					
DEVELOPMENTAL DISEASES	159	38	-	-	39	77	16	-	-	8	24	11	-	-	8	19	8	-	-	5	13
VI.																					
1. DIS. OF NERVOUS SYSTEM -	283	52	5	40	34	131	10	3	20	19	52	7	2	8	14	31	9	-	11	10	30
2. „ ORGANS OF SPECIAL SENSE -	4	2	1	-	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	213	2	5	47	35	89	4	1	22	21	48	-	3	12	18	33	-	-	7	11	30
4. „ RESPIRATORY SYSTEM	248	56	6	54	30	146	13	3	13	9	38	7	2	7	10	26	4	-	4	4	15
5. „ DIGESTIVE SYSTEM -	211	65	4	26	11	106	14	2	14	3	33	11	3	5	-	19	12	1	3	5	20
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	7	-	3	4	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	63	-	5	23	4	32	-	-	6	6	12	-	-	2	4	6	-	3	1	-	-
8. „ REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION	9	-	-	3	2	5	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	11	-	-	5	-	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION -	15	-	6	3	2	11	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-
10. „ INTEGUMENTARY SYSTEM -	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1899.

100

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	34	6	27	13	80	31	13	36	33	113	31	4	25	27	87	12	3	11	13	39
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	13	2	2	-	17	8	1	3	1	13	9	1	1	3	14	2	1	-	-	3
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL " -	4	1	12	5	22	6	5	14	2	27	4	-	11	6	21	1	-	5	-	6
V. DEVELOPMENTAL " -	3	-	-	1	4	3	-	-	10	13	3	-	-	3	6	1	-	-	2	3
VI. LOCAL " -	11	2	10	6	29	11	6	18	17	52	11	3	10	12	36	3	1	5	10	19
VII. VIOLENCE - - -	-	1	3	1	5	1	1	1	3	6	2	-	1	3	6	-	1	-	1	2
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	2	-	-	-	2	2	-	2	-	4	5	-	1	-	6
I.																				
1. Miasmatic Diseases - -	11	1	1	-	13	6	1	2	-	9	2	1	1	-	4	1	1	-	-	2
2. Diarrheal " - - -	1	-	-	-	1	2	-	-	1	3	7	-	-	2	9	1	-	-	-	1
3. Malarial " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
6. Septic " - - -	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES -	4	1	12	5	22	6	5	14	2	27	4	-	11	6	21	1	-	5	-	6
V.																				
DEVELOPMENTAL DISEASES -	3	-	-	1	4	3	-	-	10	13	3	-	-	3	6	1	-	-	2	3
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	5	1	2	1	9	1	3	4	4	12	3	1	4	2	10	3	-	-	5	8
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	-	-	-	2	2	-	-	4	6	10	1	-	1	5	7	-	-	4	2	6
4. " RESPIRATORY SYSTEM -	4	-	2	-	6	4	-	4	2	10	1	1	4	2	8	-	-	1	1	2
5. " DIGESTIVE SYSTEM -	2	1	4	2	9	6	2	2	3	13	5	1	1	1	8	-	-	-	2	2
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	-	-	1	1	2	-	-	4	1	5	-	-	-	2	2	-	-	-	-	-
8. " REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
0. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

Registered during the Month of JULY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	86	4	5	23	4	36	4	6	6	2	18	3	2	3	2	10	-	1	1	1	3
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	102	51	-	10	2	63	4	-	3	2	9	9	-	2	-	11	3	-	-	1	4
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	68	59	2	-	-	61	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	29	9	8	1	-	18	2	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Typhus - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Influenza - - -	8	-	-	4	1	5	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1
Hooping-Cough -	40	18	-	-	-	18	10	-	-	10	4	-	-	-	-	4	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	12	4	1	-	-	5	1	1	-	1	3	2	-	-	-	2	1	-	-	-	1
Cerebro-spinal Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	24	-	1	10	-	11	-	4	2	-	6	-	-	-	-	-	-	-	1	-	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	7	4	1	-	1	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery - -	113	52	3	2	6	63	11	-	-	3	14	16	-	-	-	16	5	-	1	-	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	11	5	-	-	-	5	2	-	2	-	4	-	-	-	-	-	1	-	-	-	1
Gonorrhoea, Stricture of Urethra	5	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - -	7	-	-	2	-	2	-	1	1	2	4	-	-	-	-	-	-	1	-	-	-
Puerperal Fever - - -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

Registered during the Month of JULY 1899.

102

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

104

Registered during the Month of JULY 1899.

CAUSES OF DEATH.	LEITH.				PAISLEY.				GREENOCK.				PERTH.							
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	3	3	6	-	3	2	5	1	-	2	4	6	-	-	1	-	-	1
Tabes Mesenterica - - - - -	-	-	-	-	-	3	1	1	5	1	-	-	-	1	-	-	-	-	-	-
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	4	-	-	-	4	2	-	-	2	2	-	-	-	2	-	-	-	-	-	-
Phthisis - - - - -	-	1	8	-	9	1	4	9	14	-	-	9	1	10	1	1	3	-	-	4
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	3	-	-	-	3	2	-	-	2	2	-	-	-	2	1	-	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harlip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	1	-	1	-	-	10	10	-	-	-	3	3	-	-	2	-	-	2
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes - - - - -	2	-	-	-	2	1	2	-	3	2	-	-	-	2	1	-	-	-	-	1
Apoplexy - - - - -	1	-	2	1	4	-	-	1	3	4	-	-	1	2	3	-	-	-	2	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	1	1	-	2	1	1	1	-	3	-	-	-	2	-	2
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life,
Registered during the Month of JULY 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	151	-	5	41	24	70	-	1	11	11	23	-	3	10	11	24	-	-	6	8	14
Pericarditis -	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart -	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	1	
Angina Pectoris -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Syncope -	33	2	-	4	4	10	4	-	6	7	17	-	-	1	4	5	-	-	1	1	
Aneurism -	5	-	-	1	-	1	-	-	2	-	2	-	-	1	-	1	-	-	-	-	
Senile Gangrene -	6	-	-	-	4	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	
Embolism, Thrombosis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Cir. System	10	-	-	-	2	2	-	-	-	2	2	-	-	-	2	2	-	-	-	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	6	5	-	-	-	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Croup -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Larynx & Trachea	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema, Asthma -	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Bronchitis -	88	14	-	17	20	51	6	-	1	5	12	3	-	1	6	10	2	-	-	3	
Pneumonia -	132	33	4	30	8	75	6	3	12	3	24	4	2	5	3	14	1	-	4	-	
Pleurisy -	7	-	-	5	-	5	1	-	-	-	1	-	-	-	-	-	-	-	1	1	
Other Diseases of Resp. System	11	3	1	2	1	7	-	-	-	-	-	-	-	-	1	1	1	-	-	-	
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dentition -	14	11	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sore-throat, Quinsy -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dyspepsia -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Melæna -	3	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	
Diseases of Stomach -	28	3	-	6	5	14	1	-	2	1	4	1	1	-	-	2	1	1	1	3	
Enteritis -	78	36	1	5	2	44	10	-	-	-	10	10	1	-	-	11	7	-	1	8	
Ulceration of Intestine -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Ileus, Obstruction of Intestine	7	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Intussusception of Intestine -	5	3	-	1	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Hernia -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peritonitis -	30	3	3	5	-	11	1	2	5	-	8	-	1	4	-	5	-	-	1	1	
Ascites -	2	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	1	
Gallstones -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Cirrhosis of Liver -	8	-	-	-	-	-	-	-	2	1	3	-	-	1	-	1	-	-	1	1	
Other Diseases of Liver	18	3	-	3	2	8	1	-	3	1	5	-	-	-	-	1	-	-	1	2	
Other Dis. of Digestive System	5	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Lymphatics -	6	-	2	4	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Suprarenal Capsules -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	15	-	1	6	-	7	-	-	-	-	-	-	-	-	2	2	-	1	-	1	
Bright's Disease -	29	-	1	13	-	14	-	-	4	3	7	-	-	1	2	3	-	1	1	2	
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suppression of Urine -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Calculus -	3	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Bladder and of Prostate	6	-	-	1	2	3	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Urinary System	9	-	3	3	-	6	-	-	1	-	1	-	-	1	-	1	-	1	-	1	

106

106

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

108

Registered during the Month of JULY 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Railways { Railways - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns and Scalds - -	-	-	1	-	1	1	-	1	-	2	2	-	-	-	2	-	1	-	-	1
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Drowning - - - - -	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Suffocation { In Bed - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - -	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Otherwise, or Not Stated - - - -	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Debility, Atrophy, Inanition - -	3	-	-	-	3	2	-	-	-	2	2	-	1	-	3	4	-	-	-	4
Mortification - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Other ill-def. and not spec. Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JULY 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Pneumonia, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	28,866	39	35	23	0	0	1	0	0	0	0	1	0	2	3
Ayr,	29,618	87	14	50	0	1	1	0	0	1	0	3	1	1	3
Banff, with Macduff,	8,614	18	6		0	0	0	1	0	1	0	1	0	0	0
Blairgowrie, —	4,229	5	3	1	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,376	5	0	2	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,696	20	6	14	0	0	0	3	0	0	0	1	0	1	2
Cathcart (Landward),	6,228	8	1	3	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	88,927	122	48	52	0	1	0	4	1	0	0	6	0	3	6
Crief,	5,791	13	3	4	0	0	0	0	0	0	0	1	0	0	3
Dunbarton,	21,341	61	24	27	0	1	0	0	0	1	0	4	0	1	2
Dumfries, with Troqueer,	24,986	78	23	31	0	0	0	0	0	0	0	1	0	4	3
Dunfermline,	30,725	61	37	41	0	0	0	0	0	0	0	2	1	8	3
Dunoon,	7,695	14	2	18	0	1	0	0	0	0	0	0	0	3	0
Eastwood (Landward),	14,579	45	19	27	0	4	0	0	0	0	0	0	0	9	3
Elgin,	11,000	32	5	7	0	0	0	0	0	0	0	1	0	0	3
Falkirk,	30,774	111	40	37	0	0	0	1	0	3	0	1	0	3	2
Forfar,	13,034	32	18	17	0	0	0	0	0	0	0	0	0	1	2
Galashiels,	19,614	36	9	16	0	0	0	0	0	0	0	0	0	3	2
Govan—(1) Plantation (Land- ward),	26,862	72	8	44	0	1	0	0	0	1	0	11	1	5	4
(2) Govan (Landward),	49,397	153	51	109	0	12	3	0	1	1	0	15	0	24	10
(8) Partick (Landward),	46,316	153	48	83	0	3	0	1	0	0	0	15	0	12	6
Haddington,	4,876	5	3	5	0	0	0	0	0	0	0	0	0	0	2
Hawick, with Wilton,	23,431	37	12	18	0	0	0	0	0	0	0	0	0	3	7
Inverness,	26,084	54	32	35	0	0	0	1	0	0	0	2	0	6	3
Kilmarnock, with Riccarton,	33,488	72	31	51	0	1	2	3	0	1	0	5	0	6	4
Kilmore and Kilbride (Oban),	6,263	12	3	9	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	15,726	52	14	25	0	2	0	0	0	0	0	6	1	2	1
Kirkcaldy and Abbotshall,	19,951	51	35	18	0	0	0	1	0	1	0	1	0	0	3
Kirkcudbright,	3,475	4	1	4	0	0	0	0	0	0	0	0	0	1	1
Largs, with Skelmorlie,	5,465	15	1	9	0	0	0	0	1	0	0	0	0	2	0
Logie (Bridge of Allan),	4,461	10	5	3	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,016	4	0	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,045	32	15	19	0	0	0	1	0	0	0	0	0	3	2
Moulin (Pitlochry),	2,372	3	1	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	17	1	7	0	0	0	0	0	0	0	0	0	0	2
New Monkland (Airdrie),	39,670	100	40	53	0	0	0	0	0	0	0	5	0	6	7
North Berwick,	3,361	5	1	4	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	17,258	58	8	33	0	0	0	1	0	1	0	0	0	1	4
Rothsay,	9,805	14	6	12	0	0	0	0	0	0	0	0	0	2	1
St Andrews and St Leonards,	8,882	14	5	12	0	0	0	0	0	0	0	0	0	1	1
Shettleston (Landward),	16,213	61	16	23	0	1	3	0	0	4	0	0	0	1	4
Stirling,	15,800	38	24	16	0	0	0	2	0	0	0	3	0	1	1
Stranraer,	6,016	13	1	16	0	0	0	0	0	0	0	0	0	2	2
Wick,	12,347	26	3	21	0	0	0	0	0	0	0	2	0	1	4

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 132 feet above the sea-level.

For the month of JULY 1899,

Mean barometric pressure, 30.020 inches ; greater than the average for the same month of 1856-95 by 0.145 inch.

Barometric monthly range, 1.049 inches ; greater by 0.133 inch.

Mean temperature, $60^{\circ}3$; greater by $2^{\circ}1$.

Mean daily range of temperature, $13^{\circ}7$; less by $0^{\circ}7$.

Mean humidity, 80 ; greater by 1.0.

Rain, number of days, 13 ; less by 3 days.

Rain, depth in inches, 3.41 ; greater by 0.28 inch.

Wind, pressure on square foot, 1.41 lbs. ; greater by 0.05 lb.

Wind, direction of, E. to W. as 6 to 13, and N. to S. as 4 to 6 ; the average being E. to W. as 6 to 13, and N. to S. as 4 to 6.

Hence the weather of July was characterised by a high mean barometric pressure with a large monthly range ; a very high mean temperature, with a mean daily range a little under the average ; a mean humidity rather above the average ; a mean rainfall about a quarter of an inch above the average, but falling on three days fewer than the average ; and two days' excess of north-westerly winds, and two days' deficiency of west south-westerly winds.

The mean barometric pressure was 30.020 inches, or 0.145 inch in excess of the average. The excess was fairly uniformly distributed among the stations, except that it was rather greater at stations in the west, resulting in a slight excess of winds from N.W., and deficiency from W.S.W. The force of the wind was very near the average.

The mean temperature was $60^{\circ}3$, or $2^{\circ}1$ greater than the average, the excess being nearly equally distributed between the days and the nights. The excess was greatest at Aberdeen, where it was $3^{\circ}4$, and least at Perth where it was only $1^{\circ}5$. The absolutely highest temperature was $81^{\circ}5$ on the 30th at Dundee, and the lowest $44^{\circ}5$ on the 5th at Perth. The lowest temperatures occurred on the first three days of the month, after which the temperature rose and continued high during the month, reaching the highest for the month on the last two days.

The mean rainfall was 3.41 inches, or 9 per cent. above the average. The excess was 20 per cent. at Edinburgh, Leith, and Perth, near the average at Greenock, Glasgow, and Aberdeen, but 31 per cent. below it at Dundee. Upwards of an inch fell at Edinburgh on the 1st, at Leith on the 2nd, and on the 11th at Greenock and Glasgow. The greater part of the rain fell on the 1st, 2nd, 7th to 9th, 11th, 12th, and 17th to 19th. Only slight showers during the rest of the month. Thunder is reported to have occurred on the 12th, 17th, and 18th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JULY 1899.

	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO-METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.																			
	Height of Station above Sea-level.			feet.	Range.		Inch.	Inch.	Inch.	Mean at Station and 32°.	Inch.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Wet Bulb, or Temp. of Evaporation.	Dry Bulb, or Temp. of Air.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										Mean Pressure on Sq. ft.
																												N	NE	E	SE	S	SW	W	NW	Calm or Variable.		
GLASGOW, W. E. MACHARG, M.B., Medical Officer of Health, Glasgow.	54	29-973	30-032	1-003	78-2	48-9	60-5	23-3	14-1	25-5	°	°	°	°	°	°	53-1	405	4-52	78	17	3-36	inch.	lbs.	0-94	Mean Pressure on Sq. ft.												
EDINBURGH, E. C. MOSSMAN, F.R.S.E.	272	29-728	30-024	1-063	78-0	48-0	59-7	30-0	11-8	23-8	°	°	°	°	°	°	54-1	419	4-82	80	15	3-98	inch.	lbs.	0-71	Mean Pressure on Sq. ft.												
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29-833	30-010	1-100	81-5	47-9	61-1	33-6	15-3	26-5	°	°	°	°	°	°	55-1	435	4-91	82	14	2-12	inch.	lbs.	1-39	Mean Pressure on Sq. ft.												
ABERDEEN, PETER HARPER, Dutlie Park.	44	29-950	29-998	1-032	78-0	47-0	60-6	31-0	15-5	24-4	°	°	°	°	°	°	54-9	432	5-06	85	12	2-97	inch.	lbs.	1-41	Mean Pressure on Sq. ft.												
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	69	29-948	30-023	1-061	79-9	49-8	61-1	30-1	13-0	22-1	°	°	°	°	°	°	54-1	419	4-82	80	19	3-61	inch.	lbs.	1-59	Mean Pressure on Sq. ft.												
PAISLEY, DONALD MACLEAN, The Coast Observatory.	107	29-948	30-023	1-061	79-9	49-8	61-1	30-1	13-0	22-1	°	°	°	°	°	°	54-1	419	4-82	80	19	3-61	inch.	lbs.	1-59	Mean Pressure on Sq. ft.												
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29-792	30-038	1-015	78-0	48-3	58-9	24-2	11-4	20-0	°	°	°	°	°	°	49-3	351	4-12	72	15	4-10	inch.	lbs.	3-80	Mean Pressure on Sq. ft.												
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29-900	30-014	1-072	78-0	44-5	60-0	33-5	14-6	28-0	°	°	°	°	°	°	59-5	351	4-12	72	15	4-10	inch.	lbs.	0-87	Mean Pressure on Sq. ft.												
Means,	132	29-875	30-020	1-049	78-1	44-5	60-3	30-2	13-7	24-3	°	°	°	°	°	°	59-5	410	4-71	80	13	3-41	inch.	lbs.	1-41	Mean Pressure on Sq. ft.												

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 56° 23'; Perth, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of August 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4237 children, of whom 2191 were males, and 2046 females. Of these, 3958 were legitimate, and 279 illegitimate, being in the proportion of one illegitimate in every 15·2 Births, or the illegitimate Births constituted 6·6 per cent. of the whole. In Leith, 3·9 per cent. of the Births were illegitimate; in Paisley, 5·1; in Perth, 5·4; in Greenock, 5·9; in Glasgow, 6·4; in Edinburgh, 6·7; in Dundee, 8·0; and in Aberdeen 8·6 per cent.

1048 Marriages were registered in these Towns during August, being 118 above the average for the month during the last ten years, allowing for increase of the population.

The Deaths of 2765 persons were registered in these Towns during the month, of whom 1370 were males, and 1395 females. Allowing for increase of the population, this number is 410 above the average for August during the last ten years.

A comparison of the Deaths registered shows that during August the mortality was at the annual rate of 15·3 Deaths per thousand persons in Aberdeen; 18·2 in Greenock; 18·4 in Dundee; 19·5 in Edinburgh and in Perth; 20·7 in Paisley; 21·0 in Leith; and 22·6 in Glasgow.

Of the 1407 Deaths registered in Glasgow, 465 were of children under one year of age, and 223 of persons over 60 years; of the 495 in Edinburgh, 135 were of children under one year, and 133 of persons over 60 years; of the 260 in Dundee, 90 were under one, and 49 over 60; of the 185 in Aberdeen, 61 were under one, and

47 over 60; of the 138 in Leith, 60 were under one, and 26 over 60; of the 135 in Paisley, 45 were under one, and 35 over 60; of the 94 in Greenock, 36 were under one, and 16 over 60; and of the 51 in Perth, 13 were under one, and 17 over 60 years.

Of the whole 2765 Deaths, 1250, or 45·2 per cent., were of children under five years of age. In Perth, 27·5 per cent. of the persons who died were under five years of age; in Edinburgh, 34·5; in Aberdeen, 42·7; in Paisley, 43·7; in Dundee, 44·6; in Glasgow, 48·8; in Leith, 52·9; and in Greenock, 54·3 per cent.

Miasmatic Diseases caused 165 Deaths, or 6·0 per cent. of the total mortality. This rate was slightly exceeded in Glasgow, chiefly in consequence of the prevalence of Measles.

Fevers caused 33 Deaths, of which 1 (in Glasgow) was from Typhus, 31 from Enteric, and one from Simple Continued Fever.

Measles caused 55 Deaths, or 2·0 per cent. of the whole. Of these, 51 occurred in Glasgow, forming 3·6 per cent. of all the Deaths there.

Diarrhoea and Dysentery resulted in 321 Deaths, or 11·6 per cent. of the total. To these Diseases were attributed 11·5 per cent. of the Deaths in Dundee, 11·6 per cent. of those in Leith, 12·0 per cent. of those in Glasgow, 18·5 per cent. of those in Paisley, and 24·5 per cent. of those in Greenock.

Hooping-Cough caused 39 Deaths; Scarlet Fever, 23; Diphtheria, 12; Simple Cholera, 21; and Puerperal Fever, 9.

Eight deaths were due to Intemperance, 7 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 100 Deaths; Paralysis, 46; Heart Diseases, 212; and Premature Birth Debility, 107.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 255, or 9·2 per cent. of the whole. Those from Consumption alone numbered 223, or 8·1 per cent. One Death only was caused by Croup.

From Violent Causes there resulted 104 Deaths, of which 3 were Suicidal (2 by Shooting and 1 by Hanging).

Four males and 11 females were aged 90 years and upwards, the eldest being three widows each aged 92 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, AUGUST 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	577,846	658,708	733,903	1047	1007	2054	1922	132	483	694	713	1407
EDINBURGH, .	244,120	272,773	298,927	333	368	751	701	50	246	249	246	495
DUNDEE, . .	140,794	154,118	166,072	214	172	386	355	31	75	129	131	260
ABERDEEN, .	106,397	124,943	142,655	207	176	383	350	33	86	90	95	185
LEITH, . . .	59,485	68,707	77,385	106	101	207	199	8	46	69	69	138
PAISLEY, . .	55,638	66,425	76,384	106	90	196	186	10	62	64	71	135
GREENOCK, .	66,704	63,423	60,867	89	97	186	175	11	36	43	46	94
PERTH, . . .	28,980	29,919	30,721	39	35	74	70	4	14	27	24	51
TOTAL, . . .	1,279,964	1,439,016	1,587,414	2191	2046	4237	3958	279	1048	1370	1395	2765

AUGUST 1898, . . .	Mean Temp. 58°·5	2136	2177	4313	4015	293	1081	1321	1341	2662
AUGUST 1897, . . .	Mean Temp. 60°·2	2091	1949	4040	3744	296	1023	1364	1287	2651
AUGUST 1896, . . .	Mean Temp. 56°·4	1996	1945	3941	3643	298	937	1090	1011	2101
AUGUST 1895, . . .	Mean Temp. 59°·1	1976	1868	3844	3568	276	871	1122	1071	2193
AUGUST 1894, . . .	Mean Temp. 56°·6	1942	1829	3771	3486	285	806	936	1003	1939
AUGUST 1893, . . .	Mean Temp. 61°·0	2021	1942	3963	3642	321	869	1243	1228	2471
AUGUST 1892, . . .	Mean Temp. 56°·8	1910	1845	3755	3467	288	962	1125	1061	2186
AUGUST 1891, . . .	Mean Temp. 56°·8	1696	1666	3362	3099	263	812	1032	941	1973
AUGUST 1890, . . .	Mean Temp. 56°·6	1724	1677	3401	3159	242	685	1006	979	1985
AUGUST 1889, . . .	Mean Temp. 56°·8	1779	1677	3356	3094	262	709	996	1023	2019

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of AUGUST 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	20	7	2	1	18	28	1. St Peter, . .	0	0	0	0	0	0	7
2. Camlachie, . .	0	4	0	0	0	0	14	2. St Mary, . .	0	0	0	0	0	0	6
3. Dennistoun, . .	0	1	1	3	0	0	11	3. St Clement, . .	0	0	0	0	0	0	2
4. Calton, . . .	0	1	0	1	0	0	8	4. St Andrew, . .	0	1	0	4	0	0	13
5. Blackfriars, . .	0	3	0	1	0	0	4	5. Loches, . . .	0	0	0	0	0	0	2
6. St Rollox, . .	0	2	5	5	3	0	10	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	0	0	0	0	2								
8. Milton, . . .	0	1	1	2	1	0	15	ABERDEEN—							
9. Kelvin, . . .	0	1	0	6	1	1	14	1. St Nicholas, . .	0	0	1	0	2	0	7
10. Anderston, . .	0	8	0	1	0	0	14	2. St Machar, . .	0	0	0	0	0	1	1
11. Hutchesontown, .	0	7	1	1	0	0	22	3. Woodside, . . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	1	0	0	0	0	9	4. Old Aberdeen, .	0	0	0	0	0	0	1
13. Tradeston, . .	0	0	0	0	0	0	3	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	0	0	1	2	Nigg, . . .	0	0	0	0	0	0	1
Cathcart, . . .	0	0	0	0	0	0	1								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	0	2	0	0	0	12	1. North, . . .	0	1	0	0	0	0	8
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	4	0	0	8
Plantation, . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	1	1	2	4	25
Partick, . . .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	0	0	4	1	1	15	1. East, . . .	0	0	0	0	0	0	11
2. St Andrew, . .	0	0	0	1	0	0	14	2. West, . . .	0	0	1	0	0	1	12
3. Canongate, . .	0	1	2	2	0	0	4								
4. St Giles, . . .	0	1	0	1	0	0	1	PERTH, . . .	0	0	1	0	1	0	5
5. Newington, . .	0	0	0	0	0	0	9								
6. Portobello, . .	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2765	687	91	406	223	1407	171	86	155	133	495	116	20	75	49	260	79	16	43	47	185
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	549	268	10	31	11	320	53	6	9	6	74	32	-	4	2	38	15	2	4	2	23
II. PARASITIC DISEASE	3	1	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	11	2	-	3	-	5	-	-	3	1	4	-	-	-	-	-	1	-	-	-	1
IV. CONSTITUTIONAL	548	40	35	135	37	247	18	16	54	34	122	11	14	30	6	61	9	6	15	8	38
V. DEVELOPMENTAL	226	71	-	-	49	120	21	-	-	22	43	10	1	-	5	16	13	-	-	5	18
VI. LOCAL	1196	229	31	196	120	576	70	9	78	66	223	51	4	36	35	126	34	7	21	30	92
VII. VIOLENCE - -	104	11	7	27	5	50	1	4	7	4	16	4	1	4	1	10	2	1	3	2	8
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	128	65	8	14	1	88	8	1	2	-	11	8	-	1	-	9	5	-	-	-	5
I.																					
1. MIASMATIC DISEASES -	165	93	8	16	-	117	11	5	5	1	22	5	-	-	-	5	3	1	-	-	4
2. DIARRHEAL	342	169	2	5	9	185	38	1	1	4	44	25	-	3	2	30	7	-	1	2	10
3. MALARIAL	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
4. ZOOGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL	19	5	-	2	1	8	3	-	-	-	3	2	-	-	-	2	4	-	1	-	1
6. SEPTIC	20	1	-	7	1	9	1	-	3	-	4	-	-	1	-	1	1	1	1	-	1
II.																					
PARASITIC DISEASES -	3	1	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	11	2	-	3	-	5	-	-	3	1	4	-	-	-	-	-	1	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	548	40	35	135	37	247	18	16	54	34	122	11	14	30	6	61	9	6	15	8	38
V.																					
DEVELOPMENTAL DISEASES	226	71	-	-	49	120	21	-	-	22	43	10	1	-	5	16	13	-	-	5	18
VI.																					
1. DIS. OF NERVOUS SYSTEM -	290	55	9	35	39	138	15	3	17	18	53	9	-	5	16	30	10	1	3	8	2
2. " ORGANS OF SPECIAL SENSE -	5	-	1	2	-	3	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM	212	1	4	55	40	100	1	1	23	21	46	-	-	12	7	19	1	2	6	12	2
4. " RESPIRATORY SYSTEM	255	57	3	43	21	124	16	-	14	17	47	16	2	9	7	34	6	-	5	5	1
5. " DIGESTIVE SYSTEM -	333	115	8	33	15	171	36	2	8	3	49	26	-	3	4	33	17	2	4	3	2
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	3	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
7. " URINARY SYSTEM -	62	-	3	18	4	25	1	-	14	6	21	-	1	4	-	5	-	1	1	1	1
8. " REPRODUCTIVE SYSTEM:-																					
(a) DISEASES OF ORGANS OF GENERATION -	11	-	-	5	-	5	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-
(b) DISEASES OF PARTURITION -	9	-	-	3	-	3	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-
9. " ORGANS OF LOCOMOTION -	12	1	3	2	-	6	-	-	1	-	1	-	1	-	-	1	-	1	1	-	-
10. " INTEGUMENTARY SYSTEM -	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

117

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	73	2	37	26	138	59	8	33	35	135	51	6	21	16	94	14	4	16	17	51
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	22	-	1	1	24	25	4	5	2	36	22	-	2	2	26	7	1	-	-	8
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
IV. CONSTITUTIONAL,, -	15	1	16	3	35	5	3	8	5	21	3	1	7	1	12	1	1	7	3	12
V. DEVELOPMENTAL,, -	5	-	-	4	9	2	-	-	9	11	2	-	-	2	4	2	-	-	3	5
VI. LOCAL " -	26	-	15	18	59	23	1	16	19	59	15	5	11	11	42	2	1	6	10	19
VII. VIOLENCE - - -	2	1	5	-	8	2	-	4	-	6	3	-	-	-	3	-	-	2	1	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	2	-	-	-	2	6	-	1	-	7	2	1	-	-	3
I.																				
MIASMATIC DISEASES	5	-	-	-	5	3	3	2	-	8	1	-	1	-	2	1	1	-	-	2
DIARRHOEAL " -	17	-	-	1	18	21	1	1	2	25	21	-	1	2	24	6	-	-	-	6
MALARIAL " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC " -	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
IV.																				
CONSTITUTIONAL DISEASES -	15	1	16	3	35	5	3	8	5	21	3	1	7	1	12	1	1	7	3	12
V.																				
DEVELOPMENTAL DISEASES -	5	-	-	4	9	2	-	-	9	11	2	-	-	2	4	2	-	-	3	5
VI.																				
DISEASES OF NERVOUS SYSTEM -	2	-	3	3	8	5	-	8	6	19	7	4	1	3	15	-	-	1	4	5
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	2	-	1	3	6	-	-	3	7	10	-	-	4	3	7	-	-	2	1	3
" RESPIRATORY SYSTEM -	5	-	2	6	13	2	-	2	6	10	2	-	2	6	-	-	-	2	3	5
" DIGESTIVE SYSTEM -	17	-	4	2	23	16	1	1	-	18	5	-	2	2	9	2	1	1	-	4
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	3	4	-	-	1	-	1	-	-	2	-	2	-	-	-	1	1
" REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
" ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-
" INTEGUMENTARY SYSTEM -	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	101	11	7	25	5	48	1	4	6	4	15	4	1	4	1	10	2	1	3	2	8
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	128	65	8	14	1	88	8	1	2	-	11	8	-	1	-	9	5	-	-	-	5
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	55	51	-	-	-	51	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	23	12	5	-	-	17	-	2	-	-	2	-	-	-	-	-	1	-	-	-	1
Typhus - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	3	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Hooping-Cough - - -	39	21	1	-	-	22	8	-	-	-	8	4	-	-	-	4	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	12	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	31	2	2	15	-	19	3	3	-	-	6	-	-	-	-	-	-	1	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEAL DISEASES.																					
Simple Cholera - - -	21	15	-	1	-	16	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	321	154	2	4	9	169	37	1	1	4	43	25	-	3	2	30	7	-	1	2	10
MALARIAL DISEASES.																					
Remittent Fever - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Ague - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	17	5	-	1	-	6	3	-	-	-	3	2	-	-	-	2	4	-	1	-	-
Gonorrhoea, Stricture of Urethra - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	5	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Pyæmia, Septicæmia - - -	6	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	1	-	-
Puerperal Fever - - -	9	-	-	6	-	6	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

119

Registered during the Month of AUGUST 1899.

[illegible]

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scurvy - - - - -	7	-	-	2	-	2	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu-	8	-	1	2	-	3	-	2	1	-	3	-	-	-	-	-	-	1	1	-	2
matism of Heart - - -	6	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	5	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	150	-	1	33	29	63	-	14	29	43	1	3	11	3	15	1	-	3	5	9	3
Tubes Mesenterica - -	51	12	8	2	-	22	7	3	1	11	3	3	1	-	7	3	-	-	-	-	-
Tubercular Meningitis (Acute	51	13	10	-	-	23	9	2	-	11	5	1	-	-	6	3	-	1	-	4	-
Hydrocephalus) - - -	223	5	13	85	2	105	-	5	34	3	42	10	17	3	30	2	5	9	2	18	-
Phthisis - - - - -	35	7	-	5	-	12	2	4	3	9	-	-	1	-	1	-	-	1	-	1	-
Other forms of Tuber. Scrofula	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purp., Hemorrhagic Diathesis	8	-	-	3	4	7	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	7	-	1	3	2	6	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - -	107	63	-	-	-	63	13	-	-	13	10	-	-	-	10	10	-	-	-	10	-
Atelectasis - - - - -	4	1	-	-	-	1	2	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	3	1	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Imperforate Anus - -	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects -	11	5	-	-	-	5	4	-	-	4	-	1	-	-	1	1	-	-	-	1	-
Old Age - - - - -	99	-	-	-	49	49	-	-	-	22	22	-	-	5	5	-	-	-	5	5	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its	68	25	2	4	-	31	6	3	3	12	2	-	1	-	3	5	-	-	1	6	-
Membranes - - - - -	100	1	-	20	25	46	-	-	5	10	15	-	3	12	15	1	1	2	5	9	-
Apoplexy - - - - -	4	-	-	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Softening of Brain - -	37	1	-	3	13	17	-	-	5	5	10	-	-	1	2	3	-	-	2	2	-
Hemiplegia, Brain Paralysis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis Agitans - - -	7	-	-	1	1	-	-	-	2	2	4	-	-	-	-	-	-	1	-	1	-
Insanity, General Par. of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	4	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	46	23	1	1	-	25	8	-	-	3	7	-	-	-	7	4	-	-	-	4	-
Convulsions - - - - -	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - -	3	1	1	2	-	4	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
Paraplegia Dis. of Spinal Cord	13	2	3	3	-	8	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ner. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - -	5	-	1	2	-	3	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

121

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Intemp. { Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	5	2	7	-	-	2	5	7	-	-	-	1	1	-	2	3	5	-
Tabes Mesenterica - - - - -	3	-	-	-	3	4	1	-	-	5	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-	-	1	5	-	6
Phthisis - - - - -	-	1	8	-	9	-	2	5	-	7	-	1	5	-	6	-	-	-	-	-
Other forms of Tuberculosis, Scrofula - - - - -	6	-	2	-	8	-	-	-	-	2	-	1	-	3	1	-	-	-	-	1
Purpura, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	5	-	-	-	5	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	4	4	-	-	9	9	-	-	-	2	2	-	-	-	3	3	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	-	1	-	3	4	-	-	-	4	5	4	-	9	-	-	-	-	-	-

Registered during the Month of AUGUST 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	156	1	4	41	30	76	-	1	14	13	28	-	-	11	6	17	-	2	5	10	17
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	7	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	31	-	-	6	7	13	-	-	3	7	10	-	-	1	-	1	1	-	1	1	3
Aneurism -	9	-	-	1	1	2	-	-	5	-	5	-	-	1	1	1	-	-	1	1	1
Senile Gangrene -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	6	-	-	2	2	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	6	2	-	2	-	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Croup -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	5	-	-	-	1	1	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-
Bronchitis -	106	21	-	15	11	47	5	-	4	6	15	7	1	2	6	16	3	-	1	3	7
Pneumonia -	117	28	3	21	6	58	9	-	9	8	26	8	-	6	-	14	3	-	4	2	9
Pleurisy -	7	-	-	1	2	3	1	-	1	2	2	-	1	-	1	-	-	-	-	-	-
Other Diseases of Resp. System	13	6	-	4	1	11	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition -	26	15	-	-	-	15	4	-	-	-	4	-	-	-	-	3	-	-	-	-	3
Sore-throat, Quinsy -	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1	-	-	-	1
Hæmatemesis -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	37	7	-	9	2	18	1	-	3	-	4	3	-	1	4	4	1	1	6	10	1
Enteritis -	196	83	4	7	4	98	27	-	2	-	29	23	-	2	3	28	8	1	1	1	1
Ulceration of Intestine -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	12	2	1	2	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Stricture or Strang. of Intestine	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Intussusception of Intestine -	2	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Hernia -	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	23	4	1	7	2	14	1	1	2	1	5	-	1	-	1	-	1	-	-	-	1
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	3	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1	1
Other Diseases of Liver	15	8	-	3	2	8	2	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Other Dis. of Digestive System	4	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	2	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	13	-	1	6	-	7	-	-	3	-	3	-	1	1	-	2	-	-	1	-	1
Bright's Disease -	31	-	1	10	3	14	-	-	9	2	11	-	-	1	-	1	-	-	1	-	1
Uremia -	7	-	-	2	1	3	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	1	-	-	-	1
Other Dis. of Urinary System	4	-	1	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-

123

123

[illegible]

125

125

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—AUGUST 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,866	58	7	35	0	0	0	0	0	0	0	2	1	3	2
Ayr,	29,618	74	22	52	0	0	0	1	2	0	0	12	0	4	6
Banff, with Macduff,	8,614	22	4	16	0	0	0	4	0	0	0	1	0	0	1
Blairgowrie,	4,229	7	2	6	0	0	0	0	0	0	0	2	0	0	0
Callander,	2,376	3	1	2	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,696	30	7	13	0	0	0	0	0	0	0	1	0	4	2
Cathcart (Landward),	6,228	19	0	7	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	88,927	108	15	71	0	0	1	1	1	1	0	17	0	5	1
Crief,	5,791	17	2	8	0	0	0	0	0	0	0	1	0	1	0
Dumbarton,	21,341	54	8	42	0	0	1	0	0	1	0	14	0	4	3
Dumfries, with Troqueer,	21,986	61	10	37	0	0	0	0	0	0	0	10	0	2	6
Dunfermline,	30,725	59	20	32	0	0	0	0	0	0	0	2	0	1	4
Dunoon,	7,695	22	2	23	0	0	0	0	1	0	0	7	0	3	0
Eastwood (Landward),	14,579	45	7	26	0	0	0	0	1	1	0	6	0	3	1
Elgin,	11,000	19	13	16	0	0	0	2	0	0	0	0	0	1	3
Falkirk,	30,774	98	21	48	0	0	5	0	1	1	0	9	1	2	3
Forfar,	18,034	34	6	20	0	0	0	0	1	1	0	1	0	1	2
Galashiels,	19,614	21	8	19	0	0	1	0	1	0	0	0	0	1	5
Govan—(1) Plantation (Landward),	26,862	73	2	38	0	1	0	0	0	0	0	6	0	1	6
(2) Govan (Landward),	49,397	158	20	125	0	7	2	0	0	3	0	31	0	12	11
(3) Partick (Landward),	46,316	146	19	67	0	3	0	2	0	0	0	10	0	5	7
Haddington,	4,376	11	0	4	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	23,431	40	14	20	0	0	0	0	0	1	0	2	0	2	3
Inverness,	26,084	78	11	29	0	0	0	1	0	0	0	2	1	2	3
Kilmarnock, with Riccarton,	33,488	112	30	64	0	0	1	1	1	2	0	21	0	4	7
Kilmore and Kilbride (Oban),	6,263	10	2	8	0	0	0	0	0	0	0	0	0	0	4
Kinning Park (Landward),	15,726	46	4	19	0	1	0	0	0	0	0	1	0	2	7
Kirkcaldy and Abbotshall,	19,951	44	12	13	0	0	0	3	0	0	0	0	0	1	2
Kirkcudbright,	3,475	2	0	4	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorille,	5,465	10	2	12	0	0	0	0	0	0	0	3	0	2	0
Logie (Bridge of Allan),	4,461	6	1	2	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,016	1	1	1	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,045	15	3	26	0	0	0	0	0	0	0	1	0	1	4
Moulin (Pitlochry),	2,372	5	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	11	1	6	0	0	0	0	0	0	0	1	0	0	0
New Monkland (Airdrie),	39,670	124	8	55	0	1	2	0	0	0	0	15	0	4	3
North Berwick,	3,361	5	0	1	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	17,258	53	9	24	0	0	0	0	0	0	0	0	1	3	5
Rothsay,	9,805	25	4	11	0	0	0	0	1	0	0	0	0	0	2
St Andrews and St Leonards,	8,882	20	3	14	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward),	16,213	59	9	25	0	1	2	0	0	3	0	3	0	1	5
Stirling,	15,800	36	8	24	0	0	0	0	0	0	0	3	0	3	2
Straanraer,	6,016	6	6	9	0	0	0	0	0	0	0	1	0	0	1
Wick,	12,347	35	3	23	0	0	0	0	0	0	0	2	0	2	4

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'N.$, and Long. $3^{\circ}30'W.$, and height 132 feet above the sea-level.

For the month of AUGUST 1899,

Mean barometric pressure, 30.071 inches; greater than the average for the same month of 1856-95 by 0.218 inch.

Barometric monthly range, 0.755 inch; less by 0.228 inch.

Mean temperature, $61^{\circ}0$; greater by $3^{\circ}4$.

Mean daily range of temperature, $16^{\circ}9$; greater by $2^{\circ}9$.

Mean humidity, 82; greater by 0.6.

Rain, number of days, 8; less by 9 days.

Rain, depth in inches, 0.98; less by 2.51 inches.

Wind, pressure on square foot, 0.71 lb.; less by 0.63 lb.

Wind, direction of, E. to W. as 9 to 8, and N. to S. as 5 to 5; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence the weather of August 1899 was characterised by an unusually high barometric pressure, with an unusually small monthly range; an unusually high mean temperature, with a larger mean daily range than any hitherto recorded for August; an average mean humidity; a smaller mean rainfall than hitherto recorded, except in August 1869, which was 0.06 inch less than that of August last, the rain falling on only eight days, being less than half the number of rainy days for the month; and a great excess of calms and E.N.E. winds, the mean force of the wind being the lowest yet recorded.

The mean barometric pressure was 30.071 inches, or 0.218 inch above the average, the excess being equally distributed among the eight towns. The means for the past four months are: for May, 30.023 inches; June, 30.054 inches; July, 30.020 inches; and August, 30.071 inches. Since the Society was established in 1855, there has not previously occurred continuously for four months such high mean barometric pressures.

The mean temperature was $61^{\circ}0$, or $3^{\circ}4$ above the average, the days being $4^{\circ}9$ and the nights $2^{\circ}0$ above the average, the difference being due to the anticyclonic character of the weather of the month. The distribution of this excess was very unequal, being only $1^{\circ}0$ at Aberdeen, $2^{\circ}7$ at Dundee, $4^{\circ}0$ at Edinburgh, and $5^{\circ}1$ at Paisley. The absolutely highest temperature was $85^{\circ}3$ on the 23rd at Paisley, and the lowest $38^{\circ}0$ on the 9th at Perth.

The mean rainfall was 0.98 inch, or 72 per cent. under the average. At Aberdeen, Dundee, and Greenock, the deficiency was fully 80 per cent., but at Glasgow and Perth 60 per cent. Most of the rain fell on the last five days of the month, but no heavy falls are reported. Thunderstorms occurred on the 25th. From the 6th to the 7th, and 14th to the 19th, light intermittent showers are reported.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of August 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.	WINDS. <small>254</small>										Mean Pres- sure on Sq. ft.	lbs.				
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.		Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions:											
																					N	NE	E	SE	S	SW			W	NW	Calm or Variable.	
GLASGOW, W. E. MACHARD, M.B., Belvidere Hospital.	54	30-018	30-077	0-772	83-9	41-5	61-8	42-4	18-9	34-9	61-1	57-4	54-2	421	4-70	78	9	1-32	0	1	3	0	0	0	1	7	19	0-06	0-22			
EDINBURGH, R. C. MOSSMAN, F.R.S.E. JOHN CARNOCHAN, Curator of Cemeteries.	272	29-786	30-082	0-757	82-7	47-0	61-5	35-7	16-2	28-1	60-3	57-1	54-3	422	4-71	81	8	0-55	2	1	9	1	1	1	5	1	10	0-56	0-56			
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29-884	30-062	0-758	81-7	45-3	60-1	36-4	16-1	29-0	58-2	55-8	53-6	412	4-60	85	7	0-55	1	6	7	5	3	3	4	2	0	0-56	0-56			
ABERDEEN, PETER HARPER, Duthie Park.	44	30-015	30-063	0-744	85-0	39-2	58-7	45-8	16-9	32-0	58-2	55-5	53-1	404	4-51	83	6	0-56	2	2	2	5	11	4	3	2	0	0-56	0-56			
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDFATH.	69	30-000	30-075	0-772	81-0	47-3	61-7	33-7	15-4	30-1	60-2	57-1	54-4	423	4-74	82	9	0-67	2	5	6	2	0	2	8	2	4	1-15	1-15			
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29-963	30-067	0-732	85-3	44-9	62-8	40-4	17-5	33-1	61-0	57-5	54-5	425	4-75	80	11	1-12	3	6	3	1	1	4	9	1	3	0-53	0-53			
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29-833	30-077	0-779	79-7	48-4	61-9	31-3	15-3	26-0	60-2	56-2	53-7	399	4-44	76	10	1-86	0	5	4	5	1	7	7	1	1	2-28	2-28			
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29-953	30-067	0-728	78-0	38-0	59-5	40-0	18-9	34-0	58-5	56-0	53-7	410	4-60	84	5	1-22	0	0	11	4	1	2	7	1	5	0-24	0-24			
Means,	132	29-930	30-071	0-755	85-3	43-2	61-0	46-1	16-9	30-9	59-7	56-6	53-8	416	4-63	82	8	0-96	1	4	5	3	2	3	5	3	5	0-71	0-71			
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 38'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 37'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.																																

North Latitude.—Glasgow, 55° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of September 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3985 children, of whom 2008 were males, and 1977 females. Of these, 3725 were legitimate, and 260 illegitimate, being in the proportion of one illegitimate in every 15·3 Births, or the illegitimate Births constituted 6·5 per cent. of the whole. In Leith, 3·4 per cent. of the Births were illegitimate; in Greenock, 4·0; in Edinburgh, 6·1; in Paisley, 6·2; in Aberdeen, 6·3; in Glasgow, 6·8; in Dundee, 8·4; and in Perth, 9·1 per cent.

1001 Marriages were registered in these Towns during the month. This number is 71 above the average for September during the last ten years, increase of the population being allowed for.

The Deaths of 2631 persons were registered in these Towns during September, of whom 1351 were males, and 1280 females. Allowing for increase of the population, this number is 361 above the average for the month during the last ten years.

A comparison of the Deaths registered during September shows the mortality to have been at the annual rate of 16·5 Deaths per thousand persons in Aberdeen; 17·6 in Paisley; 17·8 in Leith; 18·2 in Perth; 19·7 in Dundee; 20·3 in Edinburgh; 21·2 in Glasgow; and 24·8 in Greenock.

Of the 1276 Deaths registered in Glasgow, 400 were of children under one year of age, and 225 of persons over 60 years; of the 498 in Edinburgh, 175 were of children under one year, and 96 of persons over 60 years; of the 269 in Dundee, 98 were of children under one year, and 46 of persons over 60; of the 194 in Aberdeen, 58

were under one, and 49 over 60; of the 113 in Leith, 51 were under one, and 24 over 60; of the 111 in Paisley, 40 were under one, and 18 over 60; of the 124 in Greenock, 38 were under one, and 23 over 60; and of the 46 in Perth, 12 were under one, and 13 over 60 years.

Of the whole 2631 Deaths, 1161, or 44·1 per cent., were of children under five years of age. In Aberdeen, 34·5 per cent. of the persons who died were under five years of age; in Edinburgh, 41·2; in Perth, 41·3; in Paisley, 45·0; in Glasgow, 45·1; in Dundee, 46·5; in Greenock, 49·2; and in Leith, 52·2 per cent.

Miasmatic Diseases caused 152 Deaths, or 5·8 per cent. of the whole. In Paisley the death-rate from these diseases amounted to 12·6 per cent., and was principally due to the number of Fever Deaths, these being at the rate of 7·2 per cent. of the Deaths there.

Fever caused 49 Deaths, or 1·9 per cent. of the whole. Of these 28 occurred in Glasgow; 6 in Edinburgh; 6 in Dundee; 1 in Aberdeen; and 8 in Paisley; one of the latter being from Typhus.

Hooping Cough caused 28 Deaths; Scarlatina, 25; Diphtheria, 25; Measles, 19; Simple Cholera, 17; and Puerperal Fever, 6.

To Diarrhoea and Dysentery were attributed 361 Deaths, or 13·7 per cent. In the several Towns the percentages of Deaths from these Diseases were the following:—In Aberdeen, 6·2; in Dundee, 13·0; in Edinburgh, 13·1; in Glasgow, 13·6; in Leith, 15·0; in Paisley, 15·3; in Perth, 23·9; and in Greenock, 24·2.

Fourteen Deaths were caused by Intemperance, of which 10 were from Chronic Alcoholism, and 4 from Delirium Tremens.

Apoplexy caused 83 Deaths; Paralysis, 42; Heart Diseases, 203; and Premature Birth Debility, 83.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 264, or 10·0 per cent. Those from Consumption alone numbered 237, or 9·0 per cent. Three Deaths were attributed to Croup.

106 Deaths resulted from Violent Causes, of which 4 were Suicidal (3 being by Hanging and 1 by Shooting).

One male and 4 females were aged 90 years and upwards, the eldest of whom was a female aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, SEPTEMBER 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	577,846	668,708	733,903	1014	1005	2019	1882	137	473	657	619	1276
EDINBURGH, .	244,120	272,773	298,927	306	318	624	586	38	196	264	234	498
DUNDEE, . .	140,794	154,118	166,072	178	203	381	349	32	84	132	137	269
ABERDEEN, .	106,397	124,943	142,655	211	167	378	354	24	124	111	88	194
LEITH, . . .	59,485	68,707	77,385	92	85	177	171	6	34	59	54	113
PAISLEY, . . .	55,638	66,426	76,834	85	92	177	166	11	34	52	59	111
GREENOCK, .	66,704	63,428	60,867	91	83	174	167	7	38	54	70	124
PERTH, . . .	23,980	29,919	30,721	31	24	55	50	5	18	22	24	46
TOTAL, . .	1,279,964	1,439,016	1,587,414	2008	1977	3985	3725	260	1001	1351	1280	2631

SEPTEMBER 1898, . .	Mean Temp. 57°·3	2028	1972	4000	3720	280	1002	1324	1288	2612
SEPTEMBER 1897, . .	Mean Temp. 52°·4	1915	1944	3859	3560	299	924	1172	1212	2384
SEPTEMBER 1896, . .	Mean Temp. 53°·3	1932	1913	3895	3626	269	1019	1040	988	2028
SEPTEMBER 1895, . .	Mean Temp. 58°·0	1866	1785	3651	3385	266	943	1097	1115	2212
SEPTEMBER 1894, . .	Mean Temp. 52°·5	1765	1591	3356	3110	246	840	916	863	1784
SEPTEMBER 1893, . .	Mean Temp. 53°·2	1869	1799	3663	3364	304	821	1151	1133	2289
SEPTEMBER 1892, . .	Mean Temp. 51°·5	1819	1694	3513	3238	275	828	1035	998	2033
SEPTEMBER 1891, . .	Mean Temp. 55°·4	1703	1655	3358	3124	234	792	952	1028	1980
SEPTEMBER 1890, . .	Mean Temp. 57°·7	1736	1609	3345	3080	265	816	1062	1059	2121
SEPTEMBER 1889, . .	Mean Temp. 53°·1	1708	1664	3372	3099	273	775	997	939	1936

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of SEPTEMBER 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	4	6	4	1	22	15	1. St Peter, . .	0	0	1	2	0	1	3
2. Camlachie, . .	0	0	0	1	1	1	15	2. St Mary, . .	0	0	0	0	3	1	7
3. Dennistoun, . .	0	0	3	1	0	0	18	3. St Clement, . .	0	0	0	0	0	3	7
4. Calton, . . .	0	1	1	0	0	1	11	4. St Andrew, . .	0	0	1	2	3	1	13
5. Blackfriars, . .	0	1	0	0	0	0	4	5. Lochee, . . .	0	0	0	0	0	0	5
6. St Rollox, . . .	0	1	5	4	0	1	14	6. Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	0	0	0	0	5								
8. Milton, . . .	0	0	1	1	0	0	19	ABERDEEN—							
9. Kelvin, . . .	0	1	0	0	1	2	10	1. St Nicholas, .	0	0	0	1	1	1	6
10. Anderston, . .	0	2	1	0	0	0	9	2. St Machar, . .	0	0	0	2	0	0	6
11. Hutchesontown, .	0	1	0	1	0	1	11	3. Woodside, . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	0	0	0	0	0	13	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	0	1	0	0	0	5	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	1	0	0	5	Nigg, . . .	0	0	0	0	0	0	0
Cathcart, . . .	0	0	0	0	0	0	6								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	0	0	1	1	0	13	1. North, . . .	0	1	0	0	0	0	7
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	3	1	0	10
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	1	PAISLEY, . . .	0	0	1	2	3	8	17
Partick, . . .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	1	0	1	5	1	27	1. East, . . .	0	1	0	0	0	0	18
2. St Andrew, . .	0	0	0	0	0	0	11	2. West, . . .	0	2	1	0	3	0	12
3. Canongate, . .	0	1	1	0	2	3	10								
4. St Giles, . . .	0	0	1	0	0	0	2	PERTH, . . .	0	0	1	0	0	0	11
5. Newington, . .	0	1	0	1	0	2	11								
6. Portobello, . .	0	0	0	0	0	0	4								

133

133

[illegible]

135

[illegible]

Registered during the Month of SEPTEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	8	2	-	-	-	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	10	-	-	6	1	7	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
{ Delirium Tremens -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - -	7	-	2	1	-	3	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Rheumatism - - - - -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	-	1
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	4	-	1	-	-	1	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Cancer - - - - -	126	-	1	34	22	57	-	12	11	23	-	-	8	11	19	-	-	6	5	11	3
Tabes Mesenterica - - -	46	19	5	1	-	25	3	1	-	4	2	-	-	-	3	2	-	1	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - -	49	19	3	-	-	22	8	1	1	-	10	1	2	1	-	4	-	-	-	-	-
Phthisis - - - - -	237	6	22	80	6	114	1	6	39	2	48	-	3	17	2	22	-	4	13	2	19
Other forms of Tuber. Scrofula	23	4	2	3	1	10	2	2	2	-	6	-	2	1	-	3	-	-	-	-	-
Purp., Hemorrhagic Diathesis	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	10	-	1	2	2	5	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2
Diabetes Mellitus - - -	4	-	-	1	-	1	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - -	83	48	-	-	-	48	10	-	-	-	10	11	-	-	-	11	6	-	-	-	6
Atelectasis - - - - -	4	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	7	5	-	-	-	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	76	-	-	-	36	36	-	-	-	16	16	-	-	-	3	3	-	-	-	6	6
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	58	26	2	3	2	33	5	-	-	-	5	7	1	1	-	9	3	-	-	2	5
Apoplexy - - - - -	83	1	-	19	18	38	-	-	8	12	20	-	1	7	2	9	-	-	4	4	8
Softening of Brain - -	6	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-
Hemiplegia, Brain Paralysis -	31	-	-	3	7	10	-	-	5	3	8	-	-	1	1	2	-	-	2	-	2
Paralysis Agitans - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	11	-	-	1	1	2	-	-	2	2	4	-	-	-	-	-	-	-	4	-	4
Chorea - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	7	-	-	2	-	2	1	3	-	-	4	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	25	11	-	-	-	11	6	-	-	-	6	3	-	-	-	3	3	-	-	-	3
Laryngismus Stridulus -	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Idiopathic Tetanus - - -	3	1	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Paraplegia Dis. of Spinal Cord	11	-	1	8	1	10	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ner. System	11	-	-	4	1	5	-	-	1	-	1	-	-	-	1	1	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - -	3	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Epistaxis and Dis. of Nose -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

137

DEATHS FROM ALL CAUSES at Four Periods of Life.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	3	2	5	-	3	1	4	-	2	3	5	-	2	-	2	-	2	2
Tabes Mesenterica - - - - -	4	1	-	-	5	1	-	1	2	1	1	-	2	2	-	-	-	-	-	2
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	5	1	-	-	6	3	1	-	4	2	-	-	2	-	1	-	1	-	-	1
Phthisis - - - - -	-	2	1	-	3	-	3	6	-	9	-	3	13	1	17	-	4	-	5	5
Other forms of Tuberculosis, Scrofula - - - - -	1	-	-	1	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth - - - - -	2	-	-	-	2	-	-	-	-	6	-	-	-	6	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	3	-	3	-	-	3	3	-	-	6	-	6	-	-	3	-	3	3
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	2	1	-	3	3	-	-	3	-	3	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

139

Registered during the Month of SEPTEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	4	5	9	-	-	4	-	4	-	1	5	4	10	-	-	-	1	1
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Syncope -	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	2	-	-	-	2	2	-	-	3	5	1	-	1	-	2	1	-	-	2	3
Pneumonia -	3	-	-	-	3	4	-	2	-	6	1	-	1	-	2	1	1	-	1	3
Pleurisy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory System	-	1	-	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Enteritis -	15	-	1	1	17	6	-	-	-	6	4	-	-	-	4	2	-	-	-	2
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Ascites -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bright's Disease -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uremia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of Uterus and Vagina	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	-	1	2	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways	6	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys.	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Horses { Horses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds, { Other Burns & Scalds	10	3	-	3	-	6	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	6	-	-	1	-	1	-	1	1	-	2	-	1	1	-	2	-	-	1	-	1
Drowning - - -	10	1	2	4	-	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Suffocation { In Bed - - -	7	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	-	-	1	-	1
Suffocation { Otherwise - - -	7	2	-	-	-	2	1	1	-	-	2	-	1	-	-	1	2	-	-	-	2
Falls - - -	7	-	-	4	1	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	31	1	3	6	4	14	-	1	6	-	7	1	-	-	-	1	-	1	1	1	3
Otherwise, or Not Stated - -	12	1	-	3	1	5	-	-	-	-	-	-	3	-	-	3	-	1	1	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	2	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	108	53	-	3	-	56	23	-	1	-	24	10	-	-	-	10	8	-	-	-	8
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	11	3	2	-	-	5	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

141

Registered during the Month of SEPTEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empyema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suffocation { In Bed - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
{ Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Weather Agencies - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - -	-	-	2	1	3	-	-	-	-	-	-	1	1	2	1	-	-	-	-	1
Otherwise, or Not Stated - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1
FORCE OTHER THAN ACCIDENTAL.																				
Homicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	2	-	-	-	2	3	-	-	-	3	3	-	-	-	3	2	-	-	-	2
Mortification - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmorrhage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes -	-	-	-	-	-	1	-	1	-	2	-	-	1	1	2	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—SEPTEMBER 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	28,866	42	9	40	0	0	0	0	0	1	0	5	0	3	5
Ayr,	29,618	63	30	61	0	1	2	2	2	0	0	9	0	4	6
Banff, with Macduff,	8,614	20	3	17	0	0	0	2	0	0	0	1	0	0	1
Blairgowrie,	4,229	6	4	3	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,376	7	1	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,696	25	5	7	0	0	0	0	0	0	0	2	0	1	0
Cathcart (Landward),	6,228	12	0	7	0	0	1	0	0	0	0	1	0	1	1
Coatbridge,	38,927	118	16	58	0	0	0	1	0	1	0	20	0	4	7
Crieff,	5,791	11	2	8	0	0	0	0	0	0	0	3	0	2	0
Dumbarton,	21,341	62	5	40	0	0	0	0	0	2	0	12	0	5	4
Dumfries, with Troqueer,	24,986	56	8	44	0	0	0	0	0	0	0	9	0	4	5
Dunfermline,	30,725	67	14	42	0	0	1	1	0	0	0	7	0	4	2
Dunoon,	7,695	13	1	14	0	1	1	0	0	1	0	2	0	0	3
Eastwood (Landward),	14,579	36	9	15	0	0	0	0	0	0	0	2	0	2	0
Elgin,	11,000	34	7	21	0	0	0	0	1	0	0	3	0	1	5
Falkirk,	30,774	108	13	52	0	0	2	0	1	5	0	14	0	6	1
Forfar,	13,034	25	9	25	0	0	0	0	0	0	0	0	0	2	3
Galaahills,	19,614	26	7	14	0	0	0	0	0	0	0	1	0	1	3
Govan—(1) Plantation (Landward),	26,862	74	15	33	0	1	0	1	0	0	0	5	0	1	6
(2) Govan (Landward),	49,397	151	25	94	0	0	0	0	0	4	0	15	0	13	13
(3) Partick (Landward),	46,316	162	32	52	0	0	0	0	0	0	0	7	2	3	4
Haddington,	4,876	14	1	14	0	0	0	0	0	0	0	1	0	1	2
Hawick, with Wilton,	23,431	33	5	20	0	0	0	0	0	0	0	2	0	0	2
Inverness,	26,084	57	6	33	0	0	0	2	0	0	0	6	0	2	6
Kilmarnock, with Riccarton,	33,488	82	26	60	0	0	4	2	0	5	0	12	0	3	5
Kilmore and Kilbride (Oban),	6,263	14	2	9	0	0	0	0	0	0	0	0	0	0	0
Kinning Park (Landward),	15,726	36	15	23	0	0	0	0	0	0	0	9	0	2	0
Kirkcaldy and Abbotshall,	19,951	37	9	25	0	0	0	1	0	4	0	4	0	0	3
Kirkcaldy,	3,475	6	1	3	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,465	12	2	10	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,461	4	0	5	0	0	0	0	0	0	0	0	0	1	0
Moffat,	3,016	5	1	3	0	0	0	0	0	0	0	1	0	0	0
Montrose,	13,045	37	3	34	0	0	0	0	0	0	0	6	0	4	3
Moulin (Pitlochry),	2,372	5	1	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	15	4	17	0	0	0	0	0	0	0	2	1	0	2
New Monkland (Aldrie),	39,670	104	15	62	0	0	1	0	1	1	0	17	1	1	3
North Berwick,	3,361	12	1	3	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	17,258	45	22	14	0	0	0	0	0	0	0	1	0	1	2
Rothsay,	9,805	18	7	19	0	0	1	1	0	0	0	2	0	2	0
St Andrews and St Leonards,	8,882	17	2	11	0	0	1	0	0	0	0	0	0	1	1
Shettleston (Landward),	16,213	52	7	34	0	1	1	0	2	2	0	8	0	1	6
Stirling,	15,800	38	7	26	0	0	0	0	0	0	0	3	0	3	4
Stranraer,	6,016	11	2	14	0	0	0	0	0	1	0	1	0	1	0
Wick,	12,347	28	8	18	0	0	0	0	0	0	0	0	0	2	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 132 feet above the sea-level.

For the month of SEPTEMBER 1899,

Mean barometric pressure, 29.718 inches; less than the average for the same month of 1856-95 by 0.151 inch.

Barometric monthly range, 1.135 inch; less by 0.061 inch.

Mean temperature, $53^{\circ}4$; less by $0^{\circ}4$.

Mean daily range of temperature, $14^{\circ}5$; greater by $1^{\circ}3$.

Mean humidity, 80; less by 3.5.

Rain, number of days, 22; greater by 6 days.

Rain, depth in inches, 3.94; greater by 0.54 inch.

Wind, pressure on square foot, 1.85 lb.; greater by 0.42 lb.

Wind, direction of, E. to W. as 1 to 19, and N. to S. as 4 to 4; the average being E. to W. as 5 to 12, and N. to S. as 4 to 6.

Hence the weather of September 1899 was characterised by a low barometric pressure, with a monthly range a little less than the average; a mean temperature nearly half a degree less than the average, with a rather large mean daily range; a mean humidity greatly under the average; a mean rainfall 16 per cent. greater than the average, falling on six days more than the average; and an extraordinary predominance of westerly and north-westerly winds, these two directions being together eight days more than the average.

The mean barometric pressure was 29.718 inches, or 0.151 inch under the average. Mean pressures were very much lower than their average at northern and eastern than at southern and western stations, thus forming gradients for west-north-westerly winds, which preponderated to a degree not exceeded by the weather of any September since 1856. The Daily Weather Report shows that on 21 of the 30 days of the month cyclones were to the eastward of Scotland resulting in these north-westerly winds.

The mean temperature was $53^{\circ}4$, or $0^{\circ}4$ less than the average, the days being $0^{\circ}3$ above and the nights $1^{\circ}0$ under the average. The lowest mean temperature was $51^{\circ}5$ at Aberdeen, and the highest $54^{\circ}7$ at Leith; and the absolutely highest temperature $71^{\circ}9$ on the 4th at Leith and the lowest $29^{\circ}0$ on the 28th at Perth.

The mean rainfall was 3.94 inches, or 16 per cent. above the average. The greatest excess, as compared with their averages, was 35 per cent. at Dundee, occasioned by the heavy rains accompanying the great thunderstorm of the 29th-30th. At the same time exceptionally heavy rains fell at Edinburgh, Leith, and Perth, but did not extend to the towns in the west. The mean for the month at Greenock was 2 per cent. less than the average; at this station the heavy rain occurred on the 15th when 1.22 inch was collected. The only fair weather was from the 5th to the 11th and on the 20th and 21st.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,
During the Month of SEPTEMBER 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.							Mean Pres- sure on Sq. ft.	lbs.		
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																		N	NE	E	SE	S	SW	W	NW			Calm or Variable.	
GLASGOW, W. F. MACHARG, M.B., Belvidere Hospital.	54	29.636	29.745	1.126					53.6	50.3	47.1	.323	3.63	78	22	3.99			0	0	0	0	1	4	2	14	9	0.41	
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.423	29.720	1.057					52.7	49.5	46.4	.315	3.58	79	24	3.78			1	1	0	0	0	0	23	2	2	1.02	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.520	29.698	1.180					52.2	49.5	46.8	.321	3.63	82	18	3.87			1	0	0	3	0	6	12	8	0	1.32	
ABERDEEN, PETER HARPER, Duthie Park.	44	29.621	29.669	1.205					51.3	48.7	46.0	.313	3.51	82	26	3.53			0	1	0	1	0	4	10	9	5	0	2.10
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	69	29.642	29.718	1.098					53.4	50.1	46.8	.321	3.71	79	21	3.10			0	1	1	1	1	4	19	2	1	2.54	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.628	29.743	1.139					53.3	50.2	47.1	.323	3.63	79	26	4.04			2	1	0	0	4	2	19	2	0	1.49	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.503	29.749	1.122					53.2	49.9	46.6	.318	3.56	78	25	5.89			0	2	0	0	0	11	10	7	0	5.06	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.589	29.703	1.124					51.0	48.3	45.5	.308	3.37	82	11	3.35			2	0	1	0	1	1	21	2	2	0.83	
Means,	132	29.577	29.718	1.135	(29.0)	(29.0)	(29.0)	(29.0)	53.4	49.6	46.5	.318	3.58	80	22	3.94			1	0	1	1	1	5	14	5	2	1.85	
North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth 3° 26'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 56° 59'; Edinburgh, 56° 31'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 35'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

OCTOBER 1899.

Published by Authority of the Registrar-General

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of October 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4286 children, of whom 2210 were males, and 2076 females. Of these, 4026 were legitimate, and 260 illegitimate, being in the proportion of one illegitimate in every 16·5 Births, or the illegitimate Births constituted 6·1 per cent. of the whole. In Leith, 2·0 per cent. of the Births were illegitimate; in Paisley, 2·2; in Greenock, 3·4; in Perth, 5·0; in Glasgow, 6·2; in Edinburgh, 6·7; in Aberdeen, 7·4; and in Dundee, 8·1 per cent.

1112 Marriages were registered in these Towns during the month, being 192 above the average number for October during the last ten years, allowance being made for increase of the population.

The Deaths of 2417 persons were registered in these Towns during October, of whom 1207 were males, and 1210 females. Allowing for increase of the population, this number is 99 below the average for October during the last ten years.

A comparison of the Deaths registered during October shows the mortality to have been at the annual rate of 14·8 Deaths per thousand persons in Leith; 15·9 in Paisley; 16·1 in Perth; 16·2 in Greenock; 16·4 in Aberdeen; 16·9 in Dundee; 18·2 in Edinburgh; and 19·1 in Glasgow.

Of the 1191 Deaths registered in Glasgow, 292 were of children under one year of age, and 220 of persons over 60 years; of the 462 in Edinburgh, 104 were of children under one year, and 123 of persons over 60; of the 238 in Dundee, 55 were under one, and 70 over 60; of the 199 in Aberdeen, 53 were under one, and 55

over 60; of the 97 in Leith, 18 were under one, and 26 over 60; of the 104 in Paisley, 19 were under one, and 28 over 60; of the 84 in Greenock, 20 were under one, and 17 over 60; and of the 42 in Perth, 3 were under one, and 13 over 60 years.

Of the whole 2417 Deaths, 867, or 35·9 per cent., were of children under five years of age. In Perth, 16·7 per cent. of the persons who died were under five years of age; in Leith, 29·9; in Edinburgh, 30·1; in Dundee, 31·1; in Paisley, 33·7; in Greenock, 34·5; in Aberdeen, 34·7; and in Glasgow, 40·7 per cent.

Miasmatic Diseases caused 191 Deaths, or 7·9 per cent. of the whole mortality. This rate was exceeded in Greenock, Glasgow, Paisley, and Perth.

Fevers caused 51 Deaths, or 2·1 per cent. of the whole mortality. Of these, 50 were ascribed to Enteric, and one to Simple Continued Fever.

Measles caused 57 Deaths, or 2·4 per cent. of the whole. The mortality from this disease occurred principally in Glasgow, Leith, and Greenock.

Scarlatina caused 33 Deaths; Diphtheria, 26; Hooping-Cough, 20; and Puerperal Fever, 5.

From Diarrhoea and Dysentery there resulted 86 Deaths, or 3·6 per cent. of the whole. In Leith 5·2 per cent. and in Paisley 8·7 per cent. of the Deaths in these Towns respectively were caused by these diseases.

Ten Deaths were caused by Intemperance, of which 6 were from Chronic Alcoholism, and 4 from Delirium Tremens.

Apoplexy caused 89 Deaths; Paralysis, 46; Heart Diseases, 214; and Premature Birth Debility, 50.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 409, or 16·9 per cent. Those from Consumption alone numbered 222, or 9·2 per cent. Four Deaths were attributed to Croup.

119 Deaths resulted from Violence, of which 8 were Suicidal, viz.: 6 by Hanging, 1 by Cut Throat, and 1 from Suffocation.

Four males and 6 females were aged 90 years and upwards, the eldest being two females, aged respectively 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, OCTOBER 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	733,903	1058	1007	2065	1937	128	546	587	604	1191
EDINBURGH, . . .	244,120	272,773	298,927	367	346	713	665	48	230	228	234	462
DUNDEE, . . .	140,794	154,118	166,072	213	207	420	386	34	97	109	129	238
ABERDEEN, . . .	106,397	124,943	142,655	245	187	432	400	32	103	108	91	199
LEITH, . . .	59,485	68,707	77,325	105	92	197	193	4	39	54	43	97
PAISLEY, . . .	55,638	66,425	76,834	106	118	224	219	5	36	52	52	104
GREENOCK, . . .	66,704	63,423	60,867	87	88	175	169	6	44	45	39	84
PERTH, . . .	28,980	29,919	30,721	29	31	60	57	3	17	24	18	42
TOTAL, . . .	1 279,964	1,439,016	1,587,414	2210	2076	4286	4026	260	1112	1207	1210	2417

OCTOBER 1898, . . .	Mean Temp. 50°·9	2268	2023	4296	4010	286	1006	1344	1320	2664
OCTOBER 1897, . . .	Mean Temp. 48°·4	2060	1988	4048	3758	290	905	1288	1210	2498
OCTOBER 1896, . . .	Mean Temp. 43°·4	2138	1993	4131	3823	308	954	1143	1204	2347
OCTOBER 1895, . . .	Mean Temp. 44°·0	1940	1863	3803	3523	280	933	1225	1198	2423
OCTOBER 1894, . . .	Mean Temp. 46°·0	2112	2082	4194	3876	318	915	1191	1144	2335
OCTOBER 1893, . . .	Mean Temp. 48°·4	2025	1966	3991	3719	272	854	1142	1200	2342
OCTOBER 1892, . . .	Mean Temp. 43°·7	2067	1810	3877	3605	272	929	1137	1152	2339
OCTOBER 1891, . . .	Mean Temp. 47°·1	1858	1713	3571	3282	289	715	1100	1132	2232
OCTOBER 1890, . . .	Mean Temp. 49°·2	1794	1670	3464	3179	285	702	1130	1167	2297
OCTOBER 1889, . . .	Mean Temp. 46°·1	1911	1862	3773	3490	283	755	1108	1113	2221

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of OCTOBER 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . . .	0	13	3	2	4	27	3	1. St Peter, . . .	0	0	0	1	0	0	3
2. Camlachie, . . .	0	0	1	0	0	0	6	2. St Mary, . . .	0	0	0	0	1	2	1
3. Dennistoun, . . .	0	11	0	0	0	0	1	3. St Clement, . . .	0	0	1	0	1	3	3
4. Calton, . . .	0	2	0	0	1	0	5	4. St Andrew, . . .	0	1	0	1	0	0	1
5. Blackfriars, . . .	0	2	1	0	0	0	1	5. Loches, . . .	0	0	0	1	0	0	1
6. St Rollox, . . .	0	11	5	1	0	0	4	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . . .	0	2	0	1	1	0	1	ABERDEEN—							
8. Milton, . . .	0	1	0	0	0	0	1	1. St Nicholas, . . .	0	0	1	4	2	2	3
9. Kelvin, . . .	0	0	0	0	0	0	1	2. St Machar, . . .	0	0	0	1	0	0	2
10. Anderston, . . .	0	2	0	1	1	1	3	3. Woodside, . . .	0	0	0	0	0	0	1
11. Hutchesontown, . . .	0	2	1	2	0	0	4	4. Old Aberdeen, . . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	2	0	0	2	0	2	E. Peterculter, . . .	0	0	0	0	0	0	0
13. Tradeston, . . .	0	1	0	0	0	0	5	Nigg, . . .	0	0	0	0	0	1	0
14. Kinning Park, . . .	0	0	0	0	0	0	1	LEITH—							
Cathcart, . . .	0	0	0	0	0	0	2	1. North, . . .	0	2	0	0	0	0	2
Eastwood, . . .	0	0	0	0	0	0	0	2. South, . . .	0	1	0	0	1	2	3
Maryhill, . . .	0	0	1	0	3	0	2	PAISLEY, . . .	0	1	4	1	1	5	9
Shettleston, . . .	0	0	0	0	0	0	0	GREENOCK—							
Plantation, . . .	0	0	0	0	0	0	0	1. East, . . .	0	1	0	0	2	0	1
Govan, . . .	0	0	0	0	0	0	0	2. West, . . .	0	2	1	0	0	1	2
Partick, . . .	0	0	0	0	0	0	0	PERTH, . . .	0	0	1	1	2	1	0
EDINBURGH—															
1. St George, . . .	0	0	2	1	0	0	3								
2. St Andrew, . . .	0	0	0	1	0	0	2								
3. Canongate, . . .	0	0	6	0	2	2	2								
4. St Giles, . . .	0	0	0	1	1	3	0								
5. Newington, . . .	0	0	0	0	1	1	4								
6. Portobello, . . .	0	0	0	0	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2417	485	88	398	220	1191	139	42	158	123	462	74	14	80	70	238	69	14	61	55	199
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	305	112	30	20	10	172	20	7	6	6	39	16	2	4	1	23	14	1	6	1	22
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	12	-	-	6	-	6	1	-	2	-	3	-	-	-	-	-	1	-	-	-	1
IV. CONSTITUTIONAL "	479	47	15	124	33	219	11	20	59	18	108	6	4	36	10	56	4	6	18	6	34
V. DEVELOPMENTAL "	172	38	-	-	44	82	18	-	-	17	35	4	-	-	9	13	8	-	-	7	13
VI. LOCAL "	1209	222	33	207	123	585	72	12	77	77	238	38	8	37	44	127	30	5	32	39	106
VII. VIOLENCE - -	119	7	10	32	8	57	5	3	13	5	26	1	-	3	3	7	3	2	4	1	10
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	121	59	-	9	2	70	12	-	1	-	13	9	-	-	3	12	9	-	1	1	11
I.																					
1. Miasmatic Diseases -	191	74	27	13	2	116	11	7	3	1	22	8	2	2	-	12	3	1	2	-	1
2. Diarrhoeal "	86	29	3	2	8	42	8	-	1	3	12	8	-	-	1	9	2	-	3	1	-
3. Malarial "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal "	19	8	-	2	-	10	1	-	1	1	3	-	-	-	-	3	-	1	-	-	-
6. Septic "	9	1	-	3	-	4	-	-	1	1	2	-	-	2	-	2	1	-	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	12	-	-	6	-	6	1	-	2	-	3	-	-	-	-	-	1	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	479	47	15	124	33	219	11	20	59	18	108	6	4	36	10	56	4	6	18	6	34
V.																					
DEVELOPMENTAL DISEASES	172	38	-	-	44	82	18	-	-	17	35	4	-	-	9	13	8	-	-	7	13
VI.																					
1. DIS. OF NERVOUS SYSTEM -	281	49	9	38	31	127	20	1	16	22	59	6	2	10	10	28	9	-	8	5	2
2. " ORGANS OF SPECIAL SENSE -	6	2	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3. " CIRCULATORY SYSTEM	214	3	5	59	25	92	2	3	21	20	46	1	2	10	13	26	-	1	8	14	2
4. " RESPIRATORY SYSTEM	409	104	11	57	45	217	31	3	21	13	68	17	1	12	11	41	13	1	6	12	3
5. " DIGESTIVE SYSTEM -	193	61	-	25	6	92	16	3	10	12	41	12	3	1	7	23	8	2	5	4	1
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	62	2	1	16	11	30	2	-	5	7	14	-	-	1	3	4	-	-	3	3	-
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	9	-	-	6	1	7	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
(b) DISEASES OF PARTURITION -	13	-	1	4	-	5	-	-	2	-	2	-	-	2	-	2	-	-	1	-	-
9. " ORGANS OF LOCOMOTION -	15	1	4	1	1	7	1	2	-	2	5	1	-	-	-	1	-	-	-	1	-
10. " INTEGUMENTARY SYSTEM -	5	-	-	-	3	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-

149

149

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	29	7	35	26	97	35	8	33	28	104	29	9	29	17	84	7	2	20	13	42
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	8	1	3	-	12	10	5	3	3	21	7	2	1	-	10	3	1	2	-	6
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
IV. CONSTITUTIONAL " -	6	3	13	6	28	3	2	11	2	18	1	3	5	1	10	-	1	3	2	6
V. DEVELOPMENTAL " -	-	-	-	8	8	2	-	-	10	12	2	-	-	1	3	1	-	-	3	4
VI. LOCAL " -	11	3	13	12	39	13	1	17	12	43	14	4	18	14	50	3	-	11	7	21
VII. VIOLENCE - - -	-	-	5	-	5	1	-	2	1	4	-	-	5	1	6	-	-	3	1	4
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	4	-	-	-	4	6	-	-	-	6	5	-	-	-	5	-	-	-	-	-
I.																				
MIASMATIC DISEASES - -	3	1	2	-	6	5	5	2	-	12	4	2	1	-	7	3	1	1	-	5
DIARRHEAL " -	4	-	1	-	5	5	-	1	3	9	3	-	-	-	3	-	-	-	-	-
MALARIAL " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
SEPTIC " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
IV.																				
CONSTITUTIONAL DISEASES- -	6	3	13	6	28	3	2	11	2	18	1	3	5	1	10	-	1	3	2	6
V.																				
DEVELOPMENTAL DISEASES- -	-	-	-	8	8	2	-	-	10	12	2	-	-	1	3	1	-	-	3	4
VI.																				
DISEASES OF NERVOUS SYSTEM -	2	-	-	3	5	2	-	6	7	15	4	2	7	6	19	2	-	2	2	6
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	-	4	5	9	-	-	5	2	7	-	1	3	4	8	-	-	1	2	3
" RESPIRATORY SYSTEM -	6	1	5	3	15	8	-	3	3	14	8	1	2	4	15	1	-	4	2	7
" DIGESTIVE SYSTEM -	3	1	2	1	7	2	1	1	-	4	2	-	2	-	4	-	-	3	-	3
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	1	-	-	1	-	-	2	-	2	-	-	3	-	3	-	-	1	1	2
" REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
" ORGANS OF LOCOMOTION -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	111	7	10	29	8	54	5	3	9	5	22	1	-	3	3	7	3	2	4	1	10
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	8	-	-	3	-	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - -	121	59	-	9	2	70	12	-	1	-	13	9	-	-	3	12	9	-	1	1	11
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	57	47	2	-	-	49	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	33	9	8	-	-	17	4	4	-	-	8	1	-	-	-	1	1	-	-	-	1
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	3	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hooping-Cough - - -	20	7	-	-	-	7	3	-	-	-	3	3	-	-	-	3	5	-	-	-	5
Mumps - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	26	9	3	-	-	12	3	1	-	-	4	2	-	-	-	2	2	-	-	-	2
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	50	11	4	12	1	28	2	2	1	-	5	1	2	2	-	5	-	1	2	-	8
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	86	29	3	2	8	42	8	-	1	3	12	8	-	-	1	9	2	-	3	1	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	15	8	-	1	-	9	1	-	-	-	1	-	-	-	-	-	3	-	1	-	4
Gonorrhoea, Stricture of Urethra - - -	4	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	4	1	-	-	-	1	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1
Pyæmia, Septicæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	5	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

151

151

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE	-	-	5	-	5	1	-	2	-	3	-	-	5	1	6	-	-	3	1	4
2. VIOLENCE OTHER THAN ACCIDENTAL	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	4	-	-	-	4	6	-	-	-	6	5	-	-	-	5	-	-	-	-	-
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	2	1	-	3	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	2	2	-	-	4	-	-	1	-	1	1	-	-	-	1
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	1	-	-	1	1	-	-	-	1	1	1	-	-	2	2	-	-	-	2
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	2	-	2	-	3	2	-	5	-	1	-	-	1	-	1	-	-	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	-	4	-	1	-	5	5	-	1	3	9	3	-	-	3	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalp-pox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Gonorrhoea	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
SEPTIC DISEASES.																				
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

153

153

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Intemp. { Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	1	3	6	10	-	1	1	2	-	-	2	1	3	-	-	1	2	3	-
Tabes Mesenterica	-	2	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	-	2	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis	-	1	2	9	12	-	10	-	10	-	3	3	-	6	-	1	2	-	3	-
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	-	2	-	2	1	-	-	1	-	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-
Atelectasis	-	-	-	-	-	1	-	-	1	2	-	-	-	2	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	8	8	-	-	10	10	-	-	-	1	1	-	-	-	3	3	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	-	-	-	-	2	-	-	2	2	2	-	1	5	1	-	1	-	-	2	-
Apoplexy	-	-	-	1	1	-	2	4	6	3	2	5	1	-	-	-	-	-	-	-
Softening of Brain	-	-	1	1	-	-	-	3	2	5	-	-	-	2	2	-	1	1	2	-
Hemiplegia, Brain Paralysis	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	2	-	-	2	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

155

155

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				Total.	EDINBURGH.				Total.	DUNDEE.				Total.	ABERDEEN.				Total.
		0-5	5-20	20-60	60, etc.		0-5	5-20	20-60	60, etc.		0-5	5-20	20-60	60, etc.		0-5	5-20	20-60	60, etc.	
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	5	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	6	-	-	1	-	1	-	-	1	-	1	-	-	2	-	2	-	-	1	-	1
Placenta Prævia, Flooding - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	5	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	-	1	-	1	2	-	1	-	1	2	1	-	-	-	1	-	-	-	1	1
Arthritis, Ostitis, Periostitis - -	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom. - -	7	-	2	1	-	3	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Lupus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Ulcer, Bed sore - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
{ Veh. oth. than R'wys. - -	3	-	1	-	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	11	1	-	-	-	1	-	1	-	2	3	-	-	-	1	1	2	1	-	-	3
{ Other Burns & Scalds - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	3	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	13	-	-	6	1	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3
Suffocation { In Bed - - -	6	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
{ Otherwise - - -	6	-	-	4	-	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
Falls - - -	5	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	32	-	2	12	4	18	1	-	3	2	6	-	-	2	2	4	-	-	-	-	-
Otherwise, or Not Stated - - -	25	2	7	4	2	15	1	2	3	-	6	-	-	1	-	1	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	3	-	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	93	49	-	3	-	52	12	-	-	1	-	12	7	-	-	7	8	-	-	-	8
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Abscess - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	5	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Ill-def. & not spec. Causes -	16	6	-	4	1	10	-	-	-	-	-	2	-	-	2	4	1	-	1	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

157

Registered during the Month of OCTOBER 1899.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—OCTOBER 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	28,866	71	12	36	0	0	0	0	2	0	0	0	0	5	8
Ayr,	29,618	56	17	45	0	0	1	0	1	2	0	1	0	6	6
Banff, with Macduff,	8,614	20	0	9	0	0	0	1	0	0	0	0	0	1	1
Blairgowrie,	4,229	8	2	9	0	0	0	0	0	0	0	3	0	1	2
Callander,	2,376	3	2	0	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,696	32	3	11	0	0	0	0	0	0	0	1	0	0	1
Cathcart (Landward),	6,228	11	4	11	0	0	0	0	0	1	0	0	0	2	0
Coatbridge,	38,927	104	22	58	0	2	0	0	2	0	0	8	1	8	3
Crieff,	5,791	12	4	3	0	0	0	0	0	0	0	0	0	0	2
Dumbarton,	21,341	45	4	23	0	0	0	0	0	0	0	3	0	5	2
Dumfries, with Troqueer,	24,986	59	14	40	0	0	0	0	0	0	0	1	0	4	9
Dunfermline,	30,725	76	19	23	0	0	2	0	0	0	0	4	1	2	1
Dunoon,	7,695	18	3	13	0	0	0	0	0	0	0	0	0	4	1
Eastwood (Landward),	14,579	34	10	16	0	0	0	0	2	0	0	3	0	2	3
Elgin,	11,000	22	4	16	0	0	0	0	0	0	0	1	0	3	3
Falkirk,	30,774	113	21	48	0	0	1	1	2	3	0	3	0	6	3
Forfar,	13,034	29	3	20	0	0	0	0	0	0	0	0	0	1	0
Galashiels,	19,614	20	6	22	0	0	0	1	0	0	0	1	0	2	3
Govan—(1) Plantation (Landward),	26,862	71	7	32	0	1	0	1	1	0	0	3	2	6	1
(2) Govan (Landward),	40,397	171	23	83	0	0	0	0	1	1	0	5	0	15	14
(3) Partick (Landward),	46,316	147	34	44	0	0	0	0	0	0	0	2	0	7	2
Haddington,	4,876	8	0	7	0	0	0	0	0	0	0	0	0	1	0
Hawick, with Wilton,	23,431	35	11	25	0	0	1	0	1	0	0	1	0	0	4
Inverness,	26,084	50	16	42	0	0	0	1	0	0	0	0	0	5	3
Kilmarnock, with Riccarton,	33,488	96	18	39	0	0	0	0	0	6	0	1	0	2	8
Kilmore and Kilbride (Oban),	6,263	12	1	12	0	0	0	0	0	0	0	0	0	0	0
Kinning Park (Landward),	15,726	41	15	21	0	0	0	0	0	0	0	4	0	3	0
Kirkcaldy and Abbotshall,	19,951	66	9	22	0	0	0	2	0	1	0	2	0	2	2
Kirkcudbright,	3,475	10	0	6	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie,	5,465	8	0	4	0	0	0	0	0	0	0	1	0	0	0
Logie (Bridge of Allan),	4,461	6	3	7	0	0	0	0	0	0	0	1	0	0	0
Moffat,	3,016	5	3	5	0	0	0	0	0	0	0	0	0	0	1
Montrose,	13,045	19	4	21	0	0	0	1	0	0	0	0	0	1	2
Moulin (Pitlochry),	2,372	5	0	3	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,137	13	2	14	0	0	0	0	1	0	0	0	1	3	2
New Monkland (Aldrie),	39,670	112	21	34	0	0	2	1	0	0	0	3	1	5	2
North Berwick,	3,361	6	0	6	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	17,258	69	5	26	0	2	0	0	0	0	0	4	0	3	2
Rothsay,	9,805	19	5	8	0	0	0	0	0	0	0	0	0	0	1
St Andrews and St Leonards,	8,882	15	5	15	0	0	2	0	0	0	0	2	0	3	2
Shettleston (Landward),	16,213	62	7	33	0	2	2	0	0	5	0	3	0	4	5
Stirling,	15,800	38	14	30	0	0	0	0	0	0	0	3	0	2	2
Stranraer,	6,016	13	2	8	0	2	0	0	0	1	0	0	0	0	0
Wick,	12,347	38	3	17	0	0	0	0	0	0	0	3	0	1	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 132 feet above the sea-level.

For the month of OCTOBER 1899,

Mean barometric pressure, 29.952 inches; greater than the average for the same month of 1856-95 by 0.139 inch.

Barometric monthly range, 1.154 inch; less by 0.321 inch.

Mean temperature, $48^{\circ}6$; greater by $1^{\circ}4$.

Mean daily range of temperature, $13^{\circ}8$; greater by $2^{\circ}3$.

Mean humidity, 84; less by 1.6.

Rain, number of days, 13; less by 4 days.

Rain, depth in inches, 2.24; less by 1.40 inch.

Wind, pressure on square foot, 1.48 lb.; less by 0.15 lb.

Wind, direction of, E. to W. as 5 to 11, and N. to S. as 4 to 7; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence the weather of October 1899 was characterised by a high mean barometric pressure, with an exceptionally small monthly range; a high mean temperature, with an exceptionally large mean daily range for September, having been only exceeded, and but slightly, by the daily range of 1860; a mean humidity under the average; a mean rainfall much under the average, falling on four days fewer than the average; with a predominance of two days' south-westerly winds and two days of calms.

The mean barometric pressure was 29.952 inches, or 0.139 inch above the average. The excess was very much greater in the south than in the north, being 0.170 inch on the Solway, but only 0.040 inch in Shetland. The type of weather was strongly anticyclonic.

The mean temperature was $48^{\circ}6$, or $1^{\circ}4$ above the average, the days being $2^{\circ}5$ but the nights only $0^{\circ}3$ above the average. The excess was thus occasioned by the greater warmth of the days, owing to the dry clear atmosphere and strong sunshine accompanying the anticyclones. The excess was greatest at the five towns south of the Forth and Clyde, and amounted to $2^{\circ}0$. The absolutely highest temperature was $68^{\circ}0$ on the 19th at Paisley, and the lowest $23^{\circ}0$ on the 15th at Perth.

The mean rainfall was 2.24 inches, or 38 per cent. under the average. It was under the average at all the towns, the greatest deficiency being 74 per cent. at Aberdeen, and the least 12 per cent. at Greenock. The absolute amounts for the month at these two places being 0.75 inch and 5.83 inches. At Aberdeen the largest fall on any day was 0.14 inch and at Greenock 0.81 inch. No rain fell on the 5th and 6th and from the 14th to the 22nd. Thunderstorms, with hail, occurred on the 30th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of OCTOBER 1899.

	BAROMETER.	SELF-REGISTERING THERMOMETERS.						HYGRO-METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.	WINDS										Mean Pressure on Sq. ft.	lbs.														
		Mean at Station and 32°.	Inch.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.		Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.		Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.																		
																					N	NE	E			SE	S	SW	W	NW	Calm or Variable.	N	NE	E	SE	S	SW	W	NW
GLASGOW, W. E. MACHARD, M.B., Belvidere Hospital.		29.913	29.973	1.031	63.4	28.6	48.9	34.8	15.6	23.9	43.1	48.3	45.8	43.1	.279	3.21	83	12	2.53			1	0	0	0	0	5	2	3	20	0.13								
EDINBURGH, R. C. MOSSMAN, F.R.S.E.		29.659	29.960	1.142	67.4	32.2	49.1	35.2	13.2	23.2	42.5	47.8	45.3	42.5	.272	3.30	82	13	1.59			2	1	2	2	1	4	11	4	4	1.00								
DUNDEE, JOHN CARNOCIAN, Curator of Cemetery.		29.763	29.944	1.220	62.3	27.4	47.6	34.9	14.0	22.6	43.1	46.4	44.8	43.1	.278	3.18	88	11	0.99			2	3	1	3	2	7	9	4	0	1.90								
ABERDEEN, PETER HARPER, Duthie Park.		29.861	29.910	1.365	64.0	31.5	47.8	32.5	14.0	27.5	41.9	47.0	44.6	41.9	.269	3.08	83	12	0.75			1	2	1	0	7	12	5	2	1	2.02								
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.		29.881	29.967	1.131	62.5	32.3	49.7	29.7	11.7	19.8	42.8	48.4	45.7	42.8	.275	3.17	82	10	1.58			1	1	2	3	1	4	12	3	4	1.72								
PAISLEY, DONALD MACLEAN, The Coats Observatory.		29.847	29.963	1.060	68.0	30.1	49.6	37.9	13.8	23.8	43.6	48.2	46.0	43.6	.283	3.26	85	19	3.14			1	5	1	1	4	8	3	5	3	0.91								
GREENOCK, ROBERT GILMOUR, Greenock Water Works.		29.710	29.968	1.124	64.2	33.2	48.8	31.0	11.9	20.5	42.3	47.8	45.2	42.3	.270	3.32	81	20	5.83			0	3	1	6	0	14	1	5	1	3.03								
PERTH, JOHN LESLIE, Gardener to Henry Coates.		29.827	29.944	1.168	64.0	23.0	47.3	41.4	16.5	26.0	41.7	45.3	43.6	41.7	.263	3.00	87	7	1.54			2	1	7	1	4	3	6	1	6	1.12								
	Means,	29.808	29.962	1.154	63.0	32.0	48.6	34.7	13.8	24.0	42.6	47.4	45.1	42.6	.272	3.19	84	13	2.24			1	2	3	2	2	7	6	3	5	1.48								

North latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth 3° 26'; Mean, 3° 30'.

North latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'. Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'. Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

NOVEMBER 1899.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of November 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3909 children, of whom 1993 were males, and 1916 females. Of these, 3621 were legitimate, and 288 illegitimate, being in the proportion of one illegitimate in every 13·6 Births, or the illegitimate Births constituted 7·4 per cent. of the whole. In Perth, 5·3 per cent. of the Births were illegitimate; in Greenock, 5·9; in Paisley, 6·3; in Edinburgh, 6·5; in Glasgow, 7·5; in Leith, 7·8; in Aberdeen, 8·1; and in Dundee, 8·7 per cent.

1036 Marriages were registered in these Towns during November, being 34 above the average number for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2481 persons were registered in these Towns during the month, of whom 1275 were males, and 1206 females. Allowance being made for increase of the population, this is 268 below the November average of the last ten years.

A comparison of the Deaths registered shows that during November the mortality was at the annual rate of 16·6 Deaths per thousand persons in Perth; 16·8 in Paisley; 17·2 in Dundee and in Aberdeen; 17·5 in Edinburgh; 18·6 in Leith; 20·1 in Glasgow; and 27·2 in Greenock.

Of the 1212 Deaths registered in Glasgow, 313 were of children under one year of age, and 231 of persons over 60 years; of the 430 in Edinburgh, 109 were of children under one year, and 99 of persons over 60 years; of the 235 in Dundee, 50 were under one, and 56 over 60 years; of the 202 in Aberdeen, 58 were under one, and

52 over 60; of the 118 in Leith, 29 were under one, and 25 over 60; of the 106 in Paisley, 20 were under one, and 25 over 60; of the 136 in Greenock, 24 were under one, and 21 over 60; and of the 42 in Perth, 6 were under one, and 10 over 60 years.

Of the whole 2481 Deaths, 1011, or 40·7 per cent., were of children under five years of age. In Perth, 26·2 per cent. of the persons who died were under five years of age; in Edinburgh, 34·7; in Paisley, 36·8; in Aberdeen, 38·6; in Dundee, 38·7; in Leith, 39·0; in Glasgow, 43·3; and in Greenock, 52·9 per cent.

Miasmatic Diseases caused 250 Deaths, or 10·1 per cent. of the whole. This rate was greatly exceeded in Greenock and Perth, in the former town from the prevalence of Measles, and in the latter from Measles and Hooping-Cough.

Fevers caused 37 Deaths, or 1·5 per cent. of the whole mortality, and were all ascribed to Enteric Fever.

Measles caused 107 Deaths, or 4·3 per cent. of the whole. In Glasgow the mortality from Measles amounted to 4·0 per cent.; in Perth, to 4·8 per cent.; in Dundee, to 6·8 per cent.; and in Greenock, to 25·0 per cent. of the Deaths in these Towns respectively.

Hooping-Cough caused 31 Deaths, of which 4 occurred in Perth, being at the rate of 9·5 per cent. of the Deaths there.

Scarlet Fever caused 30 Deaths; Diphtheria, 30; and Puerperal Fever, 5.

Eight Deaths were caused by Intemperance, of which 6 were from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 97 Deaths; Paralysis, 49; Heart Diseases, 206; and Premature Birth Debility, 64.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 537, or 21·6 per cent. of the whole. Those from Consumption alone numbered 232, or 9·4 per cent. Three Deaths were attributed to Croup.

107 Deaths resulted from Violent Causes, of which 4 were Suicidal (2 by Hanging, and 1 each by Poison and Precipitation).

One male and 2 females were aged 90 years and upwards, the eldest of whom was a Labourer, aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, NOVEMBER 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	577,846	658,708	733,903	909	884	1853	1714	139	529	646	566	1212
EDINBURGH, . .	244,120	272,773	298,927	317	316	633	592	41	195	285	195	430
DUNDEE, . . .	140,794	154,118	166,072	200	202	402	367	35	64	103	132	235
ABERDEEN, . .	106,397	124,943	142,655	189	181	370	340	30	96	104	98	202
LEITH,	59,485	68,707	77,385	103	115	218	201	17	55	52	66	118
PAISLEY, . . .	55,638	66,425	76,884	104	103	207	194	13	48	41	65	106
GREENOCK, . .	66,704	63,423	60,867	85	84	169	159	10	32	72	64	136
PERTH,	28,980	29,919	30,721	26	31	57	54	3	17	22	20	42
TOTAL,	1,279,964	1,439,016	1,587,414	1993	1916	3909	3621	288	1036	1275	1206	2481

NOVEMBER 1898, . .	Mean Temp. 42°·4	2007	1885	3892	3594	298	1016	1293	1221	2514
NOVEMBER 1897, . .	Mean Temp. 45°·7	2011	1914	3925	3634	291	1082	1296	1250	2546
NOVEMBER 1896, . .	Mean Temp. 42°·3	1958	1870	3828	3538	290	1051	1305	1358	2663
NOVEMBER 1895, . .	Mean Temp. 43°·0	1726	1707	3433	3209	224	905	1191	1143	2334
NOVEMBER 1894, . .	Mean Temp. 45°·5	1985	1860	3845	3552	293	826	1315	1277	2592
NOVEMBER 1893, . .	Mean Temp. 40°·1	1910	1846	3756	3461	295	879	1394	1450	2844
NOVEMBER 1892, . .	Mean Temp. 42°·5	2037	1910	3947	3660	287	929	1369	1343	2712
NOVEMBER 1891, . .	Mean Temp. 41°·2	1720	1602	3322	3063	259	938	1564	1696	3260
NOVEMBER 1890, . .	Mean Temp. 41°·5	1540	1478	3018	2796	222	907	1082	1127	2209
NOVEMBER 1889, . .	Mean Temp. 43°·9	1726	1629	3355	3075	280	904	1056	1160	2216

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of NOVEMBER 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	14	12	0	5	19	2	1. St Peter, . .	0	0	0	1	0	1	0
2. Camlachie, . .	0	3	0	1	0	0	1	2. St Mary, . .	0	1	0	0	1	0	2
3. Dennistoun, . .	0	8	0	1	1	1	1	3. St Clement, . .	0	4	0	0	0	0	2
4. Calton, . . .	0	1	1	1	0	0	4	4. St Andrew, . .	0	11	0	4	1	2	2
5. Blackfriars, . .	0	0	0	0	0	1	0	5. Lochee, . . .	0	0	0	0	0	1	0
6. St Rollox, . .	0	7	5	2	0	0	3	Mains,	0	0	0	0	0	0	0
7. Blythswood, . .	0	0	0	0	0	0	0								
8. Milton, . . .	0	7	0	2	1	0	0	ABERDEEN—							
9. Kelvin, . . .	0	1	1	0	2	0	0	1. St Nicholas, . .	0	0	0	4	3	2	2
10. Anderston, . .	0	0	0	0	2	0	1	2. St Machar, . .	0	1	0	1	0	0	2
11. Hutchesontown, .	0	0	0	1	0	0	0	3. Woodside, . . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	2	0	0	1	0	0	4. Old Aberdeen, . .	0	0	0	0	0	0	0
13. Tradeston, . .	0	4	0	1	1	0	0	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	0	0	0	0	Nigg,	0	0	0	0	0	0	0
Cathcart, . . .	0	0	0	0	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	0	1	0	3	0	3	1. North,	0	0	0	0	0	0	2
Shettleston, . .	0	0	0	0	0	0	0	2. South,	0	0	1	0	0	0	1
Plantation, . . .	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	3	3	3	1	3	0
Partick,	0	0	1	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	1	1	4	1	0	3	1. East,	0	19	0	0	0	0	1
2. St Andrew, . .	0	0	0	0	0	0	1	2. West,	0	15	1	0	2	1	1
3. Canongate, . .	0	1	3	1	2	3	2								
4. St Giles, . . .	0	1	0	0	0	1	1	PERTH,	0	2	0	4	1	1	0
5. Newington, . .	0	0	0	0	2	1	1								
6. Portobello, . .	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2481	525	88	368	231	1212	149	27	155	99	430	91	11	77	56	235	78	11	61	52	202
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	817	96	19	36	3	154	22	6	9	1	38	31	1	3	3	38	15	2	1	1	19
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	13	4	-	4	-	8	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1
IV. CONSTITUTIONAL	473	46	24	119	20	209	10	13	56	15	94	6	1	34	8	49	3	5	23	9	40
V. DEVELOPMENTAL	171	46	-	-	37	83	12	-	-	19	31	6	-	-	7	13	5	-	-	7	12
VI. LOCAL	1290	257	40	175	154	626	89	6	31	62	238	37	9	34	37	117	46	4	33	35	118
VII. VIOLENCE - -	107	14	5	26	12	57	5	2	8	2	17	3	-	4	1	8	4	-	3	-	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	110	62	-	8	5	75	11	-	-	-	11	8	-	1	-	9	4	-	1	-	5
I.																					
1. Miasmatic Diseases -	250	78	18	24	2	122	15	6	4	1	26	24	-	2	2	28	9	2	1	-	12
2. Diarrheal " -	38	12	1	2	-	15	6	-	2	-	8	6	-	-	-	6	3	-	-	1	4
3. Malarial " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " -	14	5	-	2	1	8	1	-	1	-	2	1	-	-	-	1	3	-	-	-	-
6. Septic " -	15	1	-	8	-	9	-	-	2	-	2	-	1	1	1	3	-	-	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	13	4	-	4	-	8	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	473	46	24	119	20	209	10	13	56	15	94	6	1	34	8	49	3	5	23	9	4
V.																					
DEVELOPMENTAL DISEASES	171	46	-	-	37	83	12	-	-	19	31	6	-	-	7	13	5	-	-	7	1
VI.																					
1. Dis. of Nervous System -	277	45	10	37	35	127	16	1	16	21	54	9	1	8	12	30	5	2	7	7	2
2. " Organs of Special Sense -	4	1	-	1	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
3. " Circulatory System	206	5	6	45	40	96	-	2	22	19	43	-	1	9	9	19	-	1	9	9	1
4. " Respiratory System	537	160	11	46	57	274	60	-	23	9	92	19	3	8	12	42	32	-	9	11	5
5. " Digestive System -	167	42	5	23	10	80	12	1	10	6	29	8	3	3	1	15	7	-	2	6	1
6. " Lymphatic System and Ductless Glands -	7	-	2	1	-	3	-	-	2	-	2	-	-	-	1	1	-	-	1	-	-
7. " Urinary System -	62	2	5	15	11	33	-	-	5	6	11	-	-	3	2	5	-	-	4	2	-
8. " Reproductive System :-																					
(a) Diseases of Organs of Generation -	6	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Parturition -	8	-	-	4	-	4	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-
9. " Organs of Locomotion -	10	1	1	1	1	4	-	1	2	-	3	-	-	1	-	1	-	1	-	-	-
10. " Integumentary System -	6	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	2	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

165

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	46	8	39	25	118	39	9	33	25	106	72	14	29	21	136	11	3	18	10	42
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	4	1	-	-	5	8	3	2	-	13	37	3	1	-	41	7	-	2	-	9
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
IV. CONSTITUTIONAL " -	9	4	23	3	39	4	3	7	-	14	3	2	9	2	16	-	3	6	3	12
V. DEVELOPMENTAL " -	1	-	-	5	6	5	-	-	7	12	4	-	-	4	8	1	-	-	5	6
VI. LOCAL " -	29	3	14	17	63	17	1	22	17	57	24	7	14	14	59	3	-	7	2	12
VII. VIOLENCE - - -	2	-	2	-	4	-	2	2	1	5	1	2	3	-	6	-	-	3	-	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	-	-	1	5	-	-	-	5	3	-	-	1	4	-	-	-	-	-
I.																				
1. MIASMATIC DISEASES - - -	2	-	-	-	2	8	3	2	-	13	34	3	1	-	38	7	-	2	-	9
2. DIARRHOEAL " - - -	2	1	-	-	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
3. MALARIAL " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. SEPTIC " - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES - - -	9	4	23	3	39	4	3	7	-	14	3	2	9	2	16	-	3	6	3	12
V.																				
DEVELOPMENTAL DISEASES - -	1	-	-	5	6	5	-	-	7	12	4	-	-	4	8	1	-	-	5	6
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	6	-	1	6	13	2	-	3	9	14	5	2	4	4	15	1	-	2	-	3
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	1	-	3	4	8	-	1	10	2	13	-	-	4	2	6	-	-	2	-	2
4. " RESPIRATORY SYSTEM -	17	-	2	6	25	12	-	4	5	21	16	3	2	5	26	1	-	2	2	5
5. " DIGESTIVE SYSTEM -	4	3	5	-	12	3	-	3	-	6	3	1	2	2	8	1	-	1	-	2
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	1	-	-	1	2	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
10. " INTERGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

167

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	-	2	-	4	-	2	2	1	5	1	2	3	-	6	-	-	2	-	2
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	-	-	1	5	-	-	-	5	3	-	-	1	4	-	-	-	-	-
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	3	-	-	-	3	31	3	-	-	34	2	-	-	-	2
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	-	-	-	1	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hooping-cough -	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	4	-	-	-	4
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	1	2	-	-	3	-	1	-	-	1	-	1	-	-	1
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Diarrhoea, Dysentery -	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk -	5	4	-	-	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Scurvy - - - - -	6	-	-	3	-	3	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - -	8	1	1	1	-	3	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-
Rheumatism - - - - -	6	-	-	3	1	4	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-
Gout - - - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	107	1	-	26	15	42	-	19	6	25	-	10	5	15	-	6	8	14	-	1	-
Tabes Mesenterica - - - - -	30	10	2	1	-	13	-	1	2	3	2	-	-	2	1	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - -	39	13	2	2	-	17	5	4	-	9	2	-	-	2	1	2	1	-	4	-	
Phthisis - - - - -	232	11	15	78	4	108	-	5	30	4	39	2	1	22	2	27	2	13	-	15	-
Other forms of Tuber. Scrofula -	32	9	3	2	-	14	4	2	2	1	9	-	-	-	-	1	1	2	-	4	-
Purp., Hemorrhagic Diathesis -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia -	5	-	-	3	-	3	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Diabetes Mellitus - - - - -	8	-	-	3	-	3	-	-	2	2	4	-	-	-	-	-	-	1	-	1	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	64	37	-	-	-	37	11	-	-	11	4	-	-	4	5	-	-	-	-	5	-
Atelectasis - - - - -	5	3	-	-	-	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Cyanosis - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	6	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - -	3	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Old Age - - - - -	91	-	-	37	-	37	-	-	19	19	-	-	7	7	-	-	-	7	-	7	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	52	23	4	3	-	30	4	1	-	5	6	1	-	7	1	-	-	-	-	1	-
Apoplexy - - - - -	97	-	2	18	21	41	-	-	8	13	21	-	6	8	14	-	-	1	4	5	-
Softening of Brain - - - - -	3	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	35	-	-	7	9	16	-	1	5	6	-	-	3	3	-	-	2	3	5	-	-
Paralysis Agitans - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Insanity, General Par. of Insane	10	-	-	1	1	-	-	3	2	5	-	-	1	1	-	-	2	-	2	-	-
Chorea - - - - -	5	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	39	17	-	-	-	17	9	-	-	9	3	-	-	3	3	-	2	-	-	3	-
Convulsions - - - - -	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - -	4	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	12	-	1	7	1	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1
Paraplegia Dis. of Spinal Cord	16	2	1	2	-	5	1	-	3	1	5	-	-	-	-	1	-	1	-	-	2
Other Diseases of Ner. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	4	1	-	1	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

169

169

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	4	3	7	-	-	-	-	-	-	-	1	2	3	-	-	1	1	-
Tabes Mesenterica	4	1	-	-	5	3	1	-	-	4	2	-	-	-	2	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	4	1	-	-	5	-	-	-	-	-	-	1	-	-	1	-	1	5	1	7
Phthisis	-	1	18	-	19	-	2	6	-	8	1	1	7	-	9	-	1	1	1	1
Other forms of Tuberculosis, Scrofula	1	-	1	-	2	-	1	-	-	1	-	-	1	-	1	-	-	1	-	1
Purpura, Hemorrhagic Diathesis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES																				
Premature Birth	-	-	-	-	-	3	-	-	-	3	3	-	-	-	3	1	-	-	-	1
Atelectasis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	5	5	-	-	7	-	7	-	-	-	4	4	-	-	5	-	5
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	2	-	-	-	2	2	-	-	-	2	4	1	-	-	5	-	-	-	-	-
Apoplexy	-	-	-	4	4	-	1	6	-	7	-	-	2	2	4	-	1	-	1	-
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	2	-	2	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	4	-	-	-	4	-	-	-	-	-	1	1	-	-	2	1	-	-	-	1
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
Other Diseases of Nervous System	-	-	1	-	1	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

171

Registered during the Month of NOVEMBER 1899.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	4	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	1	-	1	1	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	3	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Pemphigus - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Other Dis. of Integ. System - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	8	3	2	-	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	6	2	-	1	-	3	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-
Drowning - - -	12	-	-	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - - -	10	2	-	-	-	2	3	-	-	-	3	2	-	-	2	1	-	-	-	1	2
{ Otherwise - - -	6	-	-	-	-	-	2	-	-	-	2	1	-	-	1	2	-	-	-	2	2
Falls - - -	5	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	30	1	1	11	6	19	-	1	4	1	6	-	3	-	3	-	-	-	-	-	-
Otherwise, or Not Stated - - -	21	5	1	10	2	18	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	1	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	86	52	-	1	1	54	11	-	-	-	11	8	-	-	8	4	-	1	-	5	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	3	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	15	8	-	4	1	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

173

Registered during the Month of NOVEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways. -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	1	-	1	-	1	1	-	2	-	3	-	-	3	-	-	-	-	-
Suffocation { In Bed - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
{ Otherwise - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Otherwise, or Not Stated - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	1	-	-	-	1	5	-	-	-	5	2	-	-	-	2	-	-	-	-	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,866	47	8	31	0	0	0	0	0	0	0	0	0	3	7
Ayr,	29,618	64	15	44	0	2	1	0	1	0	0	2	0	10	8
Banff, with Macdoff,	8,614	26	2	11	0	0	0	2	0	0	0	0	0	0	0
Blairgowrie,	4,229	12	1	5	0	0	0	0	0	0	0	1	0	0	0
Callander,	2,376	1	1	3	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,696	28	3	14	0	0	0	0	0	0	0	3	1	0	2
Cathcart (Landward),	6,228	13	3	3	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	38,927	126	16	68	0	8	1	0	2	1	0	5	0	9	4
Crief,	5,791	11	3	9	0	0	0	0	0	1	0	0	0	0	1
Dumbarton,	21,341	63	4	26	0	0	0	0	0	0	0	0	0	5	3
Dumfries, with Troqueer,	24,986	47	9	31	0	0	0	0	2	0	0	1	0	5	3
Dunfermline,	30,725	55	7	34	0	0	0	1	0	1	0	1	0	6	3
Dunoon,	7,695	11	2	12	0	0	0	0	0	0	0	0	0	1	1
Eastwood (Landward),	14,579	34	7	22	0	0	0	0	0	0	0	2	0	3	2
Elgin,	11,000	23	1	17	0	0	0	0	0	0	0	3	0	2	1
Falkirk,	30,774	92	8	41	0	1	3	0	0	0	0	0	0	11	5
Forfar,	13,034	30	2	16	0	0	0	0	0	0	0	0	0	1	0
Galashiels,	19,614	18	6	18	0	0	0	0	0	0	0	0	0	4	3
Govan—(1) Plantation (Land- ward),	26,862	66	6	20	0	0	0	0	0	0	0	0	0	5	2
(2) Govan (Landward),	49,397	143	21	87	0	1	3	0	1	2	0	5	0	17	12
(3) Partick (Landward),	46,316	159	34	55	0	0	0	2	0	0	0	4	2	8	5
Haddington,	4,876	12	1	5	0	0	0	0	0	0	0	0	0	1	2
Hawick, with Wilton,	23,431	35	14	35	0	0	0	0	0	0	0	2	0	2	1
Inverness,	26,084	63	17	48	0	0	2	0	2	0	0	1	0	4	4
Kilmarnock, with Riccarton,	33,488	82	16	48	0	0	5	0	0	1	0	1	0	9	6
Kilmore and Kilbride (Oban),	6,263	13	2	7	0	0	0	0	0	0	0	0	0	1	0
Kinning Park (Landward),	15,726	50	10	13	0	0	0	0	0	0	0	0	0	5	0
Kirkcaldy and Abbotshall,	19,951	51	14	27	0	0	0	0	0	0	0	1	1	3	2
Kirkcudbright,	3,475	4	2	5	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,465	15	0	8	0	0	0	0	0	0	0	0	1	0	0
Logie (Bridge of Allan),	4,461	8	2	5	0	0	0	0	0	0	0	0	0	2	2
Moffat,	3,016	6	2	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,045	26	6	28	0	0	0	0	0	0	0	0	0	3	1
Moulin (Pitlochry),	2,372	8	0	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,137	16	3	9	0	0	0	3	1	0	0	1	0	2	0
New Monkland (Airdrie),	39,670	108	17	58	0	0	0	1	1	0	0	3	0	10	2
North Berwick,	3,361	7	1	2	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	17,258	46	4	14	0	2	0	0	1	0	0	0	0	1	1
Rothsay,	9,805	15	3	12	0	0	0	0	0	0	0	0	0	3	0
St Andrews and St Leonards,	8,832	15	2	14	0	0	1	0	0	0	0	0	0	5	2
Shettleston (Landward),	16,213	58	4	25	0	2	6	1	1	3	0	1	0	2	3
Stirling,	15,800	33	7	21	0	0	0	0	0	1	0	1	1	6	2
Stranraer,	6,016	9	4	10	0	0	0	0	0	2	0	0	1	1	0
Wick,	12,347	30	2	11	0	0	0	0	0	1	0	0	0	2	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 132 feet above the sea-level.

For the month of NOVEMBER 1899,

Mean barometric pressure, 29.921 inches; greater than the average for the same month of 1856-95 by 0.103 inch.

Barometric monthly range, 1.793 inch; greater by 0.239 inch.

Mean temperature, $47^{\circ}3$; greater by $6^{\circ}0$.

Mean daily range of temperature, $9^{\circ}6$; less by $0^{\circ}4$.

Mean humidity, 84; less by 1.6.

Rain, number of days, 16; being the average.

Rain, depth in inches, 3.76; greater by 0.34 inch.

Wind, pressure on square foot, 3.33 lbs.; greater by 1.66 lb.

Wind, direction of, E. to W. as 2 to 17, and N. to S. as 1 to 9; the average being E. to W. as 6 to 11, and N. to S. as 5 to 5.

Hence the weather of November 1899 was characterised by a high mean barometric pressure, with a correspondingly large monthly range; a mean temperature, higher than any hitherto recorded for November by the Scottish Meteorological Society, with a mean daily range a little under the average; a mean humidity considerably under the average; a mean rainfall exceeding the average, falling on the average number of days; and an unprecedentedly large excess of south-westerly winds, blowing with a force only exceeded in the past by the Novembers of 1881 and 1888.

The mean barometric pressure was 29.921 inches, or 0.103 inch above the average. The excess was very much greater in the south than in the north, being 0.108 inch at Leith and Edinburgh, but only 0.065 inch at Aberdeen. Thus barometric gradients were formed for south-westerly winds, and as these gradients greatly exceeded the average in steepness, these winds blew with a force which was only twice exceeded, and but slightly, in this month since 1856.

The mean temperature was $47^{\circ}3$, or $6^{\circ}0$ above the average, the days being $5^{\circ}8$ and the nights $6^{\circ}2$ warmer than the average of November. Thus this high temperature, which is truly a 'record' temperature, was a little more pronounced during the night than during the day; indeed, at four of the towns the temperature did not once fall to freezing. As regards Edinburgh, this is a higher mean temperature than has been recorded there since 1763, when observations of temperature began to be made. As was to have been expected from the direction of the prevailing winds, temperature exceeded the average rather more at Greenock and Paisley than at Aberdeen and Dundee. The absolutely highest temperature was $61^{\circ}0$ on the 4th at Leith, and the lowest $27^{\circ}0$ on the 16th at Perth.

The mean rainfall was 3.76 inches, or 10 per cent. above the average. As regards amounts, it was very unequally distributed among the towns, being 58 per cent. under the average at Aberdeen, whereas, at Greenock it was 33 per cent. above the average. By far the larger part of the rain fell during the first fortnight, the heaviest falls being on the 3rd, when there fell 1.36 inch at Perth, 1.20 inch at Paisley, 1.08 inch at Greenock, and 1.01 inch at Edinburgh. In the west a good deal fell during the last week of the month, but in the east the fall was small from the 15th to the 30th. The extreme amounts for the month were 8.45 inches at Greenock, but only 1.37 inch at Aberdeen.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.

During the Month of NOVEMBER 1899.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Mean at Sea-level and 32°.	Range.	Inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																												feet.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
GLASGOW, W. E. MACHARG, M.B., Belvidere Hospital.	54																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

North latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

DECEMBER 1899.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Ltd., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of December 1899, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3865 children, of whom 1980 were males, and 1885 females. Of these, 3606 were legitimate, and 259 illegitimate, being in the proportion of one illegitimate in every 14·9 Births, or the illegitimate Births constituted 6·7 per cent. of the whole. In Perth, none of the Births were illegitimate; in Leith, 2·1 per cent.; in Greenock, 3·4; in Aberdeen, 5·5; in Paisley, 5·8; in Glasgow, 6·7; in Edinburgh, 8·5; and in Dundee, 9·4 per cent.

1595 Marriages were registered in these Towns during December, being 167 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2928 persons were registered in these Towns during the month, of whom 1472 were males, and 1456 females. Increase of the population being allowed for, this number is 67 below the average death-rate for December during the last ten years.

A comparison of the Deaths registered shows that during December the mortality was at the annual rate of 17·0 Deaths per thousand persons in Leith; 18·7 in Edinburgh; 19·7 in Aberdeen; 22·1 in Dundee; 22·3 in Glasgow; 25·7 in Paisley; 27·6 in Perth; and 30·6 in Greenock.

Of the 1392 Deaths registered in Glasgow, 298 were of children under one year of age, and 288 of persons over 60 years; of the 475 in Edinburgh, 97 were of children under one year, and 152 of persons over 60 years; of the 312 in Dundee, 105 were

of children under one year, and 70 of persons over 60 ; of the 239 in Aberdeen, 45 were under one, and 78 over 60 ; of the 112 in Leith, 30 were under one, and 27 over 60 ; of the 168 in Paisley, 34 were under one, and 43 over 60 ; of the 158 in Greenock, 37 were under one, and 27 over 60 ; and of the 72 in Perth, 12 were under one, and 23 over 60 years.

Of the whole 2928 Deaths, 1097, or 37·5 per cent., were of children under five years of age. In Edinburgh, 26·3 per cent. of the persons who died were under five years of age ; in Aberdeen, 30·5 ; in Leith, 33·0 ; in Perth, 36·1 ; in Glasgow, 37·9 ; in Paisley, 40·5 ; in Dundee, 47·1 ; and in Greenock, 58·9 per cent.

Miasmatic Diseases caused 296 Deaths, or 10·1 per cent. of the whole mortality. This rate was exceeded in Paisley from the prevalence of Measles and Hooping-Cough ; in Greenock from Measles ; and in Perth from Measles, Scarlatina, and Hooping-Cough.

Fever caused 30 Deaths, or 1·0 per cent. of the whole mortality. All were ascribed to Enteric Fever.

Measles caused 139 Deaths, or 4·7 per cent. of the whole. In Glasgow 65 Deaths, or 4·7 per cent. of the mortality there, were from Measles ; in Dundee 18, or 5·8 per cent. ; in Paisley 13, or 7·7 per cent. ; in Perth 6, or 8·3 per cent. ; and in Greenock 36, or 22·8 per cent.

Hooping-Cough caused 59 Deaths, or 2·0 per cent. of the whole. In Paisley 8 Deaths, or 4·8 per cent. ; and in Perth 10, or 13·9 per cent. were caused by Hooping-Cough.

Scarlet Fever caused 23 Deaths ; Diphtheria, 17 ; and Puerperal Fever, 4.

Eleven Deaths were caused by Intemperance, of which 9 were from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 124 Deaths ; Paralysis, 47 ; Heart Diseases, 269 ; and Premature Birth Debility, 74.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 780, or 26·6 per cent. of the whole. Those from Consumption alone numbered 242, or 8·2 per cent. Six Deaths were attributed to Croup.

121 Deaths resulted from Violent Causes, of which 2 were Suicidal.

Two males and 8 females had passed the 90th year of life, the eldest being the widow of a Labourer, who was aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1899.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1899.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	577,846	658,708	738,903	952	931	1883	1756	127	684	720	672	1392
EDINBURGH, .	244,120	272,773	298,927	347	292	639	585	54	380	233	242	475
DUNDEE, .	140,794	154,118	166,072	199	204	403	365	38	119	168	144	312
ABERDEEN, .	106,397	124,943	142,655	188	176	364	344	20	185	105	134	239
LEITH, .	59,485	68,707	77,385	103	87	190	186	4	91	61	51	112
PAISLEY, .	55,688	66,425	76,884	83	106	189	178	11	41	76	92	168
GREENOCK, .	66,704	68,423	60,867	76	72	148	143	5	45	79	79	158
PERTH, .	28,980	29,919	30,721	32	17	49	49	0	50	30	42	72
TOTAL, .	1 279,964	1 439,016	1 587,414	1980	1885	3865	3606	259	1595	1472	1456	2928

DECEMBER 1898, . .	Mean Temp. 43°·7	2020	1976	3996	3694	302	1663	1330	1254	2584
DECEMBER 1897, . .	Mean Temp. 39°·4	2050	1925	3975	3714	261	1516	1423	1389	2812
DECEMBER 1896, . .	Mean Temp. 38°·5	2072	1983	4055	3764	291	1426	1395	1391	2786
DECEMBER 1895, . .	Mean Temp. 38°·0	1793	1722	3515	3281	234	1464	1285	1244	2529
DECEMBER 1894, . .	Mean Temp. 40°·8	1989	1826	3815	3549	266	1411	1423	1357	2780
DECEMBER 1893, . .	Mean Temp. 41°·5	1903	1801	3709	3428	281	1107	1415	1412	2827
DECEMBER 1892, . .	Mean Temp. 34°·7	1927	1822	3749	3467	282	1277	1501	1601	3102
DECEMBER 1891, . .	Mean Temp. 39°·1	1828	1758	3586	3307	279	1210	1560	1674	3234
DECEMBER 1890, . .	Mean Temp. 35°·8	1947	1803	3750	3469	281	1178	1278	1442	2720
DECEMBER 1889, . .	Mean Temp. 39°·5	1769	1825	3594	3300	294	1201	1896	1437	2833

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of DECEMBER 1899.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	18	2	3	2	11	0	1. St Peter, .	0	0	0	0	0	0	1
2. Camlachie, .	0	8	0	7	1	0	2	2. St Mary, .	0	0	0	0	0	0	3
3. Dennistoun, .	0	9	0	2	1	0	2	3. St Clement, .	0	8	0	0	0	0	0
4. Calton, .	0	1	0	2	0	0	0	4. St Andrew, .	0	10	0	5	0	0	10
5. Blackfriars, .	0	1	0	0	0	1	0	5. Lochee, .	0	0	0	1	0	1	0
6. St Rollox, .	0	2	7	2	1	1	0	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	0	0	1	0	1								
8. Milton, .	0	7	0	5	1	0	0	ABERDEEN—							
9. Kelvin, .	0	6	3	2	1	0	1	1. St Nicholas, .	0	1	2	1	1	3	3
10. Anderston, .	0	0	0	0	1	0	2	2. St Machar, .	0	0	0	2	0	0	2
11. Hutchesontown, .	0	2	0	2	0	2	3	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	3	0	1	0	2	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	2	0	0	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	1	0	0	0	0	Nigg, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	6	0	3	1	0	0	1. North, .	0	0	0	0	0	0	0
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	13	0	8	0	4	6
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	2	3	2	0	1	1. East, .	0	19	0	0	0	0	3
2. St Andrew, .	0	0	0	0	0	0	0	2. West, .	0	17	1	0	2	0	1
3. Canongate, .	0	0	0	0	0	3	0								
4. St Giles, .	0	0	0	0	0	1	0	PERTH, .	0	6	4	10	1	1	0
5. Newington, .	0	0	1	0	1	0	0								
6. Portobello, .	0	0	0	0	0	0	0								

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2928	528	120	456	288	1392	125	37	161	152	475	147	12	83	70	312	73	14	74	78	239
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	366	109	28	22	6	165	11	9	3	4	27	38	1	2	-	41	14	-	10	3	27
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	12	1	-	3	-	4	-	-	6	-	6	-	-	1	-	1	-	-	-	-	-
IV. CONSTITUTIONAL "	482	34	36	132	26	228	13	8	46	16	83	11	7	27	8	53	7	7	26	11	51
V. DEVELOPMENTAL "	188	37	-	-	41	78	17	-	-	22	39	12	-	-	8	20	6	-	-	9	15
VI. LOCAL "	1640	286	44	260	192	782	69	19	94	105	287	68	2	49	52	171	35	5	36	51	127
VII. VIOLENCE - -	121	16	9	27	13	65	5	1	10	3	19	6	2	3	2	13	1	2	2	3	8
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	119	45	3	12	10	70	10	-	2	2	14	12	-	1	-	13	10	-	-	1	11
I.																					
1. Miasmatic Diseases -	296	98	28	15	2	143	5	8	3	3	19	24	1	-	-	25	9	-	7	2	18
2. Diarrheal "	41	7	-	2	2	11	-	-	-	1	1	14	-	-	-	14	4	-	-	1	5
3. Malarial "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoonous "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal "	16	3	-	2	1	6	5	-	-	-	5	-	-	-	-	-	1	-	2	-	3
6. Septic "	13	1	-	3	1	5	1	1	-	-	2	-	-	2	-	2	-	-	1	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	12	1	-	3	-	4	-	-	6	-	6	-	-	1	-	1	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	482	34	36	132	26	228	13	8	46	16	83	11	7	27	8	53	7	7	26	11	51
V.																					
DEVELOPMENTAL DISEASES	188	37	-	-	41	78	17	-	-	22	39	12	-	-	8	20	6	-	-	9	15
VI.																					
1. DIS. OF NERVOUS SYSTEM-	312	47	11	33	47	138	11	2	17	33	63	12	-	7	13	32	7	-	7	13	27
2. " ORGANS OF SPECIAL SENSE -	4	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM	269	1	7	54	37	99	2	3	32	32	69	-	1	13	13	27	-	3	11	12	21
4. " RESPIRATORY SYSTEM	780	196	13	120	76	405	47	6	20	29	102	51	-	18	21	90	17	1	6	19	41
5. " DIGESTIVE SYSTEM -	169	35	4	24	14	77	8	5	15	7	35	5	-	6	1	12	11	1	4	3	13
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	67	3	1	16	16	36	-	1	6	4	11	-	1	4	4	9	-	-	3	3	-
8. " REPRODUCTIVE SYSTEM:-																					
(a) DISEASES OF ORGANS OF GENERATION -	5	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	11	-	-	7	-	7	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-
9. " ORGANS OF LOCOMOTION -	16	-	6	1	1	8	-	2	-	-	2	-	-	1	-	1	-	-	1	-	-
10. " INTEGUMENTARY SYSTEM -	6	3	-	-	-	3	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

181

Registered during the Month of DECEMBER 1899.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	119	16	9	26	12	63	5	1	10	3	19	6	2	3	2	13	1	2	2	3	8
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - -	119	45	3	12	10	70	10	-	2	2	14	12	-	1	-	13	10	-	-	1	11
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	189	58	7	-	-	65	-	-	-	-	-	18	-	-	-	18	1	-	-	-	1
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	23	6	6	1	-	13	-	3	-	-	3	-	-	-	-	-	2	-	-	-	2
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	27	2	1	3	2	8	-	1	2	3	6	-	-	-	-	-	2	-	4	2	8
Whooping-Cough - - -	59	23	6	-	-	29	3	-	-	-	3	6	-	-	-	6	3	-	-	-	3
Mumps - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	17	9	1	-	-	10	1	2	-	-	3	-	-	-	-	-	1	-	-	-	1
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	30	-	6	11	-	17	1	2	1	-	4	-	1	-	-	1	-	-	3	-	3
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	41	7	-	2	2	11	-	-	-	1	1	14	-	-	-	14	4	-	-	1	5
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	14	3	-	2	-	5	5	-	-	-	-	5	-	-	-	-	1	-	1	-	2
Gonorrhoea, Stricture of Urethra - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	5	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	4	-	-	1	-	1	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
Puerperal Fever - - -	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

183

Registered during the Month of DECEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	1	-	4	-	5	2	-	4	2	8	2	-	-	-	2	-	-	1	-	1
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	1	-	3	4	-	-	-	4	3	-	-	-	3	1	-	-	-	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	12	1	-	-	13	35	1	-	-	36	5	1	-	-	6
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	4
Scarlet Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	4
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	2	-	1	1	4	-	-	-	1	1	-	-	-	-	-
Hooping-cough -	-	-	-	-	-	8	-	-	-	8	-	-	-	-	10	-	-	-	-	10
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	1	-	-	-	1
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	1	1	6	4	-	-	-	4	-	-	-	-	-
Diarrhoea, Dysentery -	-	-	-	-	-	4	-	1	1	6	4	-	-	-	4	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	203	1	6	40	30	77	1	3	24	21	49	-	1	9	8	18	-	3	12	9	24
Pericarditis -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	-	-	-	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-
Angina Pectoris -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	40	1	11	3	15	1	-	4	10	15	-	-	1	3	4	-	-	1	2	-	-
Aneurism -	2	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	3	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-
Varicose Veins -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	9	-	-	-	4	4	-	1	1	2	-	-	-	-	-	-	-	-	1	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	8	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	6	1	-	-	-	1	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	4	-	-	-	1	1	-	-	-	-	-	-	-	1	1	9	-	-	2	2	2
Bronchitis -	376	69	3	64	64	200	21	2	5	14	42	32	10	10	52	9	-	2	9	20	20
Pneumonia -	337	103	8	47	9	167	24	3	13	12	52	18	7	8	33	8	1	2	7	18	18
Pleurisy -	11	-	-	5	-	5	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1
Other Diseases of Resp. System	36	20	-	4	1	25	1	-	2	3	6	-	1	1	2	-	-	1	1	2	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	3	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	22	12	-	-	-	12	2	-	-	-	2	-	-	-	-	2	-	-	-	-	2
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of Stomach -	32	6	-	6	5	17	1	-	3	2	6	2	-	2	1	5	-	1	-	1	-
Enteritis -	39	13	2	-	-	15	5	1	-	-	6	3	-	2	-	5	7	-	-	8	-
Ulceration of Intestine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	9	1	-	2	-	3	-	1	2	-	3	-	1	-	1	-	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	4	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Fistula -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Peritonitis -	25	-	2	4	1	7	-	3	5	2	10	-	-	1	-	1	-	1	1	3	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	7	-	-	-	-	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	17	1	-	8	2	11	-	-	2	-	2	-	-	-	-	1	-	-	-	1	-
Other Dis. of Digestive System	4	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	17	3	-	5	3	11	-	-	-	1	1	-	-	2	-	2	-	-	1	1	1
Bright's Disease -	29	-	1	9	4	14	-	1	6	1	8	-	-	2	2	4	-	-	1	-	1
Uremia -	4	-	-	-	2	2	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1
Suppression of Urine -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	14	-	-	2	6	8	-	-	-	2	2	-	-	-	2	2	-	-	1	1	1
Other Dis. of Urinary System	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2

187

187

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1899.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	6	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	8	-	4	-	-	4	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom. - -	8	-	2	1	1	4	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	7	-	-	3	-	3	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Confagurations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	21	7	3	2	4	16	-	1	-	1	-	1	-	1	1	1	1	-	-	-	2
Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	7	2	1	2	-	5	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Drowning - - -	11	-	2	3	-	5	-	1	-	1	-	1	1	-	1	-	2	-	-	-	-
Suffocation { In Bed - - -	10	5	-	-	-	5	1	-	-	-	1	3	-	-	-	-	3	-	-	-	-
Otherwise - - -	11	-	2	-	-	2	4	-	-	4	2	-	-	-	-	-	2	-	1	-	1
Falls - - -	6	-	1	1	1	3	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
Weather Agencies - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	24	-	1	8	4	13	-	3	1	4	-	-	1	1	2	-	-	1	-	-	1
Otherwise, or Not Stated - - -	18	1	1	4	3	9	-	1	1	2	-	1	1	-	2	-	-	-	3	-	3
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	68	28	1	3	-	32	8	-	-	8	11	-	-	-	11	9	-	-	-	-	9
Mortification - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	11	5	-	2	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	34	11	1	6	6	24	2	-	1	-	3	1	-	1	-	2	1	-	-	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

189

Registered during the Month of DECEMBER 1899.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlegmasia Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - - -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
{ Explosions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Suffocation { In Bed - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
{ Otherwise - - - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Falls - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - - - -	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - - - -	-	-	1	-	1	-	3	-	3	3	-	-	-	-	-	-	-	-	-	-
Otherwise, or Not Stated - - - - -	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - - - -	2	-	-	-	2	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1
Mortification - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes - - - - -	-	-	1	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1899.

DISTRICTS.	Estimated Population at Middle of 1899.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,866	46	23	29	0	0	2	0	2	0	0	0	1	6	2
Ayr,	29,618	71	29	62	0	0	1	0	0	20	0	0	0	8	8
Banff, with Macduff,	8,614	25	15	13	0	0	0	1	1	0	0	0	0	2	0
Blairstown,	4,229	9	3	4	0	0	0	0	0	0	0	0	0	1	0
Callander,	2,376	5	2	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,696	18	8	24	0	0	0	0	0	0	0	1	0	6	0
Cathcart (Landward),	6,228	11	1	7	0	0	0	0	0	0	0	1	0	2	1
Coatbridge,	38,927	122	25	85	0	20	1	0	0	1	0	2	1	14	4
Crieff,	5,791	4	5	6	0	0	0	0	0	0	0	0	0	1	1
Dumbarton,	21,341	53	17	34	0	0	0	0	1	0	0	1	0	9	2
Dumfries, with Troqueer,	24,986	42	26	44	0	0	0	0	0	0	0	0	0	12	4
Dunfermline,	30,725	63	21	47	0	0	0	1	0	0	0	2	0	13	2
Dunoon,	7,695	15	7	8	0	0	0	0	0	0	0	0	0	4	0
Eastwood (Landward),	14,579	33	7	22	0	1	0	0	1	1	0	0	0	8	5
Elgin,	11,000	30	14	16	0	0	0	0	0	0	0	1	1	3	2
Falkirk,	30,774	106	16	62	0	0	1	2	0	4	0	1	2	14	5
Forfar,	13,034	31	21	16	0	0	0	0	0	0	0	0	0	0	1
Galashiels,	19,614	23	19	26	0	0	0	0	1	0	0	0	0	4	4
Govan—(1) Plantation (Landward),	26,862	69	7	42	0	0	0	2	0	0	0	4	0	14	3
(2) Govan (Landward),	49,397	147	37	112	0	1	2	0	0	1	0	2	0	28	10
(3) Partick (Landward),	46,316	157	41	65	0	0	0	0	1	0	0	1	3	26	4
Haddington,	4,376	6	3	8	0	0	0	0	0	0	0	0	0	1	2
Hawick, with Wilton,	23,431	37	16	22	0	0	0	0	0	0	0	1	0	0	3
Inverness,	26,084	44	45	43	0	0	1	0	0	0	0	0	0	7	6
Kilmarnock, with Riccarton,	33,488	98	40	58	0	0	1	0	1	1	0	1	0	16	3
Kilmore and Kilbride (Oban),	6,263	14	7	15	0	0	0	0	0	1	0	1	0	1	1
Kinning Park (Landward),	15,726	39	12	23	0	0	1	0	0	0	0	1	1	8	2
Kirkealdy and Abbotshall,	19,951	47	23	25	0	0	0	0	0	0	0	1	0	3	2
Kirkcubright,	3,475	4	6	4	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie,	5,465	16	6	8	0	0	0	0	0	0	0	0	0	1	1
Logie (Bridge of Allan),	4,461	3	5	6	0	0	0	0	0	0	0	0	0	2	0
Moffat,	3,016	5	2	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,045	27	21	19	0	0	0	0	1	0	0	0	0	0	2
Moulin (Pitlochry),	2,372	6	1	2	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,137	14	10	13	0	0	0	1	0	0	0	0	0	2	1
New Monkland (Airdrie),	39,670	95	36	54	0	0	3	1	0	0	0	2	0	12	4
North Berwick,	3,261	6	4	2	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	17,258	40	19	25	0	4	0	0	0	0	0	1	5	1	1
Rothsay,	9,805	19	4	9	0	0	0	0	0	0	0	0	1	1	1
St Andrews and St Leonards,	8,882	25	10	14	0	0	0	1	0	0	0	0	0	1	1
Shettleston (Landward),	16,213	73	17	19	0	1	0	0	0	2	0	0	0	3	3
Stirling,	15,800	37	14	23	0	0	0	1	1	0	0	0	0	7	0
Stranraer,	6,016	6	3	13	0	1	0	0	0	1	0	0	0	1	1
Wick,	12,347	32	17	18	0	0	0	0	0	0	0	1	0	3	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 132 feet above the sea-level.

For the month of DECEMBER 1899,

Mean barometric pressure, 29·820 inches; greater than the average for the same month of 1856–95 by 0·008 inch.

Barometric monthly range, 2·002 inches; greater by 0·416 inch.

Mean temperature, $35^{\circ}7$; less by $2^{\circ}7$.

Mean daily range of temperature, $9^{\circ}2$; greater by $0^{\circ}1$.

Mean humidity, 88; greater by 1·2.

Rain, number of days, 17; being the average.

Rain, depth in inches, 3·62; less by 0·10 inch.

Wind, pressure on square foot, 1·08 lbs.; less by 0·79 lb.

Wind, direction of, E. to W. as 10 to 7, and N. to S. as 3 to 8; the average being E. to W. as 5 to 13, and N. to S. as 4 to 7.

Hence the weather of December 1899 was characterised by a mean barometric pressure very nearly the average, with an unusually large monthly range, having been exceeded only thrice since 1856; a mean temperature nearly three degrees under the average, with the average mean daily range; a mean humidity above the average; a mean rainfall, only slightly less than the average, falling on the average number of days; and a very large excess of SE winds and calms, and deficiency of W winds, blowing with a greatly diminished force.

The mean barometric pressure was 29·820 inches, being only 0·008 inch above the average. But as regards individual stations, there was great inequality in its distribution, mean pressure being 0·012 inch under the average at Paisley, but about 0·034 inch above it at Aberdeen, while at Leith it was nearly the average. From this anomalous distribution of pressure, gradients were formed for south-easterly winds, which prevailed eight more than the average; as the type of weather was often anticyclonic, calms frequently occurred.

The mean temperature was $35^{\circ}7$, or $2^{\circ}7$ under the average, the deficiency being equally distributed between the days and the nights. As the winds were south-easterly, colder weather was encountered on advancing from east to west, so that while at Aberdeen temperature was $2^{\circ}0$ under the average, the deficiency was $3^{\circ}2$ at Paisley and Greenock. The absolutely highest temperature was $55^{\circ}7$ on the 4th at Glasgow, and the lowest $5^{\circ}0$ on the 15th at Perth.

The mean rainfall was 3·62 inches, the average being 3·72 inches. Its distribution over the country was, however, extremely irregular, being in percentages 73 at Dundee and 57 at Aberdeen above the average; whereas it was under the average 39 at Paisley and 26 at Greenock, this mode of distribution being occasioned by the prevailing south-easterly winds. The rain fell mostly from the 3rd to the 7th, 11th, 20th to 25th, and 28th to 30th. Snow was of frequent occurrence from the 8th to 14th, and after the 21st.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of DECEMBER 1899.

	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO-METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									
	Range.		Inch.	Highest In Month.	Lowest In Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour In Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										Mean Pressure on Sq. ft.
	Inch.	Inch.																N	NE	E	SE	S	SW	W	NW	Calm or Variable.		
GLASGOW, W. E. MACHARG, M.B., Belvidere Hospital.	29-754	29-815	2-049	55-7	15-0	36-3	40-7	10-5	20-8	36-2	35-0	33-2	191	2-18	89	13	3-07	0	1	12	2	1	1	1	4	9	0-34	
EDINBURGH, R. C. MOSSMAN, F.R.S.E. DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	29-522	29-832	2-013	53-3	18-3	35-9	35-0	8-4	19-2	35-7	34-2	31-9	182	1-81	86	16	2-13	1	0	4	4	4	0	7	3	8	0-67	
ABERDEEN, PETER HARPER, Duthie Park.	29-642	29-827	1-979	54-4	15-2	34-9	39-2	8-6	20-3	35-2	34-2	32-6	186	2-00	90	19	4-61	1	4	1	9	0	6	4	6	0	1-04	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	29-765	29-814	1-985	55-4	16-0	36-1	39-4	8-8	19-0	36-6	35-1	33-0	188	2-17	87	24	5-25	0	0	1	7	6	10	4	3	0	1-91	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	29-744	29-821	2-021	54-7	21-9	36-9	32-8	7-0	16-8	36-4	34-9	32-6	185	2-14	86	19	2-32	0	0	9	3	3	4	8	1	3	1-49	
GREENOCK, DANIEL MACALISTER, Greenock Water Works.	29-691	29-810	2-042	54-1	17-2	36-6	36-9	9-2	19-0	36-3	35-0	33-1	190	2-17	89	19	2-31	0	5	7	2	4	3	4	0	6	0-65	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	29-557	29-812	1-982	53-2	20-2	36-0	33-0	9-0	18-8	36-6	35-1	32-7	186	2-23	86	18	5-34	0	0	2	16	1	5	5	0	2	2-40	
Means,	29-710	29-827	1-994	55-0	5-0	33-0	50-0	11-9	31-0	32-9	31-8	29-6	164	2-28	87	11	3-43	2	1	15	1	2	1	3	1	5	0-10	
	29-673	29-820	2-002	54-65	16-5	35-7	38-4	9-2	20-6	35-7	34-4	32-3	184	2-12	88	17	3-62	1	1	6	6	3	4	4	2	4	1-38	

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'. Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 3° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 5° 25'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.

* Absolute highest.

† Absolute lowest.